


## **Bristol Channel**



5608	Chart Title	Natural Scale 1:
1	Hartland Point to Worms Head	150,000
2A	Padstow to Saint Ann's Head	500,000
2B	Boscastle to Hartland Point	75,000
2C	Padstow to Boscastle	75,000
3	Mumbles Head and Ilfracombe to Burnham-on-Sea	150,000
4A	Hartland Point to Lundy and Ilfracombe	75,000
4B	Lundy	25,000
5A	Barnstaple and Bideford	25,000
5B	Padstow	25,000
5C	Ilfracombe	12,500
6	Ilfracombe to Worms Head and Mumbles Head	75,000
7	Swansea Bay	25,000
8A	River Neath	12,500
8B	Barry	12,500
8C	Lynmouth	20,000

5608	Chart Title	Natural Scale 1:
8D	Porlock	20,000
8E	Minehead	20,000
8F	Watchet	20,000
9	Foreland Point to Nash Point	75,000
10	Scarweather Sands to North Kenfig Patches	25,000
11	Porthcawl to Nash Point	25,000
12	Watchet to Barry	50,000
13	Barry to Stert Point	50,000
14	Burnham-On-Sea and Approaches	20,000
15	Flat Holm to East Usk	40,000
16A	Bristol Deep to King Road	40,000
16B	Continuation to Avonmouth	40,000
17A	Approaches to Barry and Cardiff	25,000
17B	Cardiff	15,000
18A	Avonmouth to Severn Bridge	25,000
18B	Newport	20,000
19A	Avonmouth Bridge to Sea Mills Creek	10,000
19B	Sea Mills Creek to Cumberland Basin	10,000
19C	Bristol City Docks	15,000
20	King Road and River Avon to the Avonmouth Bridge	10,000
21A&B	Severn Bridge to Sharpness	25,000
21C	Sharpness Docks	10,000

## **Notes**

**Positions** are referred to the WGS84 compatible datum, European Terrestrial Reference System 1989 Datum.

**Depths** are in metres and are reduced to Chart Datum, which is approximately the level of Lowest Astronomical Tide.

Heights are in metres. Underlined figures are drying heights above Chart Datum. Vertical clearance heights are above Highest Astronomical Tide. All other heights are above Mean High Water Springs. Navigational marks: IALA Maritime Buoyage System-Region A (Red to port)

#### DATUM

All the charts are referred to the WGS84 compatible Datum ETRS89. Any positions taken from GPS (referred to WGS84) or from ADMIRALTY Notices to Mariners (referred to ETRS89) can be plotted directly on all charts.

## OVERHEAD CABLES

Overhead cables may conduct high voltages; contact with these poses extreme danger. Sufficient clearance must be allowed.

## WRECKS AND WELLHEADS (Sheet 5608\_2A)

Wrecks, obstructions and fouls are not shown inside the coastal 20 metre depth contour. Within the areas covered by larger scale sheets, wrecks with a depth of more than 28 metres are not shown.

Outside the areas of larger scale sheets, depths where known are shown for charted wrecks and wellheads

Areas of numerous wrecks are covered by a legend.

## OMISSION OF DETAIL

Within the limit marked \_\_\_\_\_ and the coastline, this chart should only be used for planning purposes as features such as depths, platforms, wrecks, pipelines, minor aids to navigation and cables have been omitted. Larger scale ADMIRALTY charts are available for mariners intending to navigate in this area.

## FIRING PRACTICE AREAS

No restrictions are placed on the right to transit the firing practice areas at any time. The firing practice areas are operated using a clear range procedure; exercises and firing only take place when the areas are considered to be clear of all shipping.

## SUBMARINE CABLES AND PIPELINES

Mariners should not anchor, trawl or engage in seabed operations in the vicinity of submarine cables and pipelines. Submarine cables support national infrastructure; damage to them may affect critical services and can result in serious consequences, as well as creating a potential hazard to mariners. Wilful or neglectful damage to a cable may result in legal action. Pipelines are not always buried and their presence may significantly reduce the charted depth. They may also span seabed undulations and cause fishing gear to become irrecoverably snagged, putting a vessel in severe danger.

#### HISTORIC WRECKS

The sites of historic wrecks are protected from unauthorised interference.

## VESSEL REPORTING

For details of the following vessel traffic services and vessel reporting systems, see ADMIRALTY List of Radio Signals:

- Barry Radio
- Bridgwater Pilots
- Bristol VTS
- Cardiff Local Port Services (LPS)
- Cardiff Radio
- Newport Radio
- Port Talbot Harbour Control
- Sharpness Port Information and Reporting
- Swansea Docks Radio

## MARINE FARMS

Marine farms exist within the area of this chart. They may not all be shown individually and their positions may change frequently. Marine farms may be marked by lit or unlit buoys or beacons. Mariners are advised to avoid these structures and their associated moorings.

## PILOT BOARDING AREA

For vessels bound for Barry, Cardiff, Newport, Avonmouth, Bristol, Sharpness & Gloucester pilots board as follows;

- (A) Vessels with a draught of 12·5m and over at 51°20′·9N 3°23′·3W.
- (B) Vessels with a draught of less than 12.5m at  $51^{\circ}20'.9N$   $3^{\circ}19'.0W$ .
- (C) Certain vessels may be directed by the Harbour Authorities to a boarding position at 51°21′·5N

## MARINE CONSERVATION ZONE

A Marine Conservation Zone exists to protect the marine habitats and life around Lundy. Regulations relating to anchoring and other maritime activities exist within the area. For further details, see ADMIRALTY Sailing Directions.

## **HM Coastguard Services and Safety Information**

## VHF MARITIME RADIO

Coastguard Maritime Rescue Co-ordination Centres are on constant watch on Channel 16 - the distress, safety and calling channel. Initial calls should normally be on Ch 16.

HM COASTGUARD

FALMOUTH COASTGUARD (MRCC)

Tel: +44 (0) 1326 317575 MMSI: 002320014

e-mail: zone23@hmcg.gov.uk (FAO Falmouth Coastguard)

## MILFORD HAVEN COASTGUARD (MRCC)

Tel: +44 (0) 1646 690909 MMSI: 002320017

e-mail: zone28@hmcg.gov.uk (FAO Milford Haven Coastguard)

## **Distress and Safety Communication**

## **Distress - Urgency**

A Distress or Urgency message has absolute priority.

Make a call on VHF Channel 16 and give the following essential information:

Distress Call MAYDAY MAYDAY MAYDAY

- Name and Call Sign and MMSI number Position
- Nature of Distress
- Type of assistance required
- Type of boat number of crew intentions

**Urgency** (eg. if you break down in bad weather or a crewman requires medical attention) Call **PANPAN PANPAN PANPAN** and give:

- Name and Call Sign and MMSI number Position
- Nature of Distress
- Type of assistance required
- Type of boat number of crew intentions

## **Other Distress Signals**

Other recognised signals are:

- Red flares (parachute, multi stars or hand held) Orange smoke signal
- The flag signal NC
- The morse signal SOS ... --- ... by light
- An article of clothing on an oar
- Slowly and repeatedly raising and lowering outstretched arms
- A square flag with anything resembling a ball above or below it
- Continuous sounding of a siren or whistle will also be recognised, or smoke and flames from the vessel
- The carriage of an Emergency Position Indicating Radio Beacon (406 EPIRB) will improve your chances of being located if conventional means fail.

  406 EPIRBs are detected by satellite, in addition to aircraft, and transmitted to a Coastguard Maritime Rescue Co-ordination Centre.

#### THE USE OF MOBILE TELEPHONES IN DISTRESS AND SAFETY COMMUNICATIONS

The use of mobile telephones in the marine environent offshore is now well established, with users in all areas of the commercial, fishing and leisure communities.

Incidents have occured where vessels requiring assistance from rescue services have used the inland emergency service, or alternatively telephoned direct to request assistance. (e.g. Lifeboat services). This procedure through a mobile telephone is strongly discouraged.

Use of mobile telephones by-passes the existing dedicated well-established international marine distress communications systems.

Mobile telephone coverage offshore is limited and does not afford the same extensive safety coverage as VHF Channel 16. Consequently a greater risk exists of communications difficulties or even a complete breakdown if an accident should occur at the edge of a cell coverage area.

Subsequent on-scene communications would be restricted and delayed if mobile telephone communications were exclusively maintained throughout. There is always a risk that elements of vital information could be lost or misinterpreted by the introduction of further relay links in the communication chain. Mobile telephones are also highly susceptible to failure due to water ingress.

It is not possible to communicate direct to another vessel able to render assistance unless that vessel is also fitted with a mobile telephone and the telephone number is known. Requests for assistance cannot be monitored by other vessels in a position to render assistance. Valuable time would be lost whilst the relevent Coastguard Rescue Coordination Centre receives and then re-broadcasts the information to all ships on the appropriate distress channel(s).

In the interests of Safety Of Life At Sea (SOLAS), owners of vessels are urged to carry MARINE communications equipment onboard and to use this medium as the primary means of Distress and Safety communications.

## **Product Specifications**

#### PRODUCT USAGE CAUTION

This product is specifically designed, in conjunction with other charts and publications, as an aid to the navigation of leisure craft and locally regulated workboats and fishing vessels and therefore should be used by competent (preferably qualified) maritime navigators. Although this product contains the best information available at the time of publication, the user should navigate with caution, particularly in areas of shallow or confined waters where the depth of water is likely to change due to local conditions. The information provided in this product comes from the latest source information held and is updated by Notice to Mariners upon receipt of new information critical to safe navigation. To help maintain this product for all users, users are asked to notify the United Kingdom Hydrographic Office of any differences found between what is depicted and actual conditions encountered.

#### KEEPING THIS CHART UPDATED

Updates for the charts are published using the Notices to Mariners Service on the ADMIRALTY Notices to Mariners page found on our website at admiralty.co.uk/msi. All updates for the latest edition of the chart are listed and can be quickly and easily downloaded. All the charts are derived from standard ADMIRALTY charts. No updates are applied to the charts by the United Kingdom Hydrographic Office or its agents after printing. For those who do not have internet access, please contact Tel. 01823 484444 for assistance.

## TIDAL STREAMS

Full details of the tidal streams in the area covered by these charts are given in the following ADMIRALTY Tidal Stream Atlas: NP256 Irish Sea and Bristol Channel and NP 258 Bristol Channel (Lundy to Avonmouth).

## PROVIDE UPDATED INFORMATION

To help maintain this product users are asked to notify the United Kingdom Hydrographic Office of any differences found between what is depicted and actual conditions encountered. Users can do this by submitting a Hydrographic Note form, found on our website admiralty.co.uk/msi or by downloading our H-Note App. The H-Note App is freely available to download on Android and iOS devices. For more information please see here:



## IMPROVEMENTS TO THIS PRODUCT

ADMIRALTY Small Craft Charts are designed for use on leisure craft and locally regulated workboats and fishing vessels, where the smaller format charts fit more conveniently into the limited space available. Users with specific suggestions for the improvement of this product or ideas for the expansion of the series are requested to forward their comments to:

Customer Services, The UK Hydrographic Office, Admiralty Way, Taunton. +44(0)1823 484444 E-mail customerservices@ukho.gov.uk

To view all ADMIRALTY Products and services, visit admiralty.co.uk

## **Tidal Stream Information**

5608\_1 Tidal Streams referred to HW at PORT OF BRISTOL (AVONMOUTH)

		Geographical		51°22′0 N	I (R)	51°36′9 N	(C)	51°03′1 N	(D)	51°30′5 N	I (F)	51°35′2 N	(F)	51°21′5N	(G)	51°11′8 N	CHD	51°22′0 N	CID	51°33′3 N	CKS	51°27′0 N	
Hours	$\vee$	Position	V	4 43·2W	V	4 37·2W	V	4 34·0W	<b>&gt;</b>	4 24·6W		4 22·4W	V	4 19·4W	<b>&gt;</b>	4 16·1W	Þ	4 15·1W	<b>&gt;</b>	3 56·9W	V	3 55·6V	4
6 ر	s)		095	0.9 0.4	038	0.8 0.4	066	1.6 0.7	108	1.1 0.6	126	0.7 0.3	034	1.1 0.5	055	1.5 0.7	034	1.2 0.6	085	0.1 0.1	103	1.6 0.9	-6
a ate	9	ts)	075	1.4 0.6	045	1.4 0.6	059	2.6 1.2	115	1.9 1.0	123	0.9 0.4	067	2.2 1.1	045	2.9 1.4	062	2.2 1.2	068	0.6 0.3	106	2.5 1.3	-5
[5 × ] 4	p p	of of	076	1.7 0.8	052	1.6 0.7	060	2.6 1.2	116	2.2 1.2	121	0.8 0.4	085	2.5 1.2	042	2.9 1.4	079	3.0 1.6	059	1.1 0.5	106	2.6 1.4	-4
	8	ੜ ਝ	072	1.6 0.7	054	1.2 0.6	057	2.5 1.2	116	1.9 1.0	124	0.7 0.3	096	2.4 1.1	051	2.5 1.2	084	2.6 1.4	057	1.4 0.7	106	2.2 1.2	-3
ag High	S	es es	064	0.9 0.4	054	0.7 0.3	061	1.7 0.8	116	1.0 0.5	122	0.4 0.2	100	1.6 0.7	052	1.8 0.8	101	1.8 1.0	060	1.2 0.6	107	1.3 0.7	-2
1	l E	ğ ç	128	0.1 0.0	054	0.1 0.0	050	0.6 0.3	192	0.1 0.0	334	0.1 0.0	106	0.4 0.2	078	0.3 0.1	129	1.1 0.6	065	0.9 0.4	211	0.1 0.1	-1
High Water	stre	ing ap t	247	0.6 0.3	230	0.5 0.2	257	1.4 0.7	287	1.0 0.6	321	0.6 0.3	225	1.0 0.5	226	1.3 0.6	205	1.1 0.6	110	0.3 0.2	280	1.5 0.8	0
	<u>پ</u>	ng en	262	1.4 0.7	226	1.2 0.6	240	2.8 1.3	295	2.1 1.1	320	1.2 0.6	237	1.8 0.8	225	2.9 1.3	244	2.1 1.1	234	0.9 0.4	285	2.6 1.4	+1
<u>.</u> 2	S	at at	265	1.8 0.8	230	1.6 0.7	228	3.0 1.4	296	2.4 1.3	328	1.5 0.7	250	2.8 1.3	231	3.2 1.5	258	2.9 1.5	249	1.5 0.7	285	2.8 1.5	+2
3 أَجِّ فَإِ	<u>ا</u>	S S	267	1.5 0.7	235	1.6 0.7	233	2.7 1.3	296	1.9 1.0	291	0.6 0.3	260	1.9 0.9	233	2.3 1.1	265	2.8 1.5	246	1.5 0.7	285	2.3 1.2	+3
	ţ	ate	245	1.1 0.5	231	1.0 0.4	239	1.8 0.8	296	1.0 0.5	236	0.3 0.2	276	1.7 0.8	237	1.2 0.6	281	1.9 1.0	247	1.0 0.5	288	0.8 0.4	+4
A High	i.e	- R	191	0.4 0.2	229	0.2 0.1	264	0.6 0.3	296	0.1 0.1	191	0.5 0.2	302	1.2 0.6	218	0.4 0.2	310	1.2 0.6	243	0.6 0.3	301	0.2 0.1	+5
1 _ (6			105	0.7 0.3	035	0.4 0.2	058	1.1 0.5	106	0.7 0.4	150	0.7 0.3	007	0.9 0.4	062	1.5 0.7	010	0.9 0.5	218	0.1 0.0	090	1.0 0.6	+6

5608\_2(A) Tidal Streams referred to HW at DOVER

$\Diamond$	51°10'0 N 5 00-0W	₿	50°50'0 N 5 30·1W	<b>♦</b>		
047 025 290 256 247 236	0.9 0.4 0.4 0.2 0.3 0.1 1.0 0.5 1.3 0.6 1.2 0.5	050 023 279 239 235 235	1.0 0.5 0.6 0.3 0.3 0.1 0.7 0.3 1.0 0.5 1.2 0.6	058 126 200 225 231 233	0·7 0·3 0·3 0·1 0·4 0·2 1·0 0·5 1·2 0·6 1·1 0·5	-6 -5 -4 -3 -2
228	0.9 0.4	235	1.0 0.5	239	0.7 0.3	0
218 175 093 070 057 050	0.6 0.3 0.2 0.1 0.5 0.2 1.1 0.5 1.3 0.6 1.1 0.5	235 112 068 066 063 054	0·5 0·2 0·1 0·0 0·6 0·3 1·0 0·5 1·2 0·6 1·0 0·5	237 033 034 039 046 052	0·2 0·1 0·3 0·1 0·9 0·4 1·2 0·6 1·1 0·5 0·9 0·4	+1 +2 +3 +4 +5 +6

5608\_2B&C Tidal Streams referred to HW at MILFORD HAVEN

		_	_	_
<b></b>	51°03°1N	<b>€</b>	50°34'5N	
<b>V</b>	4 34·0W	<b>V</b>	4 57·7W	
034	0.3 0.1	047	0.5 0.3	-6
063	1.6 0.7	052	0.7 0.4	-5
060	2.5 1.2	061	0.8 0.5	-4
059	2.6 1.2	071	0.7 0.4	-3
058	2.4 1.1	080	0.5 0.3	-2
061	1.6 0.7	090	0.2 0.1	-1
054	0.5 0.2	243	0.9 0.6	0
256	1.4 0.6	234	1.1 0.7	+1
239	2.8 1.3	232	0.9 0.5	+2
229	3.0 1.4	240	0.5 0.3	+3
233	2.6 1.2	302	0.2 0.1	+4
239	1.7 0.8	016	0.3 0.2	+5
268	0.5 0.2	041	0.4 0.3	+6

5608\_3

Tidal Streams referred to HW at PORT OF BRISTOL (AVONMOUTH)

	51°33'31	1	51°27'0 N 3 55-6W	A	51°32′5 N	<b>A</b>	51°20′1 N	A	51°16′0 N	A	51°26′8 N	A	51°19′3 N	$\wedge$	51°14′2 N	$\wedge$	51°21'0 N	Δ	51°22′9 N	$\wedge$	51°21′5N	$\Delta$	51°19′6N	
V	3 56·9V	v 💖	3 55·6W	$\lor$	3 53·5W	W	3 50·3W	\€\	3 47·4W	V	3 42·3W	V	3 32·4W	V	3 21·1W	Þ	3 20·6W	V	3 15·1W	$\forall$	3 09·5W	W	3 04·8W	4
085	0.1 0.1	103	1-6 0-9	109	0.3 0.2	132	0.7 0.3	087	2.1 1.0	118	0.8 0.4	060	0.5 0.2	103	0.9 0.5	094	1.2 0.7	070	0.9 0.5	251	0.8 0.4	144	0.2 0.1	-6
068	0.6 0.3	106	2.5 1.3	083	0.8 0.4	090	2.1 0.9	097	3.3 1.6	118	1.8 1.0	078	2.4 1.1	106	2.2 1.2	094	3-1 1-7	076	1.7 0.9	071	2.0 1.0	049	1.4 0.7	-5
			2.6 1.4																					
			2.2 1.2																					
			1.3 0.7																					
065	0.9 0.4	211	0.1 0.1	075	0.6 0.3	120	1.0 0.4	092	1.0 0.5	119	0.8 0.4	094	1.2 0.6	100	1.1 0.6	093	1.7 0.9	075	1.1 0.6	072	1.7 0.9	041	1.7 0.9	-1
110	0.3 0.2	280	1.5 0.8	246	0.2 0.1	200	0.6 0.3	239	1.3 0.6	289	0.8 0.4	269	0.4 0.2	312	0.5 0.3	273	0.6 0.3	244	1.1 0.6	315	0.2 0.1	045	0.2 0.1	0
234	0.9 0.4	285	2.6 1.4	257	1.0 0.4	284	2.5 1.1	271	3.7 1.7	296	2.4 1.3	276	2.2 1.0	293	1.9 1.0	273	2.7 1.4	250	3.2 1.6	253	2.5 1.3	245	1.3 0.7	+1
			2.8 1.5																					
			2.3 1.2																					
			0.8 0.4																					
			0.2 0.1																					
218	3 0·1 0·0	090	1.0 0.6	126	0.2 0.1	170	0.4 0.2	093	0.8 0.4	117	0.5 0.3	054	0.1 0.0	090	0.4 0.2	099	0.2 0.1		0.0 0.0	251	1.3 0.7	203	0.6 0.3	+6

5608\_4 Tidal Streams referred to HW at PORT OF BRISTOL (AVONMOUTH)

<b>\langle</b>	51°11′8N 4 16·1W		51°04′8N 4 16·0W	<b>\oint{\oint}</b>	51°03'1 N 4 34·0W	
055 045 042 051 052 078	1·5 0·7 2·9 1·4 2·9 1·4 2·5 1·2 1·8 0·8 0·3 0·1	359 038 060 060 065 083	0.6 0.3 0.3 0.1 0.7 0.3 1.0 0.5 0.8 0.4 0.4 0.2	066 059 060 057 061 050	1.6 0.7 2.6 1.2 2.6 1.2 2.5 1.2 1.7 0.8 0.6 0.3	-6 -5 -4 -3 -2
226	1.3 0.6	184	0.8 0.4	257	1.4 0.7	0
225 231 233 237 218 062	2·9 1·3 3·2 1·5 2·3 1·1 1·2 0·6 0·4 0·2 1·5 0·7	198 212 225 290 313 340	0.9 0.4 0.9 0.4 0.8 0.4 0.6 0.3 0.7 0.3 0.7 0.3	240 228 233 239 264 058	2·8 1·3 3·0 1·4 2·7 1·3 1·8 0·8 0·6 0·3 1·1 0·5	+1 +2 +3 +4 +5 +6

5608\_5 (A)
Tidal Streams referred to HW at
PORT OF BRISTOL (AVONMOUTH)

Hours	$\Diamond^{\circ}$	eograph Position		$\Diamond$		05′N 16 W	
After High Water Page 1 2 2 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 4 2 9 6 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Directions of streams (degrees)	Rates at spring tides (knots)	at iteah tides (Nilots)	359 038 060 060 065 083 184 198 212 225 290 313 340	0·6 0·3 0·7 1·0 0·8 0·4	0·3 0·1 0·3 0·5 0·4 0·2 0·4 0·4 0·4 0·3 0·3 0·3	-6 -5 -4 -3 -1 0 +1 +2 +4 +5 +6

5608\_5B Tidal Streams referred to HW at MILFORD HAVEN

W
3
1
5
1
3
1
3
7
5
3
1
2
3

5608\_6 Tidal Streams referred to HW at SWANSEA

<b>\langle</b>	51°21′.5N 4 19 4W	₿	51°22′-0N 4 15 1W	
333	0.9 0.4	342	0.9 0.5	-6
034	1.1 0.5	042	1.3 0.7	-5
067	2.2 1.1	065	2.4 1.3	-4
085	2.5 1.2	080	3.0 1.6	-3
096	2.4 1.1	087	2.9 1.5	-2
100	1.6 0.7	104	1.7 0.9	-1
106	0.4 0.2	140	1.1 0.6	0
225	1.0 0.5	215	1·3 0·7	+1
237	1.8 0.8	247	2·3 1·2	+2
250	2.8 1.3	259	2·9 1·6	+3
260	1.9 0.9	267	2·3 1·2	+4
276	1.7 0.8	284	1·7 0·9	+5
302	1.2 0.6	318	1·1 0·6	+6

## 5608 7 Tidal Streams referred to **HW at SWANSEA**

IIII UL OIIANOLA												
$\Diamond$	51°33′3 N 3 56·9W	₿	51°32'5N 3 53·5W	<b>♦</b>	51°34'4N 3 50·2W							
110 070 060 057 060 063	0·1 0·0 0·5 0·3 1·0 0·5 1·4 0·6 1·3 0·6 1·0 0·5	305 119 076 082 077 087	0·3 0·2 0·3 0·1 0·7 0·3 1·3 0·6 1·4 0·6 0·9 0·4	090 103 109 114 122 135	0·3 0·1 0·5 0·2 0·4 0·2 0·4 0·2 0·2 0·1 0·1 0·0	-6 -5 -4 -3 -2						
090	0.5 0.2	083	0.6 0.3	270	0.1 0.1	0						
230 248 246 247 244 230	0.7 0.4 1.4 0.7 1.6 0.8 1.1 0.5 0.7 0.4 0.2 0.1	240 259 253 257 264 300	0·1 0·1 0·9 0·4 1·4 0·7 1·4 0·7 0·7 0·3 0·4 0·2	274 275 289 297 350 081	0·3 0·1 0·5 0·2 0·5 0·2 0·3 0·1 0·1 0·0 0·2 0·1	+1 +2 +3 +4 +5 +6						

#### 5608\_9 Tidal Streams referred to HW at SWANSEA

$\Diamond$	51°27′-0N 3 55 -6W	₿	51°20′-1N 3 50 3W	<b>♦</b>	51°16′-0N 3 47 -4W	<b>�</b>	51°26′-8N 3 42 -3W	€	51°19′-3N 3 32 -4W	
076 103 106	0·3 0·2 1·6 0·9 2·5 1·3	244 130 089	0.5 0.3 0.8 0.4 2.3 1.1	225 087 097	0.4 0.2 2.1 1.0 3.3 1.6	320 118 118	0·1 0·0 0·8 0·4 1·8 1·0	280 060 078	0.9 0.4 0.5 0.2 2.4 1.1	-6 -5 -4
106 106 107	2·6 1·4 2·2 1·2 1·3 0·7	093 097 101	3·3 1·6 3·3 1·6 2·3 1·1	093 092 094	4·0 1·9 3·6 1·7 2·6 1·2	116 113 112	2·4 1·3 2·4 1·3 1·8 0·9	094 096 102	3.0 1.4 3.2 1.5 2.6 1.2	-3 -2 -1
211	0-1 0-1	122	0.9 0.4	092	1.0 0.5	119	0.8 0.4	094	1.2 0.6	o
280 285 285 285 285 288 301	1.5 0.8 2.6 1.4 2.8 1.5 2.3 1.2 0.8 0.4 0.2 0.1	207 286 291 272 281 265	0.6 0.3 2.7 1.3 3.3 1.6 3.2 1.6 2.3 1.1 0.9 0.4	239 271 276 275 278 275	1.3 0.6 3.7 1.7 4.6 2.1 3.9 1.8 2.5 1.2 1.3 0.6	289 296 294 293 301 305	0.8 0.4 2.4 1.3 2.8 1.5 2.3 1.2 1.3 0.7 0.5 0.3	269 276 272 271 272 271	0.4 0.2 2.2 1.0 2.9 1.4 3.2 1.5 2.5 1.3 1.4 0.7	+1 +2 +3 +4 +5 +6

5608\_10 Tidal Streams referred to HW at SWANSEA

Hours	<b>♦</b>	eographical Position	<b>♦</b>	51°32'5N 3 53·5W	
After & Before High Water B 5 5 5 6 5 6 9 5 9 5 6 9 5 6 9 5 6 9 5 6 9 5 6 9 5 6 9 6 9	Directions of streams (degrees)	Rates at spring tides (knots) Rates at neap tides (knots)	305 119 076 082 077 087 083 240 259 253 257 264 300	0·3 0·2 0·3 0·1 0·7 0·3 1·3 0·6 1·4 0·6 0·9 0·4 0·6 0·3 0·1 0·1 1·9 0·4 1·4 0·7 1·4 0·7 0·7 0·3 0·4 0·2	-6 -5 -4 -3 -2 -1 0 +1 +2 +3 +4 +5 +6

5608\_11 Tidal Streams referred to HW at SWANSEA

1	to H	w at Sw	AN
	<b>\langle</b>		
	320 118 118 116 113 112	0·1 0·0 0·8 0·4 1·8 1·0 2·4 1·3 2·4 1·3 1·8 0·9	-6 -5 -4 -3 -2
	119	0.8 0.4	0
	289 296 294 293 301 305	0·8 0·4 2·4 1·3 2·8 1·5 2·3 1·2 1·3 0·7 0·5 0·3	+1 +2 +3 +4 +5 +6

# 5608\_12 Tidal Streams referred to HW at PORT OF BRISTOL (AVONMOUTH)

$\Diamond$	51°14'2 N 3 21·1W	₿	51°21′0 N 3 20·6W	<b>♦</b>	51°22′9 N 3 15·1W	
103 106 102 112 108 100	0.9 0.5 2.2 1.2 2.8 1.5 2.9 1.5 2.4 1.3 1.1 0.6	094 094 094 094 094 093	1·2 0·7 3·1 1·7 4·3 2·3 3·9 2·1 3·0 1·6 1·7 0·9	070 076 076 073 069 075	0.9 0.5 1.7 0.9 2.2 1.1 2.9 1.5 2.2 1.1 1.1 0.6	-6 -5 -4 -3 -2 -1
312	0.5 0.3	273	0.6 0.3	244	1.1 0.6	0
293 286 283 283 284 090	1.9 1.0 2.8 1.5 3.0 1.6 2.3 1.3 1.3 0.7 0.4 0.2	273 274 274 274 274 099	2·7 1·4 4·3 2·3 4·4 2·4 3·4 1·8 1·9 1·0 0·2 0·1	250 254 258 256 253	3·2 1·6 3·1 1·6 2·7 1·4 2·0 1·0 1·5 0·7 0·0 0·0	+1 +2 +3 +4 +5 +6

5608\_13 Tidal Streams referred to HW at PORT OF BRISTOL (AVONMOUTH)

			-									
$\Diamond$	51°22′9 N 3 15·1W	$\bigotimes$	51°21′5N 3 09·5W	<b>©</b>	51°24'4N 3 07·5W	<b></b>	51°23'2N 3 05 0W		51°19′6N 3 04·8W	<b>⟨</b> ₽⟩	51°21'7 N 3 O1·3W	
070 076 076 073 069 075	0·9 0·5 1·7 0·9 2·2 1·1 2·9 1·5 2·2 1·1 1·1 0·6	251 071 072 075 072 072	0.8 0.4 2.0 1.0 3.3 1.7 3.6 1.9 3.1 1.6 1.7 0.9	243 031 037 035 039 039	0·1 0·0 2·3 1·2 3·1 1·6 3·8 2·0 3·6 1·9 2·6 1·3	197 047 044 037 036 041	0·7 0·4 2·7 1·4 3·5 1·9 3·8 2·0 3·6 1·9 2·7 1·5	144 049 048 053 043 041	0.2 0.1 1.4 0.7 3.2 1.7 3.2 1.7 2.3 1.2 1.7 0.9	214 039 033 034 035 035	1·2 0·6 1·5 0·8 3·6 1·8 4·2 2·2 4·0 2·1 2·8 1·4	-6 -5 -4 -3 -2 -1
244	1-1 0-6	315	0.2 0.1	095	0.2 0.1	070	0.7 0.4	045	0.2 0.1	059	0.6 0.3	0
250 254 258 256 253	3·2 1·6 3·1 1·6 2·7 1·4 2·0 1·0 1·5 0·7 0·0 0·0	253 253 254 252 251 251	2·5 1·3 3·1 1·6 2·7 1·4 2·3 1·2 1·9 1·0 1·3 0·7	221 218 222 224 218 235	3·0 1·5 3·6 1·8 3·3 1·7 2·8 1·4 2·3 1·2 0·6 0·3	222 222 225 218 222 217	1.6 0.8 3.6 1.9 3.3 1.7 3.3 1.8 2.9 1.5 1.4 0.8	245 230 222 231 228 203	1·3 0·7 2·3 1·2 3·0 1·6 2·4 1·2 1·8 1·0 0·6 0·3	219 214 213 213 214 214	2·3 1·2 3·3 1·7 3·2 1·7 3·0 1·5 2·6 1·3 1·7 0·9	+1 +2 +3 +4 +5 +6

## $5608\_15$ Tidal Streams referred to HW at PORT OF BRISTOL (AVONMOUTH)

		_									(		,	
<b>♦</b> 5	1°21′53 N 3 09·48W	<b>₽</b> 5	1°26′23 N 3 07·68W	<b>♦</b> 5	1°24′43 N 3 07·48W	$\bigcirc$ 5	1°23′23 N 3 05·07W	<b>€</b> 5	1°21′73 N 3 O1·28W	<b>₹</b> 5	1°27′03 N 2 59·58W	<b>\$</b> 5	1°29′83 N 2 57·88W	
251 071 072 075 072 072	0.8 0.4 2.0 1.0 3.3 1.7 3.6 1.9 3.1 1.6 1.7 0.9	038 037 033 025 021 022	0·1 0·1 1·5 0·8 2·0 1·0 2·0 1·0 1·8 0·9 1·1 0·6	243 031 037 035 039 039	0·1 0·0 2·3 1·2 3·1 1·6 3·8 2·0 3·6 1·9 2·6 1·3	197 047 044 037 036 041	0·7 0·4 2·7 1·4 3·5 1·9 3·8 2·0 3·6 1·9 2·7 1·5	214 039 033 034 035 035	1·2 0·6 1·5 0·8 3·6 1·8 4·2 2·2 4·0 2·1 2·8 1·4	246 046 049 048 048 051	0·2 0·1 1·9 1·0 3·9 2·1 4·0 2·1 3·2 1·7 2·0 1·1	232 056 053 054 056 059	1·4 0·8 1·7 0·9 3·2 1·7 4·0 2·1 3·4 1·8 1·9 1·0	-6 -5 -4 -3 -2
315 253	0·2 0·1 2·5 1·3	251 213	0·3 0·1 1·6 0·8	095 221	0·2 0·1 3·0 1·5	070 222	0·7 0·4 1·6 0·8	059 219	0·6 0·3 2·3 1·2	079 220	0·5 0·3 1·9 1·0	077 234	0·5 0·2 1·7 0·9	0 +1
253 254 252 251 251	3·1 1·6 2·7 1·4 2·3 1·2 1·9 1·0 1·3 0·7	202 201 210 215 209	2·0 1·0 1·9 1·0 1·6 0·8 1·1 0·6 0·2 0·1	218 222 224 218 235	3·6 1·8 3·3 1·7 2·8 1·4 2·3 1·2 0·6 0·3	222 225 218 222 217	3·6 1·9 3·3 1·7 3·3 1·8 2·9 1·5 1·4 0·8	214 213 213 214 214	3·3 1·7 3·2 1·7 3·0 1·5 2·6 1·3 1·7 0·9	229 230 229 228 232	3·3 1·8 3·6 1·9 3·0 1·6 2·3 1·2 1·2 0·6	241 238 233 232 232	2·9 1·5 3·0 1·6 2·8 1·5 2·4 1·3 1·9 1·0	+2 +3 +4 +5 +6

5608\_16A&B

Tidal Streams referred to HW at PORT OF BRISTOL (AVONMOUTH)

Hours	<b>♦</b>	eographical Position	<b>♦</b> 5	1°29'83 N 2 57·88W		1°28′13 N 2 51·08W		1°29'63 N 2 48 18W		1°30′53 N 2 43·58W	
Before High Water	(degrees	tides (knots) tides (knots)	232 056 053 054 056 059	1.4 0.8 1.7 0.9 3.2 1.7 4.0 2.1 3.4 1.8 1.9 1.0	253 054 068 059 057 063	2·9 1·6 0·4 0·2 5·2 2·8 5·2 2·8 4·2 2·3 2·8 1·5	250 055 054 055 058 061	2·8 1·5 1·7 0·9 4·1 2·2 4·8 2·6 4·6 2·5 3·8 2·0	230 240 044 050 051 046	3·0 1·7 0·6 0·3 4·3 2·3 4·6 2·4 3·1 1·6 2·5 1·3	-6 -5 -4 -3 -2
High Water	stre	spring neap t	077	0.5 0.2	079	1.5 0.8	061	1.9 1.0	060	2.0 1.0	0
After High Water	irection	Rates at spr Rates at ne	234 241 238 233 232 232	1.7 0.9 2.9 1.5 3.0 1.6 2.8 1.5 2.4 1.3 1.9 1.0	246 238 244 238 243 248	1.2 0.6 3.2 1.7 3.6 1.9 3.7 2.0 3.6 2.0 3.2 1.8	220 237 236 237 236 244	1.4 0.8 3.6 1.9 3.6 1.9 3.8 2.0 4.0 2.2 3.4 1.8	234 236 234 228 223 227	0.6 0.3 2.1 1.1 2.3 1.2 3.0 1.6 3.2 1.7 3.2 1.7	+1 +2 +3 +4 +5 +6

5608\_17
Tidal Streams referred to HW at PORT OF BRISTOL (AVONMOUTH)

	1°22′93 N 3 15·08W	<b>₿</b> <sup>5</sup>	1°24'43 N 3 07·48W	<b>♦</b> 5	1°26′23 N 3 07·68W	
070 076 076 073 069 075	0.9 0.5 1.7 0.9 2.2 1.1 2.9 1.5 2.2 1.1 1.1 0.6	243 031 037 035 039 039	0·1 0·0 2·3 1·2 3·1 1·6 3·8 2·0 3·6 1·9 2·6 1·3	038 037 033 025 021 022	0·1 0·1 1·5 0·8 2·0 1·0 2·0 1·0 1·8 0·9 1·1 0·6	-6 -5 -4 -3 -2
244	1.1 0.6	095	0.2 0.1	251	0.3 0.1	0
250 254 258 256 253	3·2 1·6 3·1 1·6 2·7 1·4 2·0 1·0 1·5 0·7 0·0 0·0	221 218 222 224 218 235	3·0 1·5 3·6 1·8 3·3 1·7 2·8 1·4 2·3 1·2 0·6 0·3	213 202 201 210 215 209	1.6 0.8 2.0 1.0 1.9 1.0 1.6 0.8 1.1 0.6 0.2 0.1	+1 +2 +3 +4 +5 +6


5608\_18
Tidal Streams referred to HW at PORT OF BRISTOL (AVONMOUTH)

PUN	I OF DRIS
	1°30′53 N 2 43·58W
230	3·0 1·7 -6
240	0·6 0·3 -5
044	4·3 2·3 -4
050	4·6 2·4 -3
051	3·1 1·6 -2
046	2·5 1·3 -1
060	2·0 1·0 0
234	0.6 0.3 +1
236	2.1 1.1 +2
234	2.3 1.2 +3
228	3.0 1.6 +4
223	3.2 1.7 +5
227	3.2 1.7 +6

5608\_20
Tidal Streams referred to HW at PORT OF BRISTOL (AVONMOUTH)

PUH	I OF BRIS
<b>♦</b> 5	1°30′53N 2 43·58W
230 240 044 050 051 046	3·0 1·7 -6 0·6 0·3 -5 4·3 2·3 -4 4·6 2·4 -3 3·1 1·6 -2 2·5 1·3 -1
060	2.0 1.0 0
234 236 234 228 223 227	0 6 0 3 +1 2 1 1 1 +2 2 3 1 2 +3 3 0 1 6 +4 3 2 1 7 +5 3 2 1 7 +6

Non-Reference Standard Ports										
STANDARD PORT	MHWS	MHWN	MLWN	MLWS						
SWANSEA	9.5	7.2	3.1	0.9						
PORT TALBOT	9.7	7.3	3.5	1.1						
CARDIFF	12.3	9.1	4.0	1.2						
NEWPORT	12.3	8.9	3.6	0.8						
SHARPNESS DOCK	9.3	5.6	0.5	0.6						
CUMBERLAND BASIN ENTRANCE	10.3	6.8	-	-						



## TIME & HEIGHT DIFFERENCES FOR PREDICTING THE TIDE AT SECONDARY PORTS

			Т	IME DIFF	ERENCES		HEIGHT I	DIFFEREN	NCES (IN	METRES	5)
PLACE	Lat. <b>N</b>	Long. <b>W</b>	High	Water <b>Zone U</b>	Low V T (GMT)	/ater	MHWS	MHWN	MLWN	MLWS	
MILFORD HAVEN	51 42	5 03	<b>0100</b> and	<b>0800</b> and	<b>0100</b> and	<b>0700</b> and	7.0	5.2	2.5	0.7	
MILI OND HAVEN	31 42	3 03	1300	2000	1300	1900	7.0	5.2	2.5	0.7	
WALES											
Burry Inlet											
Burry PortLlanelli		4 15	+0003	+0003	+0007	+0007	+1.6	+1.4	+0.5	+0.4	
Lidi lelli	51 40	4 10	-0003	-0003	+0150	+0020	+0.8	+0.6	0	0	
Mumbles		3 58	+0001	+0003	-0012	-0005	+2.5	+2.0	+0.8	+0.4	
SWANSEA	51 37	3 55		STANDA	ARD PORT	See	e Table of I	Non-Retere	ence Stan	dard Port	S
River Neath											
Entrance	51 37	3 51	+0002	+0011	§	§	+2.7	+2.2	§	§	
PORT TALBOT	51 35	3 49		STANDA	ARD PORT	See	e Table of I	Non-Refere	ence Stan	dard Port	s
Porthcawl		3 42	+0005	+0010	-0010	-0005	+2.9	+2.3	+0.8	+0.3	.0
BORT OF PRISTOL (AVONMOUTH)	51 30	2 44	0600	<b>1100</b> and	0300	<b>0800</b> and	13.2	9.8	3.8	1.0	
PORT OF BRISTOL (AVONMOUTH)	51 30	2 44	and <b>1800</b>	<b>2300</b>	and <b>1500</b>	2000	13.2	9.0	3.0	1.0	
	=				0.400						
Barry Flat Holm		3 16 3 07	-0025 -0015	-0025 -0015	-0130 -0035	-0045 -0035	-1.5 -1.4	-1.1 -1.0	0.0 -0.5	+0.2 0.0	
Steep Holm		3 06	-0015	-0015	-0035	-0035	-1.4	-1.0	-0.5 -0.5	-0.4	
CARDIFF		3 10	0020		ARD PORT		e Table of N				s
NEWPORT	51 33	2 59		STANDA	ARD PORT	See	e Table of I	Non-Refere	ence Stan	dard Port	s 1
River Wye											
Chepstow	51 39	2 40	+0020	+0020	0	0	0	0	0	0	2
			0000	0600	0000	0700					
PORT OF BRISTOL (AVONMOUTH)	51 30	2 44	and	and	and	and	13.2	9.8	3.8	1.0	
			1200	1800	1200	1900					
River Severn											
Sudbrook	51 35	2 43	+0010	+0010	+0025	+0015	+0.2	+0.1	-0.1	+0.1	
ENGLAND											
Beachley (Aust)		2 38	+0010	+0015	+0040	+0025	-0.2	-0.2	-0.5	-0.3	3
Inward Rocks		2 37	+0020	+0020	+0105	+0045	-1.0	-1.1	-1.4	-0.6	3
Narlwood Rocks	51 39 51 40	2 36 2 33	+0025 +0025	+0025 +0025	+0120 +0145	+0100 +0120	-1.9 -3.0	-2.0 -3.1	-2.3 -3.6	-0.8 -1.0	3
Writte House	3140	2 33	+0023	+0023	+0145	+0120	-3.0	-0.1	-5.0	-1.0	3
Berkeley	51 42	2 30	+0030	+0045	+0245	+0220	-3.8	-3.9	-3.4	-0.5	3
SHARPNESS DOCK		2 29			ARD PORT		e Table of I				
Wellhouse Rock		2 29	+0040	+0055	+0320	+0305	-4.1	-4.4	-3.1	-0.2	3
Epney Minsterworth	51 49 51 51	2 21 2 20	+0130 +0140	© ©	© ©	o o	-9.4 -10.1	© ©	© ©	⊙ ⊙	4 4
Llanthony		2 16	+0215	0	0	0	-10.7	0	0	0	4
			0200	0800	0300	0800					
PORT OF BRISTOL (AVONMOUTH)	51 30	2 44	and	and	and	and	13.2	9.8	3.8	1.0	
(Royal Portbury Dock)			1400	2000	1500	2000					
River Avon											
Shirehampton	51 29	2 41	0000	0000	+0035	+0010	-0.7	-0.7	-0.8	0.0	
Sea Mills		2 39	+0005	+0005	+0105	+0030	-1.4	-1.5	-1.7	-0.1	
CUMBERLAND BASIN ENTRANCE	51 27	2 37		STANDA	ARD PORT	See	e Table of N	von-Refere	ence Stan	dard Port	S
Portishead	51 30	2 45	-0002	0000	0	0	-0.1	-0.1	0	0	
Clevedon		2 52	-0010	-0020	-0025	-0015	-0.4	-0.2	+0.2	0.0	
St Thomas Head		2 56	0000	0000	-0030	-0030	-0.4	-0.2	+0.1	+0.1	
English and Welsh Grounds	51 28 51 21	2 59 2 59	-0008 -0020	-0008 -0030	-0030 -0130	-0030 -0030	-0.5 -1.2	-0.8 -1.0	-0.3 -0.8	0.0 -0.2	
Weston-Super-Mare	5121	2 38	-0020	-0030	-0130	-0030	-1.4	-1.0	-0.0	-0.2	
River Parrett											
Burnham-on-Sea		3 00	-0020	-0025	-0030	0000	-2.3	-1.9	-1.4	-1.1 †	
Bridgwater	51 08	3 00	-0015	-0030	+0305	+0455	-8.6	-8.1	§	§	5
Hinkley Point	51 13	3 08	-0032	-0028	-0055	-0049	-1.4	-1.1	-0.1	0.0	
Watchet	51 11	3 20	-0035	-0050	-0145	-0040	-1.9	-1.5	+0.1	+0.1	
Minehead		3 28	-0037	-0052	-0155	-0045	-2.6	-1.9	-0.2	0.0	
Porlock Bay	51 13 51 14	3 38 3 50	-0045	-0055 -0115	-0205	-0050	-3.0 -3.6	-2.2 -2.7	-0.1	-0.1	
Lynmouth	J1 14	3 30	-0055	-0115	0	0	-5.0	-2.1	0	0	


For seasonal changes in Mean Level see NP201B.

- o No Data
- § Dries out except for river water.
- † The tide does not normally fall below this level.
- 1. The height of low water at Newport does not normally fall below MLWS; tidal heights are calculated for an average minimum flow; maximum river flow may raise the height of low water by as much as 0.3m.
- 2. The effect of the tide in the River Wye is felt as far as Saint Briavel, where the height of MHWS is about 8m above Ordnance Datum (Newlyn), when the river flow at Redbrook is 21 cumecs. At Saint Briavel the tidal range at springs may be as much as 1.8m but changes in level due to river water may be greater than this.
- 3. Above Inward Rocks the height of low water is greatly affected by the amount of fresh water coming down the River Severn and its tributaries. The tidal levels given are for a low rate of river flow (about 35 cumecs at Wellhouse Rock). Flood water can increase the height of low water by as much as 0.6 to1m but the height of high water is scarcely affected by river flow except, perhaps, for freak conditions which occur less than once a year.
- 4. Time and height differences refer to springs only. At neaps, the river in this area is non-tidal. The Bore on the River Severn can usually be seen when the range of tide at Avonmouth is 13.5m or more. It usually arrives at Minsterworth about 45 minutes and at Stonebench about 60 minutes after the time of High Water at Avonmouth. For further information, see West Coasts of England and Wales Pilot (NP 37).
- 5. At Bridgwater, the tide falls to normal river level, which is about 1.8m above Ordnance Datum (Newlyn). Low water time differences give the end of the low water stand, which lasts for 1½ to 2½ hours at springs and 7½ to 8½ hours at neaps. The onset of the rising tide is often accompanied by a bore.

## **Tidal Curve Diagrams**


#### **SWANSEA**

MEAN SPRING AND NEAP CURVES Springs occur 2 days after New and Full Moon




## AVONMOUTH

MEAN SPRING AND NEAP CURVES Springs occur 2 days after New and Full Moon



## MILFORD HAVEN

MEAN SPRING AND NEAP CURVES Springs occur 2 days after New and Full Moon



For guidance on the use of Standard Curve Diagrams, see ADMIRALTY Tide Tables NP 201 (for the 2016 edition) and NP201B (for the 2017 edition)