


Irish Sea - Eastern Part

Coverage Diagram



5613	Chart Title	Natural Scale 1:
1	Great Ormes Head to Haverigg Point	200,000
2	Saint Bees Head to Mull of Galloway	200,000
3	Liverpool Bay	75,000
4A	Approach to Liverpool	25,000
4B	Crosby Channel to River Mersey	25,000
5	Gladstone Dock to Brunswick Dock	15,000
6	Brunswick Dock to Queen Elizabeth II Dock	15,000
7	Formby to Lytham Saint Anne's including Hamilton North Gas Field	75,000
8	River Ribble and Silloth	
8A	River Ribble	75,000

5613	Chart Title	Natural Scale 1:
8B	Preston Riversway Docklands	10,000
8C	Approaches to Silloth	50,000
8D	Silloth Docks and Approaches	10,000
9	Lytham Saint Anne's to Fleetwood including South Morecambe Gas Field	75,000
10	Rossall Point to Hilpsford Point	50,000
11A	Approaches to Fleetwood	25,000
11B	Fleetwood to Skippool	25,000
11C	Fleetwood	10,000
12A	Approaches to Glasson and Heysham	25,000
12B	Glasson	12,500
13A	South East Point to Long Rein Point	12,500
13B	Long Rein Point to Barrow-in-Furness	12,500
14	Barrow-in-Furness to Seascale	100,000
15	Saint Bees Head to Abbey Head	100,000
16	Harbours on the Cumbrian Coast	
16A	Ravenglass	15,000
16B	Whitehaven Harbour	10,000
16C	Harrington Harbour	10,000
16D	Workington Harbour	7,500
16E	Maryport Harbour	10,000
17	Workington to Isle of Whithorn	100,000
18A	Kirkcudbright Bay	15,000
18B	Continuation to Kirkcudbright	15,000
19	Wigtown Bay to Luce Bay	100,000
20A	Isle of Man West Coast	100,000
20B	Calf Sound	10,000
21A	Isle of Man East Coast	100,000
21B	Ramsey	10,000
22A	Douglas	7,500
22B	Castletown Bay	20,000
22C	Port Saint Mary	20,000
22D	Port Erin	10,000
22E	Peel	10,000
23	Anglesey to Ailsa Craig	500,000

Notes

Positions are referred to the WGS84 compatible datum, European Terrestrial Reference System 1989 Datum

Depths are in metres and are reduced to Chart Datum, which is approximately the level of Lowest Astronomical Tide.

Heights are in metres. Underlined figures are drying heights above Chart Datum. Overhead clearance heights are above Highest Astronomical Tide. Depths in upright figures are from smaller scale or older survey. All other heights are above Mean High Water Springs.

Navigational marks: IALA Maritime Buoyage System-Region A (Red to port)

DATUM

All the charts are referred to WGS84. Any positions taken from GPS (referred to WGS84) or from ADMIRALTY Notices to Mariners (referred to ETRS89) can be plotted directly on all charts.

OMISSION OF DETAIL

Within the limit marked _____ and the coastline, this chart should only be used for planning purposes as features such as depths, platforms, wrecks, pipelines, minor aids to navigation and cables have been omitted. Larger scale ADMIRALTY charts are available for mariners intending to navigate in this area.

OIL AND GAS FIELDS

Production platforms and associated structures, including tanker moorings, storage tankers and platforms on pipelines, generally exhibit Mo(U) lights, aircraft obstruction lights, and audible fog signals. Unauthorised navigation is prohibited within 500 metres of all such structures.

TRAFFIC AND DOCKING SIGNALS

For details of Traffic and Docking Signals, see ADMIRALTY Sailing Directions

OVERHEAD CABLES

Overhead cables may conduct high voltages; contact with or proximity to these poses extreme danger. Sufficient clearance must be allowed

MARINE FARMS

Marine farms may exist within the area of these charts. They may not all be shown individually and their positions may change frequently. Marine farms may be marked by lit or unlit buoys or beacons. Mariners are advised to avoid these structures and their associated moorings.

LIVERPOOL CONTAINER TERMINAL 2 (53°27′·15N 3°01′·45W)

The target depth alongside the terminal is 16.5m. Consult the Mersey Docks and Harbour Company for the latest information.

WRECKS, OBSTRUCTIONS AND FOULS

Charted wrecks, obstructions and fouls may be affected by the constant movement of silt in the River Mersey. At any time they may become partially covered, completely covered, uncovered, moved or broken up and may not be as charted.

RIVER MERSEY – CHANGING DEPTHS

Depths in the River Mersey frequently change and the buoys are moved as necessary. Consult local pilots or the Mersey Docks and Harbour Company for the latest information. See ADMIRALTY List of Radio Signals for communication details.

SUBMARINE CABLES AND PIPELINES

Mariners should not anchor, trawl or engage in seabed operations in the vicinity of submarine cables and pipelines. Submarine cables support national infrastructure; damage to them may affect critical services and can result in serious consequences, as well as creating a potential hazard to mariners. Wilful or neglectful damage to a cable may result in legal action. Pipelines are not always buried and their presence may significantly reduce the charted depth. They may also span seabed undulations and cause fishing gear to become irrecoverably snagged, putting a vessel in severe danger.

CHAINS AND ANCHORS

Within the area indicated, chains, attached to anchors, radiate from the structures to positions outside the 500 metres safety zone.

HIGH SPEED CRAFT

High speed craft operate in the area of these charts. Mariners are advised to maintain a good lookout.

HISTORIC WRECKS

The sites of historic wrecks are protected from unauthorised interference.

FIRING PRACTICE AREAS

No restrictions are placed on the right to transit the firing practice areas at any time. The firing practice areas are operated using a clear range procedure: exercises and firing only take place when the areas are considered to be clear of all shipping.

VESSELS REPORTING

For details of the following vessel traffic services and vessel reporting systems, see ADMIRALTY List of Radio Signals.

- Barrow-in-Furness Local Port Service
- Douglas Harbour Control
- Liverpool VTS

AREA TO BE AVOIDED (53°32′·20N 3°34′·70W)

The IMO-adopted Area to be Avoided should only be entered by authorised vessels to access the Douglas Oil Field. For exceptions see ADMIRALTY Sailing Directions.

HM Coastguard Services and Safety Information

VHF MARITIME RADIO

Coastguard Maritime Rescue Co-ordination Centres are on constant watch on Channel 16 - the distress, safety and calling channel. Initial calls should normally be on a working channel or Ch 16.

HM COASTGUARD HOLYHEAD (MRCC)

Tel: +44 (0) 1407 762051 MMSI: 002320018

e-mail: zone31@hmcg.gov.uk (FAO Holyhead Coastguard)

BELFAST COASTGUARD (MRCC)

Tel: +44 (0) 2891 463933 MMSI: 002320021

e-mail: zone34@hmcg.gov.uk (FAO Belfast Coastguard)

Distress and Safety Communication

Distress - Urgency

A Distress or Urgency message has absolute priority.

Make a call on VHF Channel 16 and give the following essential information:

Distress Call MAYDAY MAYDAY MAYDAY

- Name and Call Sign and MMSI number Position
- Nature of Distress
- Type of assistance required
- Type of boat number of crew intentions

Urgency (eg. if you break down in bad weather or a crewman requires medical attention) Call **PANPAN PANPAN PANPAN** and give:

- Name and Call Sign and MMSI number Position
- Nature of Distress
- Type of assistance required
- Type of boat number of crew intentions

Other Distress Signals

Other recognised signals are:

- Red flares (parachute, multi stars or hand held) Orange smoke signal
- The flag signal NC
- The morse signal SOS ... --- ... by light
- An article of clothing on an oar
- Slowly and repeatedly raising and lowering outstretched arms
- $\hfill\blacksquare$ A square flag with anything resembling a ball above or below it
- Continuous sounding of a siren or whistle will also be recognised, or smoke and flames from the vessel
- The carriage of an Emergency Position Indicating Radio Beacon (406 EPIRB) will improve your chances of being located if conventional means fail.

 406 EPIRBs are detected by satellite, in addition to aircraft, and transmitted to a Coastguard Maritime Rescue Co-ordination Centre.

THE USE OF MOBILE TELEPHONES IN DISTRESS AND SAFETY COMMUNICATIONS

The use of mobile telephones in the marine environent offshore is now well established, with users in all areas of the commercial, fishing and leisure communities.

Incidents have occured where vessels requiring assistance from rescue services have used the inland emergency service, or alternatively telephoned direct to request assistance. (e.g. Lifeboat services). This procedure through a mobile telephone is strongly discouraged.

Use of mobile telephones by-passes the existing dedicated well-established international marine distress communications systems.

Mobile telephone coverage offshore is limited and does not afford the same extensive safety coverage as VHF Channel 16. Consequently a greater risk exists of communications difficulties or even a complete breakdown if an accident should occur at the edge of a cell coverage area.

Subsequent on-scene communications would be restricted and delayed if mobile telephone communications were exclusively maintained throughout. There is always a risk that elements of vital information could be lost or misinterpreted by the introduction of further relay links in the communication chain. Mobile telephones are also highly susceptible to failure due to water ingress.

It is not possible to communicate direct to another vessel able to render assistance unless that vessel is also fitted with a mobile telephone and the telephone number is known. Requests for assistance cannot be monitored by other vessels in a position to render assistance. Valuable time would be lost whilst the relevent Coastguard Rescue Coordination Centre receives and then re-broadcasts the information to all ships on the appropriate distress channel(s).

In the interests of Safety Of Life At Sea (SOLAS), owners of vessels are urged to carry MARINE communications equipment onboard and to use this medium as the primary means of Distress and Safety communications.

Product Specifications

PRODUCT USAGE CAUTION

This product is specifically designed, in conjunction with other charts and publications, as an aid to the navigation of leisure craft and locally regulated workboats and fishing vessels and therefore should be used by competent (preferably qualified) maritime navigators. Although this product contains the best information available at the time of publication, the user should navigate with caution, particularly in areas of shallow or confined waters where the depth of water is likely to change due to local conditions. The information provided in this product comes from the latest source information held and is updated by Notice to Mariners upon receipt of new information critical to safe navigation. To help maintain this product for all users, users are asked to notify the United Kingdom Hydrographic Office of any differences found between what is depicted and actual conditions encountered.

KEEPING THIS CHART UPDATED

Updates for the charts are published using the Notices to Mariners Service on the ADMIRALTY Notices to Mariners page found on our website at admiralty.co.uk/msi. All updates for the latest edition of the chart are listed and can be quickly and easily downloaded. All the charts are derived from standard ADMIRALTY charts. No updates are applied to the charts by the United Kingdom Hydrographic Office or its agents after printing. For those who do not have internet access, please contact Tel. 01823 484444 for assistance.

TIDAL STREAMS

Full details of the tidal streams in the area covered by this folio are given in the following ADMIRALTY Tidal Stream Atlas: NP 256 Irish Sea and Bristol Channel.

PROVIDE UPDATED INFORMATION

To help maintain this product users are asked to notify the United Kingdom Hydrographic Office of any differences found between what is depicted and actual conditions encountered. Users can do this by submitting a Hydrographic Note form, found on our website admiralty.co.uk/msi or by downloading our H-Note App. The H-Note App is freely available to download on Android and iOS devices. For more information please see here:



IMPROVEMENTS TO THIS PRODUCT

ADMIRALTY Small Craft Charts are designed for use on leisure craft and locally regulated workboats and fishing vessels, where the smaller format charts fit more conveniently into the limited space available. Users with specific suggestions for the improvement of this product or ideas for the expansion of the series are requested to forward their comments to:

Customer Services, The UK Hydrographic Office, Admiralty Way, Taunton. +44(0)1823 484444 E-mail customerservices@ukho.gov.uk

To view all ADMIRALTY Products and services, visit admiralty.co.uk

Tidal Stream Information

5613_1

Tidal Streams referred to HW at LIVERPOOL (GLADSTONE DOCK)

Hours	16 >	eographical Position	\Diamond	54°16′0N 3 30·1W		53°59'5 N 3 29·1W		53°54'0N 3 44·6W		53°54'0 N 3 14·1W		53°42'8 N 4 O1·OW	⟨ F⟩	53°36′1 N 3 19·1W		53°31'5 N 3 30·1W		53°29'0 N 3 49·9W	\Diamond	53°21'2 N 4 00·2W	
Before High Water	streams (degrees)	ing tides (knots) ap tides (knots)	153 144 137 123 056 350 330	0.9 0.5 0.8 0.5 0.5 0.3 0.2 0.1 0.5 0.3	102 104 102 094 083 063	0·0 0·0 0·4 0·3 0·8 0·5 1·2 0·7 1·1 0·6 0·8 0·4 0·2 0·1			081 072 059	0.6 0.4 0.3 0.2 1.0 0.5 1.7 0.9 1.8 1.0 1.5 0.8 0.8 0.5	243 105 084 083 086 091 162	0·7 0·4 1·8 1·1 2·5 1·5 1·9 1·1 1·2 0·7	251 108 087 096 096 088 234	0·3 0·1 0·5 0·3 1·1 0·6 1·4 0·8 1·0 0·5 0·5 0·2 0·1 0·1	097	0.6 0.4 1.5 0.8 1.7 1.0 1.3 0.7 0.7 0.4	343 083 101 105 105 099	0·7 0·4 1·5 0·8 1·7 1·0 1·4 0·7	115 101 100 109 119 127 244	0·2 0·1 0·8 0·4 1·4 0·8 1·4 0·8 1·0 0·5 0·4 0·2 0·3 0·2	-5 -4 -3
After High Water	Directions of	Rates at spr Rates at ne	320 314 311 295 180 157	1.0 0.6 0.9 0.5 0.6 0.3 0.2 0.0 0.4 0.2 0.7 0.4	304 275 271 274 275 280		231 251 263 277 297 347	0.9 0.5 1.4 0.8 1.5 0.8 1.2 0.6 0.8 0.4 0.4 0.2	258	0·4 0·2 0·9 0·5 1·5 0·9 1·7 1·0 1·4 0·7 0·8 0·4	247 265 269 271 266 255	1·5 0·9 2·0 1·2 1·8 1·0 1·3 0·7	271 274 277 275 273 263	0·3 0·2 0·7 0·4 1·1 0·6 1·1 0·6 0·9 0·5 0·5 0·2	277 281 283 284	1.0 0.7	280 277 280 286 283 308	1·0 0·6 1·4 0·8 1·4 0·8 1·0 0·5	284 290 295 298 295 087	0.8 0.5 1.3 0.8 1.3 0.7 1.0 0.5 0.4 0.2 0.2 0.1	+2 +3 +4

5613_2

Tidal Streams referred to HW at LIVERPOOL (GLADSTONE DOCK)

Hours	\Diamond	Geographical Position	\Diamond	54°39'0N 3 41·1W	₿	54°37′5 N 4 19·8W	♦	54°35'6N 4 50·2W	�	54°35'4N 4 00·7W		54°31′6N 4 36·9W	⟨ F⟩	54°31'5 N 3 44·4W	③	54°26′9 N 4 24·2W	\bigoplus	54°19′8 N 4 13·1W	\Diamond	54°16′0 N 3 30·1W
Before High Water 7 2 8 4 9 9 9	ams (degrees)	tides (knots) ides (knots)	207 135 069 057 051 038		156 090 078 076 076 070	0·3 0·2 1·3 0·8 2·3 1·4 2·7 1·7 2·3 1·4 1·3 0·8	226 108 085 085 087 090	0·7 0·4 1·4 0·8 3·5 1·9 4·4 2·4 4·2 2·3 2·9 1·6	207 123 100 091 086 074	1·4 0·7 1·6 0·9	197 112 094 091 091 093	0.4 0.3 1.2 0.7 2.6 1.5 3.3 1.9 3.0 1.6 1.7 1.0	168 139 121 099 069 030	0·7 0·4 0·9 0·5 1·0 0·6 0·9 0·5 0·6 0·3 0·4 0·2	122 087 085 082 078 072	0.5 0.4 2.1 1.4 3.2 2.0 3.2 2.0 2.6 1.7 1.5 0.9	136 139 140 140 238 298	0.4 0.2 0.8 0.5 0.7 0.4 0.4 0.2 0.1 0.1 0.4 0.3	153 144 137 123 056 350	0.9 0.5 0.9 0.5 0.8 0.5 0.5 0.3 0.2 0.1 0.5 0.3
After High Water 2 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Directions of stre	Rates at spring t	014 269 250 240 231 225 213	0·5 0·3 1·0 0·6 1·5 0·9 1·7 1·0 1·6 0·9	324 267 258 255 255 257 248	0·4 0·3 1·5 0·9 2·1 1·3 2·3 1·4 2·0 1·2 1·3 0·9 0·4 0·2	111 217 245 247 244 248 241	1·3 0·7 1·4 0·8 2·9 1·7 3·6 2·1 3·2 1·8 2·7 1·5 1·2 0·7	011 300 279 271 270 262 240	0.8 0.5 1.2 0.7 1.5 0.8 1.3 0.8 1.0 0.5	172 234 247 251 252 250 225	1.6 0.9 2.9 1.6 3.4 1.9 3.1 1.7 2.1 1.2	342 309 305 299 277 227 186	0·4 0·2 0·7 0·4 1·0 0·6 0·9 0·5 0·6 0·3 0·5 0·3 0·6 0·4	300 267 262 259 259 259 192	1·0 0·6 2·7 1·7 3·2 2·0 2·9 1·8 2·1 1·4 1·1 0·7 0·2 0·2	311 316 319 319 320 320 109	0·7 0·4 0·9 0·6 1·0 0·6 0·7 0·4 0·4 0·2 0·2 0·1 0·1 0·1	330 320 314 311 295 180 157	0.8 0.5 1.0 0.6 0.9 0.5 0.6 0.3 0.2 0.0 0.4 0.2 0.7 0.4

5613 3

Tidal Streams referred to HW at LIVERPOOL (GLADSTONE DOCK)

Hours	Geographical Position	53°31°	7.5 N -1 W		w 📀	53°32′-1 N 3 23 -4 W		3°27′-2 N 3°21 -4 W	(E)	3 19 4 W	(F) ⁵	3°31′-4 N 3 15 -2 W	G 5	3°28′ 3 11	-0 N -1 W	
Before High Water T & & F & G & G & G & G & G & G & G & G &	es (knots)	072 0.6 097 1.5 100 1.7	0·1 05 0·4 08 0·8 10 1·0 10 0·7 09 0·4 07	8 0.7 0 0 1.2 0 4 1.4 0 2 0.9 0	8 104 5 101	0.2 0.1 0.5 0.3 1.3 0.7 1.6 0.9 1.3 0.7 0.7 0.4	027 089 098 102 109 127	0.2 0.1 0.9 0.5 1.6 0.9 1.8 1.0 1.5 0.8 0.7 0.4	320 055 091 100 106 104	0.9 0.5 0.8 0.4 1.1 0.6 1.8 0.9 1.7 1.0 0.9 0.5	299 065 092 110 117 120	0.5 0.3 0.7 0.4 1.6 0.8 1.9 1.0 1.6 0.9 1.1 0.6	291 057 101 111 115 113	0·5 0·7 1·5 2·1 1·7 1·0	0·3 0·4 0·8 1·2 0·9 0·6	-6 -5 -4 -3 -2 -1
After High Water 2 9 9 4 2 9 0 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	Rates at spring Rates at neap	266 0.6 277 1.0 281 1.3 283 1.2 284 0.9	0·1 28 0·4 26 0·7 27 0·8 27 0·7 27 0·4 31 0·2 02	8 1·1 0 0 1·4 0 1 1·1 0 5 0·7 0 3 0·4 0	6 270 8 275 6 279 3 285 2 296 1 310	0.0 0.0 0.5 0.3 1.0 0.6 1.4 0.8 1.4 0.7 1.0 0.5 0.4 0.2	215 270 280 282 286 293 327	0·3 0·1 0·9 0·4 1·3 0·8 1·7 0·9 1·5 0·8 1·0 0·5 0·3 0·2	127 230 257 264 275 289 307	0·3 0·1 0·4 0·2 0·9 0·5 1·3 0·7 1·6 0·9 1·7 0·9 1·2 0·6	155 256 282 287 292 294 296	0·3 0·2 0·8 0·4 1·4 0·8 1·6 0·9 1·4 0·8 1·1 0·5 0·7 0·4	174 262 284 289 293 292 289	1.5	0·2 0·4 0·7 0·8 0·7 0·6 0·4	0 + 1 + 2 + 3 + 4 + 5 + 6

5613_4B

Tidal Streams referred to HW at LIVERPOOL (GLADSTONE DOCK)

Hours	\Diamond	Geographical Position	\Diamond	53°20	
After Before High Water A 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Directions of streams (degrees)	Rates at spring tides (knots) Rates at neap tides (knots)	321 146 146 145 145 137 350 327 330 329 328 325	1·0 0·0 1·6 4·0 3·9 3·3 1·3 2·2 3·9 3·4 2·7 2·0 1·3	0·5 0·0 0·9 2·2 2·1 1·8 0·7 1·2 2·2 1·9 1·5 1·1 0·7

5613_5 Tidal Streams referred to HW at LIVERPOOL (GLADSTONE DOCK)

Hours	\Diamond	Geographical Position	I (A)	3°26′ 3 01	-82 N -78W		3°25′ 3 00	·52 N ·98W	((;)	3°23′ 2 59	·02 N ·78W
After High Water Before High Water By 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	Directions of streams (degrees)	Rates at spring tides (knots) Rates at neap tides (knots)	321 146 146 145 145 137 350 327 330 329 328 325	1·0 0·0 1·6 4·0 3·9 3·3 1·3 2·2 3·9 3·4 2·7 2·0 1·3	0·5 0·0 0·9 2·2 2·1 1·8 0·7 1·2 2·2 1·9 1·5 1·1 0·7	337 191 171 172 175 172 166 015 348 346 344 342 341	0·9 0·4 2·2 3·9 4·0 2·8 1·2 2·3 4·9 4·6 3·7 2·6 1·4	0·5 0·2 1·2 2·2 2·2 1·5 0·6 1·3 2·7 2·5 2·1 1·4 0·7	317 159 166 164 164 161 304 326 328 331 328 325	0·7 0·0 1·4 4·3 5·1 4·3 1·6 2·3 4·1 3·9 3·1 2·2 1·2	0·4 0·0 0·8 2·3 2·8 2·3 0·8 1·3 2·1 1·2 0·6

5613_6 Tidal Streams referred to HW at LIVERPOOL (GLADSTONE DOCK)

Hours	\Diamond	Geograf Positi		CAS	3°23′ 2 59	·02 N ·78W	ICRS.	3°22′ 2 58 -	12 N 48W
After High Water P 5 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Directions of streams (degrees)	Rates at spring tides (knots)	Rates at neap tides (knots)	317 159 166 164 164 161 304 326 328 331 328 325	0·7 0·0 1·4 4·3 5·1 4·3 1·6 2·3 4·1 3·9 3·1 2·2 1·2	0·4 0·0 0·8 2·3 2·8 2·3 0·8 1·3 2·1 1·2 1·2 0·6	302 142 144 147 147 147 287 311 313 318 323 309	0.9 0.0 0.8 3.0 4.5 3.3 1.3 1.9 3.7 3.5 2.6 1.8 1.2	0·5 0·0 0·4 1·7 2·4 1·8 0·7 1·0 2·0 1·9 1·4 1·0 0·6

5613_7 Tidal Streams referred to HW at LIVERPOOL (GLADSTONE DOCK)

Hours	\Diamond_{c}	Geographical Position	♠ 53	3°31′-52 N 3 30 -08 W		3°33′-41 N 3 28 -58 W	ICU: S	3°32′-11 N 3 23 -38 W		3°32′-01 N 3 19 -38 W	€ 53	3°36′-11 N 3 19 -08 W	F)53	3°31′-41 N 3 15 -18 W	1 1
Before High Water 1	gre	spring tides (knots) neap tides (knots)	290 072 097 100 101 104 215 266	0.2 0.1 0.6 0.4 1.5 0.8 1.7 1.0 1.3 0.7 0.7 0.4 0.2 0.1 0.6 0.4	291 081 099 098 099 089 240 269	0·3 0·2 0·3 0·2 1·0 0·5 1·4 0·8 1·2 0·6 0·4 0·3 0·1 0·0 0·5 0·3	352 097 108 104 101 094	0.2 0.1 0.5 0.3 1.3 0.7 1.6 0.9 1.3 0.7 0.7 0.4 0.0 0.0 0.5 0.3	320 055 091 100 106 104 127 230	0.9 0.5 0.8 0.4 1.1 0.6 1.8 0.9 1.7 1.0 0.9 0.5 0.3 0.1 0.4 0.2	251 108 087 096 096 088 234 271	0·3 0·1 0·5 0·3 1·1 0·6 1·4 0·8 1·0 0·5 0·5 0·2 0·1 0·1 0·3 0·2	299 065 092 110 117 120 155 256	0.5 0.3 0.7 0.4 1.6 0.8 1.9 1.0 1.6 0.9 1.1 0.6 0.3 0.2 0.8 0.4	- 6 - 5 - 4 - 3 - 2 - 1 0 + 1
After High Water	irecti	Rates at Rates at	277 281 283 284 285	1·0 0·7 1·3 0·8 1·2 0·7 0·9 0·4 0·4 0·2	273 276 278 282 287	1·1 0·6 1·5 0·8 1·5 0·8 1·2 0·6 0·6 0·3	275 279 285 296 310	1.0 0.6 1.4 0.8 1.4 0.7 1.0 0.5 0.4 0.2	257 264 275 289 307	0.9 0.5 1.3 0.7 1.6 0.9 1.7 0.9 1.2 0.6	274 277 275 273 263	0.7 0.4 1.1 0.6 1.1 0.6 0.9 0.5 0.5 0.2	282 287 292 294 296	1.4 0.8 1.6 0.9 1.4 0.8 1.1 0.5 0.7 0.4	+ 2 + 3 + 4 + 5 + 6

5613_9 Tidal Streams referred to HW at LIVERPOOL (GLADSTONE DOCK)

Hours	\\rightarrow^c	Geographical Position	A)50	3°54′-01 N 3-31 -08 W		3°54′-01 N 3 14 -08 W
After High Water page 1 to 2 to	Directions of streams (degrees)	Rates at spring tides (knots) Rates at neap tides (knots)	207 108 091 090 090 088 339 283 274 273 273 270 256	0·2 0·1 0·8 0·4 1·5 0·8 1·9 1·1 1·6 0·9 0·9 0·6 0·2 0·2 0·8 0·4 1·6 0·9 2·0 1·1 1·7 0·9 1·0 0·6 0·4 0·2	232 127 089 081 072 059 048 278 258 257 254 244 236	0·6 0·4 0·3 0·2 1·0 0·5 1·7 0·9 1·8 1·0 1·5 0·8 0·8 0·5 0·4 0·2 0·9 0·5 1·5 0·9 1·7 1·0 1·4 0·7 0·8 0·4

5613_10 Tidal Streams referred to HW at LIVERPOOL (GLADSTONE DOCK)

Hours	♦	ieographical Position	\Diamond	53°54'0N 3 14·1W	₿	53°58'0 N 3 13·6W	♦	53°59'8 N 3 13·2W	(D)	54°02′5N 3 10·3W	₽	53°59'4N 3 09·8W		53°58'1 N 3 O1·7W	©	54°01'2 N 2 56·5W		54°02′0N 2 56·0W	
After Aigh Water High Water L 2 2 4 2 5 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6	Directions of streams (degrees)	Rates at spring tides (knots) Rates at neap tides (knots)	232 127 089 081 072 059 048 278 258 257 254 244 236	0.6 0.4 0.3 0.2 1.0 0.5 1.7 0.9 1.8 1.0 1.5 0.8 0.8 0.5 0.4 0.2 0.9 0.5 1.5 0.9 1.7 1.0 1.4 0.7 0.8 0.4	175 131 109 096 086 066 333 286 277 279 274 253 206	0·4 0·2 0·8 0·5 1·3 0·7 1·7 0·9 1·5 0·8 0·8 0·5 0·4 0·2 1·1 0·5 1·6 0·9 1·5 0·8 1·0 0·5 0·5 0·2 0·4 0·2	149 113 100 089 079 069 008 296 277 267 254 231 174	0·6 0·3 1·1 0·6 1·5 0·9 1·9 1·1 1·8 1·0 1·4 0·7 0·6 0·4 1·4 0·8 2·3 1·2 2·1 1·2 1·4 0·8 0·8 0·4 0·5 0·3	057 053 053 055 055 265 236 237 233 231 230 223	0·0 0·0 0·7 0·4 1·6 0·9 2·0 1·1 1·8 1·0 1·3 0·7 0·9 0·5 1·9 1·1 1·4 0·8 1·0 0·5 0·6 0·3 0·2 0·1	136 100 083 078 071 066 031 287 263 258 247 227 165	0.4 0.2 0.7 0.4 1.1 0.7 1.6 1.0 1.9 1.0 1.6 0.8 0.7 0.4 0.9 0.6 2.0 1.1 2.4 1.3 1.6 0.9 0.8 0.5 0.4 0.2	251 166 069 058 059 061 064 218 237 240 235 247 253	0·3 0·2 0·3 0·2 0·8 0·5 1·8 1·0 2·3 1·4 1·8 1·1 0·8 0·4 0·9 0·6 1·9 0·9 1·9 1·1 1·5 0·8 0·8 0·5 0·4 0·2	228 047 032 030 033 047 189 211 213 212 215 224	0·2 0·1 0·0 0·0 0·5 0·3 1·5 0·7 1·9 1·0 1·7 0·8 0·5 0·3 1·8 0·9 1·6 0·8 1·2 0·6 0·6 0·3 0·3 0·1	209 056 029 029 029 029 182 209 209 209 209	0·1 0·0 0·2 0·1 0·5 0·4 1·4 0·8 2·4 1·4 2·2 1·3 0·8 0·5 1·0 0·7 2·0 1·2 2·2 1·3 1·3 0·9 0·5 0·4 0·1 0·1	-6 -5 -4 -3 -2 -1 0 +1 +2 +3 +4 +5 +6

5613_11A

Tidal Streams referred to HW at LIVERPOOL (GLADSTONE DOCK)

Hours	♦	ieograj Posit		\bigotimes	53°58′1N 3 01 7W
After High Water Page 1 7 8 4 5 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9 9 9 9 9	Directions of streams (degrees)	Rates at spring tides (knots)	Rates at neap tides (knots)	251 166 069 058 059 061 064 218 237 240 235 247 253	0·3 0·2 0·3 0·2 0·8 0·5 1·8 1·0 2·3 1·4 1·8 1·1 0·8 0·4 0·9 0·6 1·9 0·9 1·9 1·1 1·5 0·8 0·8 0·5 0·4 0·2

5613_12A Tidal Streams referred to HW at LIVERPOOL (GLADSTONE DOCK)

Hours	♦ G	ieographical Position	\bigotimes	53°58′1N 3 01·7W	₿	54°01′2N 2 56·5W	\oint{\oint}	54°02′0N 2 56 OW
Before High Water	ams (degrees)	tides (knots) tides (knots)	251 166 069 058 059 061	0·3 0·2 0·3 0·2 0·8 0·5 1·8 1·0 2·3 1·4 1·8 1·1	228 047 032 030 033	0·2 0·1 0·0 0·0 0·5 0·3 1·5 0·7 1·9 1·0 1·7 0·8	209 056 029 029 029 029	0·1 0·0 0·2 0·1 0·5 0·4 1·4 0·8 2·4 1·4 2·2 1·3
After High Water 1 3 4 2 6 9 9 1 4 2 9 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Directions of streams	Rates at spring Rates at neap t	064 218 237 240 235 247 253	0.6 0.3 0.9 0.6 1.9 0.9 1.9 1.1 1.5 0.8 0.8 0.5 0.4 0.2	047 189 211 213 212 215 225	0.5 0.3 0.6 0.3 1.8 0.9 1.6 0.8 1.2 0.6 0.6 0.3 0.3 0.1	029 182 209 209 209 209 209	0·8 0·5 1·0 0·7 2·0 1·2 2·2 1·3 1·3 0·9 0·5 0·4 0·1 0·1

Tidal Streams referred to HW at LIVERPOOL (GLADSTONE DOCK)

Hours	♦	Geographical Position		4°02′5N 3° 10′3W		4°04′.1N 3° 10′.2W
After Before High Water Babbar Before B 5 8 8 5 1 2 8 6 5 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Directions of streams (degrees)	Rates at spring tides (knots) Rates at neap tides (knots)	057 053 053 055 055 265 236 237 233 231 230 223	0·0 0·0 0·7 0·4 1·6 0·9 2·0 1·1 1·8 1·0 1·3 0·7 0·9 0·5 1·9 1·1 1·4 0·8 1·0 0·5 0·6 0·3 0·2 0·1	217 283 303 317 321 321 316 091 127 137 141 147	0·1 0·1 0·3 0·2 0·8 0·5 1·7 0·9 1·8 1·0 1·6 0·9 0·9 0·5 0·4 0·2 1·8 1·1 2·1 1·2 1·8 0·9 0·9 0·6 0·9 0·6

5613_14 Tidal Streams referred to HW at LIVERPOOL (GLADSTONE DOCK)

Hours	\Diamond_{c}	Beographical Position	\Diamond	54°23'2 N 3 35·2W	₿	54°16′0N 3 30·1W		53°59'5 N 3 29·1W	\Diamond	53°58'0N 3 13·6W	€	53°59'8 N 3 13·2W	⟨ ₽⟩	54°02′5 N 3 10·3W	⋄	53°59'4 N 3 09·8W	
After Migh Water High Water L 2 3 4 5 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	irections of streams (degr	Rates at spring tides (knots) Rates at neap tides (knots)	153 151 145 134 073 352 322 328 322 316 286 183 158	1.0 0.6 1.1 0.7 0.8 0.4 0.3 0.1 0.5 0.3 0.9 0.6 0.9 0.6 0.8 0.5 0.5 0.3 0.2 0.1 0.3 0.2	153 144 137 123 056 350 320 314 311 295 180 157	0.9 0.5 0.9 0.5 0.8 0.5 0.5 0.3 0.2 0.1 0.5 0.3 0.8 0.5 1.0 0.6 0.9 0.5 0.6 0.3 0.2 0.0 0.4 0.2 0.7 0.4	102 104 102 094 083 063 304 275 271 274 275 280	0·0 0·0 0·4 0·3 0·8 0·5 1·2 0·7 1·1 0·6 0·8 0·4 0·2 0·1 0·6 0·3 0·9 0·5 1·1 0·6 1·0 0·5 0·7 0·4 0·4 0·1	175 131 109 096 086 066 333 286 277 279 274 253 206	0·4 0·2 0·8 0·5 1·3 0·7 1·7 0·9 1·5 0·8 0·8 0·5 0·4 0·2 1·1 0·5 1·6 0·9 1·5 0·8 1·0 0·5 0·5 0·2 0·4 0·2	149 113 100 089 079 069 008 296 277 267 254 231 174	0-6 0-3 1-1 0-6 1-5 0-9 1-9 1-1 1-8 1-0 1-4 0-7 0-6 0-4 1-4 0-8 2-3 1-2 2-1 1-2 1-4 0-8 0-8 0-4 0-5 0-3	057 053 053 055 055 265 236 237 233 231 230 223	0-0 0-0 0-7 0-4 1-6 0-9 2-0 1-1 1-8 1-0 1-3 0-7 0-9 0-5 1-9 1-1 1-4 0-8 1-0 0-5 0-6 0-3 0-2 0-1	136 100 083 078 071 066 031 287 263 258 247 227 165	0·4 0·2 0·7 0·4 1·1 0·7 1·6 1·0 1·9 1·0 1·6 0·8 0·7 0·4 0·9 0·6 2·0 1·1 2·4 1·3 1·6 0·9 0·8 0·5 0·4 0·2	-6 -5 -4 -3 -2 -1 0 +1 +2 +3 +4 +5

5613_15 Tidal Streams referred to HW at LIVERPOOL (GLADSTONE DOCK)

Hours	♦	eographical Position	A	54°47′6N 3 31·9W	₿	54°39'0 N 3 41·1W	\langle	54°31′5 N 3 44·4W
After High Water Before High Water B 5 2 4 8 5 5 1 6 9 5 9 5 9 5 9 5 9 5 9 5 9 5 9 5 9 5 9	Directions of streams (degrees)	Rates at spring tides (knots) Rates at neap tides (knots)	203 025 025 025 025 027 209 205 205 205 205	1·6 0·9 0·4 0·2 2·0 1·1 3·1 1·7 3·9 2·2 3·6 2·0 1·9 1·1 0·3 0·2 2·0 1·1 3·0 1·6 3·5 1·9 3·1 1·7 1·9 1·1	204 123 059 057 050 036 010 251 250 238 230 224 211	0·9 0·5 0·3 0·2 1·5 0·8 2·1 1·2 2·0 1·1 1·7 1·0 0·5 0·3 1·1 0·6 1·6 0·9 1·1 0·6	162 135 119 095 064 024 334 305 298 273 219 180	0·7 0·4 0·9 0·5 1·0 0·6 0·9 0·5 0·6 0·3 0·4 0·2 0·4 0·2 0·8 0·4 1·0 0·6 0·9 0·5 0·6 0·3 0·5 0·3 0·6 0·4

5613_17 Tidal Streams referred to HW at LIVERPOOL (GLADSTONE DOCK)

Hours	♦	eographical Position		4°37′51 N 4 19·77W	₽	54°35′4N 4 00·7W	\langle	54°39'0 N 3 41·1W
Before High Water 1 7 8 9 9 9	streams (degrees)	tides (knots) tides (knots)	156 090 078 076 076 070	0·3 0·2 1·3 0·8 2·3 1·4 2·7 1·7 2·3 1·4 1·3 0·8	207 123 100 091 086 074	0·3 0·2 0·7 0·4 1·4 0·7 1·6 0·9 1·4 0·8 1·0 0·5	207 135 069 057 051 038	1.0 0.5 0.4 0.2 1.3 0.7 2.0 1.1 1.7 1.0
After High Water 5 2 4 2 6	Directions of stre	Rates at spring Rates at neap	267 258 255 255 257 248	0.4 0.3 1.5 0.9 2.1 1.3 2.3 1.4 2.0 1.2 1.3 0.9 0.4 0.2	011 300 079 271 270 262 240	0.4 0.2 0.8 0.5 1.2 0.7 1.5 0.8 1.3 0.8 1.0 0.5 0.5 0.2	014 069 250 240 231 225 213	0·7 0·4 0·5 0·3 1·1 0·6 1·5 0·9 1·7 1·0 1·6 0·9 1·2 0·6

Tidal Streams referred to HW at LIVERPOOL (GLADSTONE DOCK)

Hours	♦	eograp Positi		♦ 5	4°35′61 N 4 50·17V	(B)	4°44'01 N 4 45·87W	♦ 5	4°37′51 N 4 19·77W
Before High Water	streams (degrees)	g tides (knots)	tides (knots)	226 108 085 085 087 090	0.7 0.4 1.4 0.8 3.5 1.9 4.4 2.4 4.2 2.3 2.9 1.6 1.3 0.7	099 054 038 025 012 345 285	0·3 0·2 0·7 0·4 1·0 0·6 1·3 0·7 1·0 0·5 0·6 0·3	156 090 078 076 076 070 324	0·3 0·2 1·3 0·8 2·3 1·4 2·7 1·7 2·3 1·4 1·3 0·8 0·4 0·3
After High Water 9 9 9 9 9 9	Directions of str	Rates at spring	Rates at neap	217 245 247 244 248 241	1.4 0.8 2.9 1.7 3.6 2.1 3.2 1.8 2.7 1.5 1.2 0.7	240 214 200 190 175 134	0·7 0·4 1·0 0·6 1·2 0·7 0·9 0·5 0·6 0·3 0·3 0·2	267 258 255 255 257 248	1.5 0.9 2.1 1.3 2.3 1.4 2.0 1.2 1.3 0.9 0.2 0.1

Tidal Streams referred to HW at LIVERPOOL (GLADSTONE DOCK)

Hours	♦	Geographical Position	1 /A	4°26′91 N 4 24·17W		4°08′91N 4°27′38W
After High Water Papel High Water P 5 7 8 9 5 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Directions of streams (degrees)	Rates at spring tides (knots) Rates at neap tides (knots)	122 087 085 082 078 072 300 267 262 259 259 259 192	0·5 0·4 2·1 1·4 3·2 2·0 3·2 2·0 2·6 1·7 1·5 0·9 1·0 0·6 2·7 1·7 3·2 2·0 2·9 1·8 2·1 1·4 1·1 0·7 0·2 0·2	332 019 023 027 048 114 168 187 193 202 208 212 261	0·2 0·1 0·9 0·5 1·5 0·9 1·5 0·8 0·7 0·4 0·3 0·2 0·6 0·4 0·8 0·5 1·1 0·6 1·3 0·7 1·0 0·5 0·6 0·3 0·2 0·0

Tidal Streams referred to HW at LIVERPOOL (GLADSTONE DOCK)

Hours	\Diamond	eographic Position	al 🕎	54°08'9 N 4 27·4W	₽ 5	4°26′91 N 4 24·17W	♦	54°25′5 N 4 16·6W	�	54°19′8 N 4 13·1W
After Before High Water P 5 5 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	irections of streams (de	Rates at spring tides (knots) Rates at neap tides (knots)	332 019 023 027 048 114 168 187 193 202 208 212 261	0·2 0·1 0·9 0·5 1·5 0·9 1·5 0·8 0·7 0·4 0·3 0·2 0·6 0·4 0·8 0·5 1·1 0·6 1·3 0·7 1·0 0·5 0·6 0·3 0·2 0·0	122 087 085 082 078 072 300 267 262 259 259 192	0·5 0·4 2·1 1·4 3·2 2·0 3·2 2·0 2·6 1·7 1·5 0·9 1·0 0·6 2·7 1·7 3·2 2·0 2·9 1·8 2·1 1·4 1·1 0·7 0·2 0·2	132 127 128 127 128 004 317 316 312 303 301 279 157	1·1 0·6 2·2 1·2 2·8 1·6 2·4 1·3 1·3 0·7 0·3 0·2 1·4 0·8 2·3 1·2 2·6 1·4 2·2 1·1 1·5 0·8 0·4 0·2 0·7 0·4	136 139 140 140 238 298 311 316 319 320 320 109	0·4 0·2 0·8 0·5 0·7 0·4 0·4 0·2 0·1 0·1 0·4 0·3 0·7 0·4 0·9 0·6 1·0 0·6 0·7 0·4 0·4 0·2 0·2 0·1 0·1 0·1

5613_22A Tidal Streams referred to HW at LIVERPOOL (GLADSTONE DOCK)

Hours		ograp Positic				4°08′ 4°27′	
After Before High Water Apply 1 2 2 4 2 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Directions of streams (degrees)	Rates at spring tides (knots)	Rates at neap tides (knots)	$ \begin{array}{rrrr} -6 \\ -5 \\ -4 \\ -3 \\ -1 \\ 0 \\ +1 \\ +3 \\ +4 \\ +5 \\ +6 \end{array} $	332 019 023 027 048 114 168 187 193 202 208 212 261	0·2 0·9 1·5 1·5 0·7 0·3 0·6 0·8 1·1 1·3 1·0 0·6 0·2	0·1 0·5 0·9 0·8 0·4 0·2 0·4 0·5 0·6 0·7 0·5 0·3 0·0

5613 23

Tidal Streams referred to HW at DOVER

Hours	\Diamond	eograph Positio		♦ 5	5°15′ 5 37	· 1N · 2W		4°49 5 38		\Diamond^5				4°31 4 36	′.6N ∙8W		4°24 [.] 5 21	'.4N ∙3W	/E\-	4°06 4 08				· 0N	\bigoplus^{5}		.′8N ∙0M	1 / 1	3°40′. 5 09 ·	
Before High Water	ms (degrees)	ides (knots)	des (knots)	201 096 093 091 089 085	2·0 3·3	2·0 2·1 1·8	214 157 152 152 148 149	1·5 1·8 1·5	0·1 0·5 0·8 0·9 0·8 0·5	077 138 146 140 140 143	1·9 2·2 1·8	0·6 1·1 1·2	197 100 093 091 091 092	2·8 3·4 2·9	0·2 0·8 1·6 1·9 1·7 0·9	174 175 176 180 182 185	1·3 1·4 1·1	0·2 0·5 0·7 0·8 0·6 0·2	214 087 074 067 056 049	0·5 1·3 1·8 1·6	0·2 0·3 0·7 1·0 0·9 0·6	022 068 078 082 085 096	0·7 1·1 1·4	0·2 0·4 0·6 0·7 0·7 0·5	248 083 084 083 087 090	2·6 2·0	0·4 1·1 1·5	231 275 350 025 033 039	1·0 0·5 0·6 1·3 1·9 1·7	0·3 0·3 0·7 1·0
High Water	strea	ing t	ap ti	000	0.2	0.1	099	0.1	0.1	182	0.4	0.2	177	0.4	0.2	354	0.3	0.2	353	0.3	0.2	155	0.4	0.2	147	0.3	0.2	043	1.1	0.6
After High Water	Directions of s	Rates at spr	Rates at ne	278 275 272 270 267 255	2·4 3·3 3·1 2·2	0·8 1·5 2·0 1·9 1·3 0·5	339 335 336 333 334 320	1·4 1·8 1·6 1·2	0·4 0·7 0·9 0·8 0·6 0·2	301 311 320 330 341 356	2·0 2·3 1·8 1·3	1.3	243 247 251 252 251 232	1·7 3·0 3·4 3·0 2·0 0·7	1·0 1·7 1·9 1·7 1·1 0·4	356 357 358 358 002 171	1·3 1·4 1·1 0·6	0·8 0·6	264 250 241 238 234 228	0·9 1·2 1·4	0·4 0·5 0·7 0·8 0·7 0·4	234 250 262 275 292 335	1.5	0·7 0·8 0·6 0·4	258 266 270 272 267 255	1·6 2·1 1·8	0·5 0·9 1·2 1·0 0·7 0·5	130 207 213 215 218 223	0·1 0·6 1·2 1·5 1·7 1·4	0·3 0·6 0·8 0·9

5613 23 continued

0010		-0 0	, , ,		,,,,	-										
Hours	\Diamond	eogra Posit		♦ 5	3°28 4 45		1 21 5	3°26 5 33	¹ON ∙OW	♦ 5	3°05 4 44	· 5N · 5W		3°04 5 20	. 8N	
Before High Water	ıms (degrees)	tides (knots)	tides (knots)	205 055 050 046 049 053	0·3 1·5 3·2 3·8 3·0 1·6	0·2 0·8 1·6 1·9 1·5 0·8	211 345 351 350 349 353	0·2 1·0 1·9 2·3 1·9 1·3	0·1 0·4 0·8 1·0 0·9 0·6	002 002 002 002 002 002	0·1 1·2 2·0 2·3 1·7 0·9	0·1 0·7 1·2 1·3 1·0 0·5	006 005 002 359 357	0·0 0·9 2·0 2·6 2·7 1·7	0·0 0·5 1·1 1·4 1·5 0·9	-6 -5 -4 -3 -2 -1
After High Water 1 5 3 4 2 9	Directions of streams	Rates at spring 1	Rates at neap t	125 226 231 231 230 228 223	0·1 1·5 2·9 3·7 2·9 1·9 0·8	0·1 0·8 1·5 1·8 1·5 0·9 0·4	011 160 169 170 170 174 183	0·3 0·7 1·6 2·2 2·3 1·6 0·5	0·1 0·3 0·7 1·0 1·0 0·7 0·2	182 182 182 182 182 182 182	0·1 1·1 1·9 2·1 1·9 1·1 0·2	0·1 0·6 1·1 1·2 1·1 0·6 0·1	344 195 185 180 175 176 180	0·3 1·0 2·0 2·8 2·4 1·4 0·4	0·1 0·5 1·1 1·5 1·3 0·8 0·2	0 +1 +2 +3 +4 +5 +6

TIME & HEIGHT DIFFERENCES FOR PREDICTING THE TIDE AT SECONDARY PORTS

			Т	IME DIFFI	ERENCES	8	HEIGHT D	DIFFEREN	ICES (IN N	METRES)
PLACE	Lat. N	Long. W	High '	Water Zone U	Low \ T(GMT)	Water	MHWS	MHWN	MLWN	MLWS	
LIVERPOOL (GLADSTONE DOCK)	53 27	3 01	0000 and 1200	0600 and 1800	0200 and 1400	0800 and 2000	9.4	7.5	3.2	1.1	
SCOTLAND Portpatrick	54 51	5 07	+0038	+0032	+0009	-0008	-5.5	-4.4	-2.0	-0.6	
Luce Bay	0101	0 07	10000	10002	10000	0000	0.0		2.0	0.0	
Drummore	54 42	4 53	+0035	+0045	+0010	+0015	-3.5	-2.6	-1.2	-0.5	
Luce Bay (Offshore Platform)	54 50	4 53	+0035	+0035	+0010	0000	-2.9	-2.4	-1.1	-0.3	
Port William	54 46	4 35	+0035	+0035	+0020	-0005	-3.0	-2.3	-1.1	0	
Wigtown Bay											
Isle of Whithorn	54 42	4 22	+0025	+0030	+0020	0000	-2.5	-2.1	-1.1	-0.4	
Garlieston	54 47	4 22	+0030	+0040	+0025	0000	-2.4	-1.8	-0.8	0	
Solway Firth											
Kirkcudbright Bay		4 04	+0020	+0020	+0005	-0005	-1.9	-1.6	-0.8	-0.3	
Hestan Island Southerness Point		3 48 3 36	+0030 +0035	+0030 +0035	+0015 +0025	+0020 +0005	-1.1 -0.8	-1.2 -0.8	-0.8 _⊙	-0.2 ⊙	
	0.02	5 00	. 0000	. 5555	. 5020	. 5555	0.0	0.0	Ŭ	9	
Annan Waterfoot		3 16	+0055	+0110	+0215	+0305	-2.3	-2.7	-3.0	‡	
Torduff PointRedkirk		3 09 3 06	+0110 +0115	+0145 +0220	+0515 +0710	+0405 +0440	-4.2 -5.6	-5.0 -6.3	‡ ‡	‡ ‡	
I IGUNITA	0 4 08	3 00	+0115	+0220	+0/10	+0440	-3.0	-0.3	+	+	
ENGLAND											
Silloth	54 52	3 24	+0035	+0045	+0040	+0050	-0.2	-0.4	-0.9	-0.3	
Maryport		3 30	+0021	+0036	+0017	+0002	-0.8	-0.9	-0.7	-0.2	
Workington		3 34	+0029	+0027	+0014	+0004	-1.1	-1.1	-0.5	-0.1	
Whitehaven	54 33	3 36	+0010	+0020	+0005	0000	-1.4	-1.2	-0.8	-0.1	
arn Point	54 17	3 25	+0010	+0010	+0005	-0005	-1.1	-1.1	-0.7	-0.2	
Ouddon Bar	54 09	3 20	+0007	+0007	+0005	-0001	-0.9	-0.9	-0.6	-0.2	
BARROW (RAMSDEN DOCK)	54 06	3 12	0000 and 1200	0600 and 1800	0100 and 1300	0700 and 1900	9.3	7.1	3.0	1.1	
Managaraha Barr											
Morecambe Bay								0.0			
Roa Island	54 04	3 10	-0007	-0005	-0005	-0003	-0.1	U.U	-0.1	0.0	
Roa Island Haws Point		3 10 3 10	-0007 -0007	-0005 -0004	-0005 -0002	-0003 -0005	-0.1 +0.1	0.0 0.0	-0.1 0.0	0.0 0.0	
	54 03										
Haws PointHalfway Shoal	54 03 54 01	3 10	-0007	-0004	-0002	-0005	+0.1	0.0	0.0	0.0	
Haws Point Halfway Shoal IVERPOOL (GLADSTONE DOCK)	54 03 54 01 53 27	3 10 3 12 3 01	-0007 -0014 0000 and 1200	-0004 -0012 0600 and 1800	-0002 -0012 0200 and 1400	-0005 -0010 0700 and 1900	+0.1 -0.3 9.4	7.5	0.0 -0.1	0.0	
Haws Point Halfway Shoal LIVERPOOL (GLADSTONE DOCK)	54 03 54 01 53 27 54 00	3 10 3 12 3 01 2 51	-0007 -0014 0000 and 1200 +0025	-0004 -0012 0600 and 1800 +0035	-0002 -0012 0200 and 1400 +0215	-0005 -0010 0700 and 1900 +0235	+0.1 -0.3 9.4	7.5 -3.1	0.0 -0.1 3.2 ○	0.0 0.0 1.1	See No
Haws Point Halfway Shoal IVERPOOL (GLADSTONE DOCK)	54 03 54 01 53 27 54 00	3 10 3 12 3 01	-0007 -0014 0000 and 1200	-0004 -0012 0600 and 1800	-0002 -0012 0200 and 1400	-0005 -0010 0700 and 1900	+0.1 -0.3 9.4	7.5	0.0 -0.1 3.2	0.0 0.0 1.1	See No
Haws Point	54 03 54 01 53 27 54 00 54 03	3 10 3 12 3 01 2 51 2 49	-0007 -0014 0000 and 1200 +0025 +0115	-0004 -0012 0600 and 1800 +0035 +0035	-0002 -0012 0200 and 1400 +0215 §	-0005 -0010 0700 and 1900 +0235	+0.1 -0.3 9.4 -2.8 -5.1	7.5 -3.1 -5.0	0.0 -0.1 3.2 \$	0.0 0.0 1.1	See No
Haws Point	54 03 54 01 53 27 54 00 54 03 53 57	3 10 3 12 3 01 2 51 2 49 3 02	-0007 -0014 0000 and 1200 +0025 +0115	-0004 -0012 0600 and 1800 +0035 +0035	-0002 -0012 0200 and 1400 +0215 §	-0005 -0010 0700 and 1900 +0235 §	+0.1 -0.3 9.4 -2.8 -5.1	7.5 -3.1 -5.0	0.0 -0.1 3.2 \$	0.0 0.0 1.1	See No
Haws Point	54 03 54 01 53 27 54 00 54 03 53 57	3 10 3 12 3 01 2 51 2 49	-0007 -0014 0000 and 1200 +0025 +0115	-0004 -0012 0600 and 1800 +0035 +0035	-0002 -0012 0200 and 1400 +0215 §	-0005 -0010 0700 and 1900 +0235	+0.1 -0.3 9.4 -2.8 -5.1	7.5 -3.1 -5.0	0.0 -0.1 3.2 \$	0.0 0.0 1.1	See No
Haws Point	54 03 54 01 53 27 54 00 54 03 53 57	3 10 3 12 3 01 2 51 2 49 3 02	-0007 -0014 0000 and 1200 +0025 +0115	-0004 -0012 0600 and 1800 +0035 +0035	-0002 -0012 0200 and 1400 +0215 §	-0005 -0010 0700 and 1900 +0235 §	+0.1 -0.3 9.4 -2.8 -5.1	7.5 -3.1 -5.0	0.0 -0.1 3.2 \$	0.0 0.0 1.1	See No
Haws Point	54 03 54 01 53 27 54 00 54 03 53 57 53 56	3 10 3 12 3 01 2 51 2 49 3 02 3 00	-0007 -0014 0000 and 1200 +0025 +0115 -0005 -0004	-0004 -0012 0600 and 1800 +0035 +0035 -0005 -0004	-0002 -0012 0200 and 1400 +0215 §	-0005 -0010 0700 and 1900 +0235 §	+0.1 -0.3 9.4 -2.8 -5.1 -0.2 0.0	7.5 7.5 -3.1 -5.0	0.0 -0.1 3.2 \$	0.0 0.0 1.1 \$	See No
Haws Point	54 03 54 01 53 27 54 00 54 03 53 57 53 56	3 10 3 12 3 01 2 51 2 49 3 02 3 00	-0007 -0014 0000 and 1200 +0025 +0115 -0005 -0004	-0004 -0012 0600 and 1800 +0035 +0035 -0005 -0004	-0002 -0012 0200 and 1400 +0215 §	-0005 -0010 0700 and 1900 +0235 §	+0.1 -0.3 9.4 -2.8 -5.1 -0.2 0.0	7.5 7.5 -3.1 -5.0	0.0 -0.1 3.2 \$	0.0 0.0 1.1 \$	
Haws Point	54 03 54 01 53 27 54 00 54 03 53 57 53 56 53 49	3 10 3 12 3 01 2 51 2 49 3 02 3 00 3 04	-0007 -0014 0000 and 1200 +0025 +0115 -0005 -0004 -0010	-0004 -0012 0600 and 1800 +0035 +0035 -0005 -0004 +0000	-0002 -0012 0200 and 1400 +0215 § 0000 -0006	-0005 -0010 0700 and 1900 +0235 § -0005 -0006	+0.1 -0.3 9.4 -2.8 -5.1 -0.2 0.0 -0.5	7.5 -3.1 -5.0 -0.2 -0.2 -0.5	0.0 -0.1 3.2 \$.0.1	0.0 0.0 1.1 \$ \$ +0.1	See No
Haws Point	54 03 54 01 53 27 54 00 54 03 53 57 53 56 53 49 53 45	3 10 3 12 3 01 2 51 2 49 3 02 3 00 3 04	-0007 -0014 0000 and 1200 +0025 +0115 -0005 -0004 -0010	-0004 -0012 0600 and 1800 +0035 +0035 -0005 -0004 +0000	-0002 -0012 0200 and 1400 +0215 § 0000 -0006	-0005 -0010 0700 and 1900 +0235 § -0005 -0006 -0020	+0.1 -0.3 9.4 -2.8 -5.1 -0.2 0.0 -0.5	7.5 -3.1 -5.0 -0.2 -0.2 -0.5	0.0 -0.1 3.2 \$.0.1	0.0 0.0 1.1 \$ \$ +0.1	
Haws Point	54 03 54 01 53 27 54 00 54 03 53 57 53 56 53 49 53 45 53 39	3 10 3 12 3 01 2 51 2 49 3 00 3 04 2 45	-0007 -0014 0000 and 1200 +0025 +0115 -0005 -0004 -0010 +0015	-0004 -0012 0600 and 1800 +0035 +0035 -0004 +0000 +0015	-0002 -0012 0200 and 1400 +0215 § 0000 -0006 -0010 +0330	-0005 -0010 0700 and 1900 +0235 § -0005 -0006 -0020 +0305	+0.1 -0.3 9.4 -2.8 -5.1 -0.2 0.0 -0.5	7.5 -3.1 -5.0 -0.2 -0.2 -0.5 -4.2	0.0 -0.1 3.2 \$ -0.1 -0.4	0.0 0.0 1.1 \$ +0.1 -0.1	
Haws Point	54 03 54 01 53 27 54 00 54 03 53 57 53 56 53 49 53 45 53 39	3 10 3 12 3 01 2 51 2 49 3 00 3 04 2 45 3 01	-0007 -0014 0000 and 1200 +0025 +0115 -0005 -0004 -0010 +0015	-0004 -0012 0600 and 1800 +0035 +0035 -0004 +0000 +0015	-0002 -0012 0200 and 1400 +0215 § 0000 -0006 -0010 +0330	-0005 -0010 0700 and 1900 +0235 § -0005 -0006 -0020	+0.1 -0.3 9.4 -2.8 -5.1 -0.2 0.0 -0.5 -4.1	7.5 -3.1 -5.0 -0.2 -0.5 -4.2	0.0 -0.1 3.2 \$.0.1 -0.4 -3.1	0.0 0.0 1.1 \$ +0.1 -1.0	
Haws Point	54 03 54 01 53 27 54 00 54 03 53 57 53 56 53 49 53 45 53 39 53 32	3 10 3 12 3 01 2 51 2 49 3 00 3 04 2 45 3 01	-0007 -0014 0000 and 1200 +0025 +0115 -0005 -0004 -0010 +0015	-0004 -0012 0600 and 1800 +0035 +0035 -0004 +0000 +0015 -0005 -0005	-0002 -0012 0200 and 1400 +0215 § 0000 -0006 -0010 +0330	-0005 -0010 0700 and 1900 +0235 § -0005 -0006 -0020 +0305	+0.1 -0.3 9.4 -2.8 -5.1 -0.2 0.0 -0.5 -4.1	7.5 -3.1 -5.0 -0.2 -0.5 -4.2	0.0 -0.1 3.2 \$.0.1 -0.4 -3.1	0.0 0.0 1.1 \$ +0.1 -1.0	
Haws Point	54 03 54 01 53 27 54 00 54 03 53 57 53 56 53 49 53 45 53 39 53 32	3 10 3 12 3 01 2 51 2 49 3 00 3 04 2 45 3 01 3 07	-0007 -0014 0000 and 1200 +0025 +0115 -0005 -0004 -0010 +0015	-0004 -0012 0600 and 1800 +0035 +0035 -0004 +0000 +0015 -0005 -0005	-0002 -0012 0200 and 1400 +0215 § 0000 -0006 -0010 +0330	-0005 -0010 0700 and 1900 +0235 § -0005 -0006 -0020 +0305	+0.1 -0.3 9.4 -2.8 -5.1 -0.2 0.0 -0.5 -4.1	7.5 -3.1 -5.0 -0.2 -0.5 -4.2	0.0 -0.1 3.2 \$.0.1 -0.4 -3.1	0.0 0.0 1.1 \$ +0.1 -1.0	
Haws Point	54 03 54 01 53 27 54 00 54 03 53 57 53 56 53 49 53 39 53 32 53 27	3 10 3 12 3 01 2 51 2 49 3 00 3 04 2 45 3 01 3 07	-0007 -0014 0000 and 1200 +0025 +0115 -0005 -0004 -0010 +0015 -0015 -0010	-0004 -0012 0600 and 1800 +0035 +0035 -0004 +0000 +0015 -0005 -0005 -0005	-0002 -0012 0200 and 1400 +0215 § 0000 -0006 -0010 +0330	-0005 -0010 0700 and 1900 +0235 § -0005 -0006 -0020 +0305	+0.1 -0.3 9.4 -2.8 -5.1 -0.2 0.0 -0.5 -4.1 -0.4 -0.4	7.5 -3.1 -5.0 -0.2 -0.5 -4.2 -0.4 -0.2	0.0 -0.1 3.2 \$ -0.1 -0.4 -3.1	0.0 0.0 1.1 \$ +0.1 -0.1	
Haws Point	54 03 54 01 53 27 54 00 54 03 53 57 53 56 53 49 53 39 53 32 53 27	3 10 3 12 3 01 2 51 2 49 3 00 3 04 2 45 3 01 3 07	-0007 -0014 0000 and 1200 +0025 +0115 -0005 -0004 -0010 +0015 -0015 -0010	-0004 -0012 0600 and 1800 +0035 +0035 -0004 +0000 +0015 -0005 -0005 -0005	-0002 -0012 0200 and 1400 +0215 § 0000 -0006 -0010 +0330	-0005 -0010 0700 and 1900 +0235 § -0005 -0006 -0020 +0305	+0.1 -0.3 9.4 -2.8 -5.1 -0.2 0.0 -0.5 -4.1 -0.4 -0.4	7.5 -3.1 -5.0 -0.2 -0.5 -4.2 -0.4 -0.2	0.0 -0.1 3.2 \$ -0.1 -0.4 -3.1	0.0 0.0 1.1 \$ +0.1 -0.1	

LIVERPOOL (GLADSTONE DOCK)	53 27	3 01		STANDA	RD PORT					
WALES										
MOSTYN DOCKS	53 19	3 16		STANDARD PORT			See Table of NON-REFERENCE STANDARD PORTS			
ISLE OF MAN										
Peel	54 14	4 42	+0010	+0010	-0020	-0030	-4.2	-3.2	-1.7	-0.7
Ramsey	54 19	4 21	+0010	+0020	-0010	-0020	-2.0	-1.6	-0.9	-0.2
DOUGLAS	54 09	4 28		STANDARD PORT			See Table of NON-REFERENCE STANDARD PORTS			
Port St. Mary	54 04	4 44	+0010	+0020	-0015	-0035	-3.5	-2.7	-1.6	-0.6
Calf Sound	54 04	4 48	+0010	+0010	-0020	-0030	-3.3	-2.7	-1.2	-0.5
Port Erin	54 05	4 46	+0018	+0010	-0013	-0028	-4.1	-3.3	-1.6	-0.6
WALES										
Colwyn Bay	53 18	3 43	-0015	-0015	0	0	-1.6	-1.4	•	0
Llandudno	53 20	3 50	-0019	-0021	-0031	-0038	-1.7	-1.6	-0.9	-0.6

[∘] No Data

Non-Reference Standard Ports										
STANDARD PORT	MHWS MHWN		MLWN	MLWS						
DOUGLAS	6.9	5.4	2.4	0.8						
MOSTYN DOCKS	8.9	7.0	2.9	1.1						

[§] Dries out except for river water

[‡] The tide does not normally fall below Chart Datum

^{1.} Low water time differences at Glasson Dock give the end of a low water stand which lasts up to 2 hours at springs. 2. Low water time differences at Preston give the end of a low water stand which lasts about $3\frac{1}{2}$ hours.

Tidal Curve Diagrams

