


# East Coast - Orford Ness to Whitby



5614	Chart Title	Natural Scale 1:			
1A	Orford Ness to Benacre Ness	75,000			
1B	Orford Ness 50,000				
2	Lowestoft to Winterton Ness 75,000				
3	Approaches to Lowestoft 25,000				
4A	Approaches to Great Yarmouth	25,000			
4B	Great Yarmouth Outer Harbour	7,500			
5A	Northern Approaches to Great Yarmouth	25,000			
5B	Great Yarmouth Haven	7,500			

© Crown Copyright 2022

5614	Chart Title	Natural Scale 1:			
6A	Caister-on-Sea to Mundesley	75,000			
6B	Southwold Harbour	7,500			
7A	Cromer to Wells-next-the-Sea	75,000			
7B	Wells-next-the-Sea	30,000			
8	Outer Approaches to The Wash	150,000			
9	Approaches to The Wash	75,000			
10A	The Wash - Eastern Part	37,500			
10B	Continuation of Lynn Cut	37,500			
10C	King's Lynn	10,000			
11A	The Wash - Central Part	37,500			
11B	Continuation of the River Nene	50,000			
11C	Continuation of the River Nene to Wisbech	50,000			
12A	The Wash - Western Part	37,500			
12B	Approaches to Boston	20,000			
12C	Boston	10,000			
13	Gibraltar Point to Saltfleet	75,000			
14	Approaches to the River Humber	75,000			
15	River Humber Entrance	37,500			
16	Spurn Head to Grimsby Middle	25,000			
17A	Approaches to Grimsby	25,000			
17B	Grimsby	10,000			
18A	Immingham to Saltend	25,000			
18B	Goole	5,000			
19A	Kingston Upon Hull to Humber Bridge	25,000			
19B	Humber Bridge to Whitton Ness	50,000			
19C	Hull Docks - Western Part	10,000			
20A	Lowestoft Harbour	6,250			
20B	Whitton Ness to Goole and Mere Dyke	50,000			
20C	Continuation to Keadby	50,000			
21	Spurn Head to Flamborough Head	150,000			
22A	Bridlington to Scarborough	75,000			
22B	Bridlington Harbour	5,000			
23A	Approaches to Whitby	25,000			
23B	Whitby Harbour	7,500			
23C	Scarborough Bay	10,000			
23D	Scarborough Harbour5,000				
24	Scarborough to Whitby	75,000			
25	Southern North Sea	750,000			

### Notes

#### DATUM

All the charts are referred to the WGS84 compatible datum ETRS89. Any positions taken from GPS (referred to WGS84) or from ADMIRALTY Notices to Mariners (referred to ETRS89) can be plotted directly on all charts.

#### OIL AND GAS FIELDS

Within the area covered by larger scale charts, certain fixed structures, pipelines and cables have been omitted due to their complexity and frequent change. The appropriate larger scale charts should be used in these areas.

Production platforms and associated structures, including tanker moorings, storage tankers and platforms on pipelines, generally exhibit Mo(U) lights, aircraft obstruction lights, and audible fog signals. Unauthorised navigation is prohibited within 500 metres of all such structures.

#### OVERHEAD CABLES

Overhead cables may conduct high voltages; contact with or proximity to these poses extreme danger. Sufficient clearance must be allowed.

#### LIGHTS

Light stars without legends represent two fixed lights displayed vertically.

#### SANDWAVE AREAS

Sandwaves exist in the areas indicated; depths may be less than charted.

#### FISHING POTS

Mariners may encounter unmarked pots in an area of The Wash between the North Well and Roaring Middle aids to navigation. The buoys marking the ends of the strings of pots are reported as only visible at low water.

#### OVERHEAD CABLES

Overhead cables may conduct high voltages; contact with or proximity to these poses extreme danger. Sufficient clearance must be allowed.

#### CHECK SURVEYS

Depths in the areas indicated are taken from single beam check line surveys with lines of 300 to 400 metres apart. Less water than charted will exist over the sandbanks.

#### OMISSION OF DETAIL

Within the limit marked \_\_\_\_\_\_ and the coastline, this chart should only be used for planning purposes as features such as depths, platforms, wrecks, pipelines, minor aids to navigation and cables have been omitted. Larger scale ADMIRALTY charts are available for mariners intending to navigate in this area. **Positions** are referred to the WGS84 compatible datum, European Terrestrial Reference System 1989 Datum.

**Depths** are in metres and are reduced to Chart Datum, which is approximately the level of Lowest Astronomical Tide.

Heights are in metres. Underlined figures are drying heights above Chart Datum. Vertical clearance heights are above Highest Astronomical Tide. All other heights are above Mean High Water Springs. Navigational marks: IALA Maritime Buoyage System-Region A (Red to port)

#### CHANGING DEPTHS

Depths in the River Humber are subject to frequent change; the buoyage and other aids to navigation are adjusted accordingly. The Harbour Master, Humber, should be consulted for the latest information.

#### GAS FIELD DECOMMISSIONING

Production platforms and associated structure in the areas indicated are currently being decommissioned. During the works, aids to navigation may be unreliable and certain features may not be as shown. Consult local notices to mariners issued by the gas operator for details of decommissioning progress.

#### DONNA NOOK FIRING RANGE

Although no restrictions are placed on the right to transit the firing practice area at any time, mariners are advised to exercise particular caution whilst in the area due to intense military air activity conducted at low level. Red flags or red lights are displayed to indicate that the area is in use. The firing practice area is operated using a clear range procedure. Exercise and firing only take place within the surface danger area (marked by the Sea Danger Area Buoys - DZ Numbers 1-6 and the coast) when the area is considered to be clear of all shipping. For further details, see Annual Notice to Mariners Number 5, Byelaws, Practice and Exercise Areas (PEXA) charts and ADMIRALTY Sailing Directions.

#### VESSEL REPORTING

For details of the following vessel traffic services and vessel reporting systems, see ADMIRALTY List of Radio Signals:

- Boston Local Port Service
- Great Yarmouth Local Port Service
- Humber Vessel Traffic Service
- King's Lynn Port Information Service

#### HISTORIC WRECKS

The sites of historic wrecks are protected from unauthorised interference.

#### SUBMARINE CABLES AND PIPELINES

Mariners should not anchor, trawl or engage in seabed operations in the vicinity of submarine cables and pipelines. Submarine cables support national infrastructure; damage to them may affect critical services and can result in serious consequences, as well as creating a potential hazard to mariners. Wilful or neglectful damage to a cable may result in legal action. Pipelines are not always buried and their presence may significantly reduce the charted depth. They may also span seabed undulations and cause fishing gear to become irrecoverably snagged, putting a vessel in severe danger.

#### FIRING PRACTICE AREAS

No restrictions are placed on the right to transit the firing practice areas at any time. The firing practice areas are operated using a clear range procedure; exercises and firing only take place when the areas are considered to be clear of all shipping.

#### HUMBER DEEP WATER ANCHORAGE (53°37′N 0°25′E)

Humber Deep Water Anchorage is recommended for large vessels bound for the Humber. Good holding ground exists in the charted designated anchor berths A to N. Mariners are advised to keep their vessels in a state of readiness and be prepared to get underway at short notice.

#### WETREP

Tankers of more than 600 dwt carrying heavy crude oil, heavy fuel oil or bitumen and tar and their emulsions are required to participate in the Western European Tanker Reporting System (WETREP). See ADMIRALTY List of Radio Signals for further details.

# HM Coastguard Services and Safety Information

#### VHF MARITIME RADIO

Coastguard Maritime Rescue Co-ordination Centres are on constant watch on Channel 16 - the distress, safety and calling channel. Initial calls should normally be on Ch 16.

#### HM COASTGUARD

HUMBER (MRCC) Tel. +44 (0) 1262 672317 MMSI: 002320007 e-mail: zone8@hmcg.gov.uk (FAO Humber Coastguard)

LONDON (MRSC)

Tel. +44 (0) 208 3127380 MMSI: 002320063 e-mail: zone12@hmcg.gov.uk (FAO London Coastguard)

#### MARITIME SAFETY INFORMATION

Maritime Safety Information (MSI) in the UK is broadcast by HUMBER COASTGUARD at 0150, 0450, 0750, 1050, 1350, 1650, 1950 and 2250 (local times). These will include gale warnings, local inshore forecasts and navigational warnings. Mariners should listen to the MSI announcement on VHF Channel 16 for details of the working channel to be used for the broadcast.

# **Distress and Safety Communication**

### **Distress - Urgency**

A Distress or Urgency message has absolute priority. Make a call on VHF Channel 16 and give the following essential information:

## Distress Call MAYDAY MAYDAY MAYDAY

- Name and Call Sign and MMSI number
- Position
- Nature of Distress
- Type of assistance required
- Type of boat number of crew intentions

Urgency (eg. if you break down in bad weather or a crewman requires medical attention) Call **PANPAN PANPAN PANPAN** and give:

Name and Call Sign and MMSI number

- Position
- Nature of Distress
- Type of assistance required
- Type of boat number of crew intentions

#### **Other Distress Signals**

#### Other recognised signals are:

- Red flares (parachute, multi stars or hand held)
- Orange smoke signal
- The flag signal NC
- The morse signal SOS ... ... by light
- An article of clothing on an oar
- Slowly and repeatedly raising and lowering outstretched arms
- A square flag with anything resembling a ball above or below it
- Continuous sounding of a siren or whistle will also be recognised, or smoke and flames from the vessel
- The carriage of an Emergency Position Indicating Radio Beacon (406 EPIRB) will improve your chances of being located if conventional means fail. 406 EPIRBs are detected by satellite, in addition to aircraft, and transmitted to a Coastguard Maritime Rescue Co-ordination Centre.

#### THE USE OF MOBILE TELEPHONES IN DISTRESS AND SAFETY COMMUNICATIONS

The use of mobile telephones in the marine environent offshore is now well established, with users in all areas of the commercial, fishing and leisure communities.

Incidents have occured where vessels requiring assistance from rescue services have used the inland emergency service, or alternatively telephoned direct to request assistance. (e.g. Lifeboat services). This procedure through a mobile telephone is **strongly discouraged**.

Use of mobile telephones by-passes the existing dedicated well-established international marine distress communications systems.

Mobile telephone coverage offshore is limited and does not afford the same extensive safety coverage as VHF Channel 16. Consequently a greater risk exists of communications difficulties or even a complete breakdown if an accident should occur at the edge of a cell coverage area.

Subsequent on-scene communications would be restricted and delayed if mobile telephone communications were exclusively maintained throughout. There is always a risk that elements of vital information could be lost or misinterpreted by the introduction of further relay links in the communication chain. Mobile telephones are also highly susceptible to failure due to water ingress.

It is not possible to communicate direct to another vessel able to render assistance unless that vessel is also fitted with a mobile telephone and the telephone number is known. Requests for assistance cannot be monitored by other vessels in a position to render assistance. Valuable time would be lost whilst the relevent Coastguard Rescue Coordination Centre receives and then re-broadcasts the information to all ships on the appropriate distress channel(s).

In the interests of Safety Of Life At Sea (SOLAS), owners of vessels are urged to carry MARINE communications equipment onboard and to use this medium as the primary means of Distress and Safety communications.

### **Product Specifications**

#### PRODUCT USAGE CAUTION

This product is specifically designed, in conjunction with other charts and publications, as an aid to the navigation of leisure craft and locally regulated workboats and fishing vessels and therefore should be used by competent (preferably qualified) maritime navigators. Although this product contains the best information available at the time of publication, the user should navigate with caution, particularly in areas of shallow or confined waters where the depth of water is likely to change due to local conditions. The information provided in this product comes from the latest source information held and is updated by Notice to Mariners upon receipt of new information critical to safe navigation. To help maintain this product for all users, users are asked to notify the United Kingdom Hydrographic Office of any differences found between what is depicted and actual conditions encountered.

#### KEEPING THIS CHART UPDATED

Updates for the charts are published using the Notices to Mariners Service on the ADMIRALTY Notices to Mariners page found on our website at admiralty.co.uk/msi. All updates for the latest edition of the chart are listed and can be quickly and easily downloaded. All the charts are derived from standard ADMIRALTY charts. No updates are applied to the charts by the United Kingdom Hydrographic Office or its agents after printing. For those who do not have internet access, please contact Tel. 01823 484444 for assistance.

#### TIDAL STREAMS

Full details of the tidal streams in the area covered these charts are given in the following ADMIRALTY Tidal Stream Atlas: NP 251 North Sea, Southern Part.

#### PROVIDE UPDATED INFORMATION

To help maintain this product users are asked to notify the United Kingdom Hydrographic Office of any differences found between what is depicted and actual conditions encountered. Users can do this by submitting a Hydrographic Note form, found on our website admiralty.co.uk/msi or by downloading our H-Note App. The H-Note App is freely available to download on Android and iOS devices. For more information please see here:



#### IMPROVEMENTS TO THIS PRODUCT

ADMIRALTY Small Craft Charts are designed for use on leisure craft and locally regulated workboats and fishing vessels, where the smaller format charts fit more conveniently into the limited space available. Users with specific suggestions for the improvement of this product or ideas for the expansion of the series are requested to forward their comments to:

Customer Services, The UK Hydrographic Office, Admiralty Way, Taunton. +44(0)1823 484444 E-mail customerservices@ukho.gov.uk

To view all ADMIRALTY Products and services, visit admiralty.co.uk

# **Tidal Stream Information**

5614	4_1	1A				Tidal S	trean	ns referre	d to I	HW at DO	VER					
Hours		Geographical Position	$\otimes$	52°27'0N 1 59·5E	₿	52°24'5 N 1 49·1 E		52°20′0 N 1 59∙8 E	$\diamondsuit$	52°18'2 N 1 41 9 E	\$	52°15'4N 148.8E	\$	52°12'7 N 1 38·3 E		52°04'9N 1 38·3 E
High Water 1 C C P C D	ams (degrees)	tides (knots) tides (knots)	038 174 180 184 189 194	1.9 1.0	198 193 195 196 197 197	$\begin{array}{cccc} 0 \cdot 1 & 0 \cdot 1 \\ 1 \cdot 7 & 0 \cdot 9 \\ 2 \cdot 5 & 1 \cdot 3 \\ 2 \cdot 5 & 1 \cdot 4 \\ 2 \cdot 1 & 1 \cdot 1 \\ 1 \cdot 3 & 0 \cdot 7 \end{array}$	018 188 190 194 195 195	$\begin{array}{cccc} 0.5 & 0.3 \\ 0.9 & 0.5 \\ 2.2 & 1.2 \\ 2.7 & 1.5 \\ 2.4 & 1.3 \\ 1.6 & 0.8 \end{array}$	318 209 208 207 208 214	$\begin{array}{cccc} 0 \cdot 4 & 0 \cdot 2 \\ 1 \cdot 1 & 0 \cdot 6 \\ 1 \cdot 7 & 1 \cdot 0 \\ 1 \cdot 7 & 1 \cdot 0 \\ 1 \cdot 6 & 0 \cdot 9 \\ 1 \cdot 2 & 0 \cdot 7 \end{array}$	012 191 195 197 197 201	$\begin{array}{cccc} 0.5 & 0.3 \\ 1.0 & 0.6 \\ 2.2 & 1.5 \\ 2.7 & 1.8 \\ 2.4 & 1.6 \\ 1.6 & 1.1 \end{array}$	191 187 185 185 187 005	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	147 217 215 214 213 209	$\begin{array}{ccccc} 0 \cdot 2 & 0 \cdot 1 \\ 1 \cdot 7 & 1 \cdot 1 \\ 2 \cdot 5 & 1 \cdot 6 \\ 2 \cdot 6 & 1 \cdot 7 \\ 2 \cdot 4 & 1 \cdot 6 \\ 1 \cdot 7 & 1 \cdot 1 \end{array}$
High Mater 1 2 2 4 2 6 2 9 2 4 2 6 2 9 2 4 2 6 2 6 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	ecti	Rates at spring Rates at neap t	209 354 005 006 006 003 001	$\begin{array}{cccc} 0.6 & 0.3 \\ 0.9 & 0.5 \\ 1.9 & 1.0 \\ 2.3 & 1.2 \\ 2.1 & 1.1 \\ 1.5 & 0.8 \\ 0.7 & 0.4 \end{array}$	194 016 018 018 018 018 018	$\begin{array}{cccccc} 0.1 & 0.1 \\ 1.4 & 0.7 \\ 2.5 & 1.3 \\ 2.6 & 1.4 \\ 2.1 & 1.2 \\ 1.4 & 0.8 \\ 0.4 & 0.2 \end{array}$	195 018 015 015 012 012 011 010	$\begin{array}{cccc} 0.6 & 0.3 \\ 0.5 & 0.3 \\ 1.9 & 1.0 \\ 2.8 & 1.5 \\ 2.6 & 1.4 \\ 1.9 & 1.0 \\ 1.0 & 0.5 \end{array}$	244 026 036 034 032 026 340	$\begin{array}{cccc} 0 \cdot 4 & 0 \cdot 2 \\ 0 \cdot 9 & 0 \cdot 5 \\ 1 \cdot 9 & 1 \cdot 1 \\ 1 \cdot 8 & 1 \cdot 1 \\ 1 \cdot 6 & 0 \cdot 9 \\ 1 \cdot 1 & 0 \cdot 6 \\ 0 \cdot 4 & 0 \cdot 2 \end{array}$	192 021 017 015 014 016 012	$\begin{array}{cccc} 0.7 & 0.5 \\ 0.9 & 0.6 \\ 2.1 & 1.4 \\ 2.5 & 1.7 \\ 2.4 & 1.6 \\ 1.8 & 1.2 \\ 0.9 & 0.6 \end{array}$	007 007 007 007 007 193	1.2 0.6 1.4 0.7 1.1 0.5 0.9 0.4 0.7 0.3 0.0 0.0 0.8 0.4	183 028 029 033 033 033 033 038	0.5 0.3 1.4 0.9 2.8 1.8 3.0 1.9 2.6 1.7 1.8 1.2 0.4 0.3

5614	1_1	B	Tida	Tidal Streams referred to HW at HARWICH					
Hours	٥	eographica Position		52°04'9 N 1 38 3 E		52°03'1 N 1 31.6 E			
High Water	streams (degrees)	spring tides (knots) neap tides (knots)	211 217 215 214 212 207	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	224 221 220 220 222 246	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			
High Water	Directions of stre	Rates at spring Rates at neap	053 029 031 033 033 036 033	0·3 0·2 2·0 1·3 2·9 1·9 2·8 1·8 2·2 1·5 1·2 0·8 0·2 0·1	034 058 056 054 048 037 230	1.0 0.6 1.9 1.2 2.0 1.3 1.6 1.0 1.1 0.7 0.7 0.4 0.6 0.4			

561	4	2
	<b>T</b>	_

2 Tidal Streams referred to HW at DOVER 52°38'8N 1 40.07 52°38'0N 52°35'0N 1459E Geographical Position 52°45'0N 52°43'4 N 52°42'0N 52°41'0N 52°34'1N 52°31'6N  $\otimes$ ♦ Ø  $\diamond$ Ø  $\diamond$ 1 52·9 E 2 00·0 E 1 59·9 E 1 51·3 E Hours 146·8E 1 54·9 E  $\begin{array}{cccc} 0.8 & 0.6 \\ 2.7 & 1.8 \\ 3.3 & 2.4 \\ 3.4 & 2.4 \\ 2.5 & 2.0 \\ 1.0 & 0.0 \end{array}$  $\begin{array}{cccc} 0 \cdot 4 & 0 \cdot 2 \\ 1 \cdot 9 & 1 \cdot 0 \\ 2 \cdot 5 & 1 \cdot 4 \\ 2 \cdot 5 & 1 \cdot 4 \\ 1 \cdot 8 & 1 \cdot 0 \end{array}$  $\begin{array}{c} 0 \cdot 1 & 0 \cdot 1 \\ 1 \cdot 5 & 0 \cdot 9 \\ 3 \cdot 3 & 2 \cdot 0 \\ 3 \cdot 4 & 2 \cdot 1 \\ 2 \cdot 8 & 1 \cdot 7 \\ 1 \cdot 6 & 1 \cdot 0 \end{array}$ 0·3 0·1 1·5 0·8 2·4 1·3 2·7 1·4 2·1 1·2 1·4 0·7 High Water 1.7 0.9 0.2 0.0 1.8 1.2 2.9 1.9 0·4 0·2 2·3 1·3 3·4 1·9 152 154 145 325 175 1.1 0.6 004 178 1.5 0.9 133 159 2.9 1.5 3.1 1.6 2.7 1.4 1.9 1.0 3.3 1.8 3.1 1.7 2.6 1.4 1.9 1.0 152 152 153 150 170 169 173 171 178 179 177 174 2·0 1·3 2·4 1·5 179 177 Directions of streams (degrees) 159 168 Rates at spring tides (knots) (knots) 174 178 163 3·5 2·2 2·9 2·1 1·8 1·4 2·8 1·6 2·2 1·2 1·2 0·7 1.9 1.2 1.6 1.0 152 149 168 165 170 179 176 182 149 152 171 166 172 179 179 192 184 Rates at neap tides 152 1.2 0.9 151 0.4 0.2 178 0.8 0.5 174 171 0.7 0.4 179 183 0.6 0.4 199 184 High Water 332 0.2 0.2 337 0.9 0.5 266 0.2 0.1 205 0.6 0.3 356 0.8 0.4 180 0.4 0.2 354 0.9 0.6 237 0.3 0.2 0.0 0.0  $\begin{array}{c} 1 \cdot 2 & 0 \cdot 7 \\ 2 \cdot 7 & 1 \cdot 6 \\ 3 \cdot 6 & 2 \cdot 2 \\ 3 \cdot 2 & 1 \cdot 9 \\ 2 \cdot 3 & 1 \cdot 4 \\ 0 \cdot 5 & 0 \cdot 3 \end{array}$ 2.5 1.3 3.0 1.6 2.9 1.6 2.3 1.2 1.2 0.7 1 · 2 · 0 · 9 2 · 7 · 1 · 8 3 · 3 · 2 · 3 3 · 1 · 2 · 1 2 · 2 · 1 · 6 1 · 0 · 7 348 354 356 358 002 High Water 332 335 338 347 355 357 000 1.8 1.2 1.4 0.8 1.3 0.7 004  $1.4 \ 0.8$   $2.3 \ 1.2$   $2.4 \ 1.3$   $2.2 \ 1.2$   $1.5 \ 0.8$ 2.8 1.6 3.1 1.8 3.0 1.7 1.8 1.0 003 003 332 332 345 347 334 358 356 359 002 330 348 356 359 000 347 348 347 348 353 350 355 347 357 350 332 327 359 332 329 359 6 332 0.1 0.1 154 1.0 0.5 358 0.2 0.1 345 196 0.2 0.1 000 1.0 0.7 195 0.8 0.5 018 0.6 0.3 017 0.4 0.2

### 5614 2 continued

	—		
$\Diamond$	52°28'0N 149·9E	$\diamond$	52°27′0N 1 59·5 E
195 211 220 212 207 207	0.4 0.2 2.2 1.2 3.3 1.8 2.7 1.5 1.9 1.1 1.0 0.6	038 174 180 184 189 194	$\begin{array}{ccc} 0 \cdot 1 & 0 \cdot 0 \\ 1 \cdot 1 & 0 \cdot 6 \\ 2 \cdot 0 & 1 \cdot 1 \\ 2 \cdot 2 & 1 \cdot 2 \\ 1 \cdot 9 & 1 \cdot 0 \\ 1 \cdot 4 & 0 \cdot 8 \end{array}$
200	0.2 0.1	209	0.6 0.3
001 000 000 002 008 010	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	354 005 006 006 003 001	$\begin{array}{cccc} 0.9 & 0.5 \\ 1.9 & 1.0 \\ 2.3 & 1.2 \\ 2.1 & 1.1 \\ 1.5 & 0.8 \\ 0.7 & 0.4 \end{array}$

5614	4_3	3			Tida	l Str	eams	s refe	rred	to H	W at	DOV	'ER
Hours	Geographical Position				<b>A</b> <sup>5</sup>	2°31 1 51	´-63N -29E	€ 52°28´03N 1 49 89E			52°27´.93N 1 46 .79E		
High Mater Before High Water	of streams (degrees	spring tides (knots)	neap tides (knots)	-6 -5 -4 -2 -1 0 +1	159 179 177 182 184 184	1.3	0.7 0.0 0.7	195 211 220 212 207 207 200 001	0.4 2.2 3.3 2.7 1.9 1.0 0.2 1.1	0.2 1.2 1.8 1.5 1.1 0.6 0.1 0.6	208 192 188 187 187 187 060 015	0.4 2.4 2.6 2.2 1.7 1.0 0.1 2.3	0.2 1.4 1.4 1.2 0.9 0.6 0.1 1.3
High Water	lirection	Rates at	Rates at	+ 2 + 3 + 4 + 5 + 6	003 003 357 350 017	2·8 3·1 3·0 1·8 0·4	1.6 1.8 1.7 1.0 0.2	000 000 002 008 010	2.6 2.7 2.4 1.5 0.4	1.5 1.5 1.3 0.9 0.2	011 008 005 001 327	2.6 2.3 2.0 1.3 0.2	1.5 1.3 1.1 0.7 0.1

5614	5614_4 Tidal Streams referred to HW at DOVER								
Hours	$\diamond$	eographical Position		2°35'03 N 1 45-89 E					
High Water Before 9 2 6 2 1 1 2 2 9 2 9 2 9 2 9 2 9 2 9 2 9 2 9	Directions of streams (degrees)	Rates at spring tides (knots) Rates at neap tides (knots)	178 177 174 176 179 183 354 000 002 000 355 347 195	$\begin{array}{c} 1\cdot 5 & 0\cdot 9 \\ 2\cdot 0 & 1\cdot 3 \\ 2\cdot 4 & 1\cdot 5 \\ 1\cdot 9 & 1\cdot 2 \\ 1\cdot 6 & 1\cdot 0 \\ 0\cdot 6 & 0\cdot 4 \\ 0\cdot 9 & 0\cdot 6 \\ 1\cdot 8 & 1\cdot 2 \\ 2\cdot 4 & 1\cdot 5 \\ 2\cdot 1 & 1\cdot 4 \\ 1\cdot 4 & 0\cdot 9 \\ 0\cdot 8 & 0\cdot 5 \\ 0\cdot 8 & 0\cdot 5 \\ 0\cdot 8 & 0\cdot 5 \\ \end{array}$					

5614_5(A) Tidal Streams referred to HW at DOVER										
Hours	Geographical Position			♦ <sup>5</sup>	52°41'03 N 1 45·39 E			52°35'03 N 1 45·89 E		
After High Water 9 2 7 2 1 appin High Water 1 2 2 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	irections of streams (degree	Rates at spring tides (knots)	Rates at neap tides (knots)	152 152 152 152 152 332 332 332 332 332 332 332 332 152	$\begin{array}{c} 0.7\\ 1.7\\ 2.2\\ 1.9\\ 1.3\\ 0.6\\ 0.5\\ 1.4\\ 2.1\\ 2.1\\ 1.5\\ 0.8\\ 0.3\\ \end{array}$	$\begin{array}{c} 0.5 \\ 1.1 \\ 1.5 \\ 1.4 \\ 1.0 \\ 0.3 \\ 0.3 \\ 1.0 \\ 1.4 \\ 1.4 \\ 1.1 \\ 0.6 \\ 0.1 \end{array}$	178 177 174 176 179 183 354 000 002 000 355 347 195	$\begin{array}{cccccccc} 1.5 & 0.9 \\ 2.0 & 1.3 \\ 2.4 & 1.5 \\ 1.9 & 1.2 \\ 1.6 & 1.0 \\ 0.6 & 0.4 \\ 0.9 & 0.6 \\ 1.8 & 1.2 \\ 2.4 & 1.5 \\ 2.1 & 1.4 \\ 1.4 & 0.9 \\ 0.8 & 0.5 \\ 0.8 & 0.5 \\ 0.8 & 0.5 \\ \end{array}$		

5614	1_6	$\mathbf{A}$	Tic	lal St	reams re	ferred	I to HW at	IMM	INGHAM	Ti	dal Strea to HW at		
Hours	¢۹	eograp Positic		$\otimes$	52°59'0N 134·9E	♦	52°52'5N 149.9E	<b>\$</b>	52°50'0N 147·9E	$\diamond$	52°43'4 N 1 46'8 E	\$	52°38'8N 149.0E
High Water 1 2 2 9 9 9	streams (degrees)	tides (knots)	tides (knots)	327 327 327 327 327 327 147	$\begin{array}{cccc} 1 \cdot 7 & 1 \cdot 0 \\ 2 \cdot 6 & 1 \cdot 5 \\ 2 \cdot 7 & 1 \cdot 6 \\ 1 \cdot 9 & 1 \cdot 1 \\ 0 \cdot 7 & 0 \cdot 5 \\ 0 \cdot 6 & 0 \cdot 3 \end{array}$	328 327 327 326 324 142	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	321 321 321 321 321 321 321	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	335 334 330 327 329 155	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	175 173 171 170 172 171	$\begin{array}{cccc} 1 \cdot 1 & 0 \cdot 6 \\ 3 \cdot 3 & 1 \cdot 8 \\ 3 \cdot 1 & 1 \cdot 7 \\ 2 \cdot 6 & 1 \cdot 4 \\ 1 \cdot 9 & 1 \cdot 0 \\ 0 \cdot 7 & 0 \cdot 4 \end{array}$
High Water P 5 7 8 7 8 9 4 9 4 9 4 9 4 9 6 7 9 4 9 6 7 9 4 9 6 7 9 7 9 10 10 10 10 10 10 10 10 10 10 10 10 10	Directions of stre	Rates at spring	Rates at neap	147 147 147 147 147 327 327	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	145 148 146 153 320 329	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	141 141 141 141 141 141 321	1 · 2 · 0 · 7 2 · 4 · 1 · 3 2 · 5 · 1 · 5 2 · 1 · 1 · 3 1 · 4 · 0 · 8 0 · 4 · 0 · 2 0 · 8 · 0 · 4	153 151 149 149 150 341 336	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	356 355 356 356 353 350 196	$\begin{array}{cccc} 0.8 & 0.4 \\ 2.5 & 1.3 \\ 3.0 & 1.6 \\ 2.9 & 1.6 \\ 2.3 & 1.2 \\ 1.2 & 0.7 \\ 0.2 & 0.1 \end{array}$

# 5614\_6 Tidal Streams referred to HW at DOVER

		~				
Hours	¢٩	eogra Posit			52°18 140	'88N '34E
High Water 9 G P & C T L applied High Water 9 G P & C T L applied High Water	Directions of streams (degrees)	Rates at spring tides (knots)	Rates at neap tides (knots)	305 305 305 305 305 125 125 125 125 125 125 305	$ \begin{array}{c} 1 \cdot 1 \\ 1 \cdot 0 \\ 1 \cdot 3 \\ 1 \cdot 6 \\ 1 \cdot 2 \\ 0 \cdot 1 \\ 1 \cdot 4 \\ 2 \cdot 5 \\ 3 \cdot 1 \\ 3 \cdot 3 \\ 2 \cdot 4 \\ 0 \cdot 2 \\ 1 \cdot 3 \\ \end{array} $	$\begin{array}{c} 0 \cdot 7 \\ 0 \cdot 6 \\ 0 \cdot 8 \\ 1 \cdot 0 \\ 0 \cdot 7 \\ 0 \cdot 1 \\ 0 \cdot 9 \\ 1 \cdot 6 \\ 1 \cdot 9 \\ 2 \cdot 0 \\ 1 \cdot 5 \\ 0 \cdot 1 \\ 0 \cdot 8 \end{array}$

5614_7A	Tidal Streams referred to HW at IMMINGHAM

Hours	$\diamond$	eographical Position	♦ <sup>5</sup>	3°01 <b>′02</b> N 0 58∙ <b>39</b> E	<b>6</b> <sup>5</sup>	3°05′ <b>42</b> N 1 13∙ <b>09</b> E	\$53°00'02 1 19 89		
High Water 9 2 4 8 2 1 Lapen High Water 1 2 8 9 2 9	Directions of streams (degrees)	Rates at spring tides (knots) Rates at neap tides (knots)	283 282 281 270 227 122 108 102 098 094 087 303 290	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	300 296 289 281 248 131 120 115 111 109 087 326 301	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	294 289 285 280 254 119 114 108 106 104 082 303 296	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	

# 5614 8

2014	+_c	)								Ti	dal S	treams re	eferre	d to HW	at IM	MINGHAN	1			
Hours	$\diamond^{\circ}$	Geographical Position	$\diamond$	53°37'0N 026·4E	♦	53°35'3 N 0 39 7 E	Ø	53°33'7 N 0 59∙2 E	$\diamond$	53°27'0N 1 04·9 E	\$	53°19'0N 033·9E	\$	53°14'5 N 0 56·9 E	\$	53°09'7 N 0 29·9 E		53°08'3 N 0 54·4 E	$\diamondsuit$	53°08'0 N 0 40 0 E
High Water	rs (degrees)	ides (knots) des (knots)	332 227 180 175 171 166	$\begin{array}{cccc} 0.8 & 0.5 \\ 0.3 & 0.2 \\ 1.6 & 0.9 \\ 2.3 & 1.3 \\ 2.4 & 1.4 \\ 1.9 & 1.1 \end{array}$	344 335 183 172 168 163	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	329 324 310 180 169 162	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	324 321 315 172 151 145	2·2 0·9 1·7 0·7 0·8 0·4 0·3 0·1 1·4 0·5 1·8 0·7	358 328 216 191 185 185	1.1 0.6 0.5 0.2 0.8 0.4 1.5 0.8 1.8 0.9 1.6 0.8	327 313 298 274 196 162	1.7 1.0 1.5 0.9 1.3 0.8 0.7 0.4 0.6 0.3 1.2 0.7	352 326 205 199 195 188	$\begin{array}{cccc} 0 \cdot 4 & 0 \cdot 2 \\ 0 \cdot 2 & 0 \cdot 1 \\ 0 \cdot 9 & 0 \cdot 5 \\ 2 \cdot 1 & 1 \cdot 1 \\ 2 \cdot 1 & 1 \cdot 1 \\ 1 \cdot 3 & 0 \cdot 7 \end{array}$	320 313 291 260 178 155	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	315 303 266 205 176 159	$\begin{array}{cccc} 1 \cdot 6 & 0 \cdot 8 \\ 1 \cdot 4 & 0 \cdot 7 \\ 0 \cdot 9 & 0 \cdot 5 \\ 1 \cdot 0 & 0 \cdot 5 \\ 1 \cdot 1 & 0 \cdot 6 \\ 1 \cdot 1 & 0 \cdot 6 \end{array}$
High Mater After 1 5 2 4 5 2 9 2 4 5 2 6 1 2 2 4 5 6 2 6 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	Directions of strean	Rates at spring tid Rates at neap tide	165 310 000 004 357 350 341	0.9 0.5 0.1 0.0 1.0 0.6 1.9 1.1 2.1 1.2 1.9 1.1 1.2 0.7	161 163 347 352 351 348 344	$\begin{array}{c} 2 \cdot 0 & 1 \cdot 1 \\ 1 \cdot 0 & 0 \cdot 5 \\ 0 \cdot 5 & 0 \cdot 3 \\ 1 \cdot 6 & 0 \cdot 9 \\ 2 \cdot 5 & 1 \cdot 4 \\ 2 \cdot 6 & 1 \cdot 5 \\ 2 \cdot 3 & 1 \cdot 3 \end{array}$	153 147 132 049 357 337 331	1.5 0.8 1.4 0.7 0.9 0.5 0.6 0.3 1.0 0.6 1.4 0.8 1.6 0.9	141 140 135 102 335 327 325	1.7 0.9 1.4 0.7 1.0 0.5 0.3 0.1 0.8 0.3 1.7 0.7 2.2 0.9	177 135 032 013 009 006 001	1.1 0.6 0.6 0.3 0.7 0.3 1.2 0.6 1.5 0.8 1.5 0.8 1.2 0.7	149 134 120 105 056 352 331	1.5 0.8 1.5 0.9 1.3 0.8 1.0 0.5 0.5 0.3 1.0 0.5 1.6 0.9	171 050 021 016 012 007 000	0.7 0.4 0.6 0.3 0.9 0.5 1.4 0.7 1.9 1.0 1.6 0.8 0.6 0.3	139 125 112 091 016 338 325	1.5 0.8 1.5 0.8 1.1 0.6 0.6 0.3 0.3 0.2 0.8 0.4 1.3 0.7	137 112 095 058 007 339 323	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

# 5614\_8 continued

$\bigotimes$	53°01'2 N 0 25·8 E	$\diamond$	53°01'0 N 0 58∙4 E
025 330 223 213 212 212	$\begin{array}{cccc} 0.5 & 0.3 \\ 0.1 & 0.1 \\ 0.5 & 0.3 \\ 1.5 & 0.8 \\ 2.2 & 1.2 \\ 1.9 & 1.0 \end{array}$	283 282 281 270 227 122	1.9 1.0 1.8 1.0 1.7 0.9 1.4 0.7 0.2 0.1 0.7 0.4
212	1.0 0.5	108	1.6 0.8
182 032 035 038 037 031	$\begin{array}{cccc} 0.1 & 0.1 \\ 0.8 & 0.4 \\ 1.7 & 0.9 \\ 2.0 & 1.0 \\ 1.5 & 0.8 \\ 0.8 & 0.4 \end{array}$	102 098 094 087 303	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
031	0.8 0.4	290	1.4 0.7

# 5614\_9

5614	4_9	)						Ti	idal S	treams re	eferre	d to HW	at IM	MINGHAN	1			
Hours	$\diamond$	eographical Position	♦5	3°09' <b>72</b> N 0 <b>29·89</b> E	<b>(</b>	3°08' <b>42</b> N 0 <b>23·39</b> E		3°08' <b>02</b> N 0 <b>39·99</b> E		3°03′ <b>12</b> N 0 20 <b>·09</b> E		3°03′12N 0 23·89E		3°02' <b>32</b> N 0 <b>30·99</b> E		3°02′ <b>22</b> N 0 <b>33 99</b> E		3°01′ <b>22</b> N O 25∙ <b>79</b> E
High Water High Water	streams (degrees)	ing tides (knots) ap tides (knots)	352 326 205 199 195 188 171	$\begin{array}{c} 0.4 & 0.2 \\ 0.2 & 0.1 \\ 0.9 & 0.5 \\ 2.1 & 1.1 \\ 2.1 & 1.1 \\ 1.3 & 0.7 \\ 0.7 & 0.4 \end{array}$	000 180 180 180 180 180 180	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	315 303 266 205 176 159 137	$\begin{array}{c} 1 \cdot 6 & 0 \cdot 8 \\ 1 \cdot 4 & 0 \cdot 7 \\ 0 \cdot 9 & 0 \cdot 5 \\ 1 \cdot 0 & 0 \cdot 5 \\ 1 \cdot 1 & 0 \cdot 6 \\ 1 \cdot 1 & 0 \cdot 6 \\ 1 \cdot 2 & 0 \cdot 6 \end{array}$	313 230 216 213 213 213 214 249	$\begin{array}{c} 0.4 & 0.2 \\ 1.0 & 0.5 \\ 1.9 & 1.0 \\ 2.4 & 1.2 \\ 2.4 & 1.2 \\ 1.7 & 0.9 \\ 0.4 & 0.2 \end{array}$	000 220 209 206 205 205 198	$\begin{array}{c} 0.3 & 0.1 \\ 0.4 & 0.2 \\ 1.0 & 0.5 \\ 1.8 & 0.9 \\ 2.0 & 1.0 \\ 1.6 & 0.8 \\ 0.5 & 0.3 \end{array}$	013 200 205 211 210 203	$\begin{array}{c} 0.5 & 0.2 \\ 0.0 & 0.0 \\ 0.7 & 0.3 \\ 1.4 & 0.7 \\ 2.4 & 1.2 \\ 2.2 & 1.1 \\ 1.1 & 0.5 \end{array}$	302 302 283 225 182 155 128	1.5 0.7 1.3 0.6 0.8 0.4 0.6 0.3 0.7 0.4 0.8 0.4 1.0 0.5	025 330 223 213 212 212 212 212	$\begin{array}{cccc} 0.5 & 0.3 \\ 0.1 & 0.1 \\ 0.5 & 0.3 \\ 1.5 & 0.8 \\ 2.2 & 1.2 \\ 1.9 & 1.0 \\ 1.0 & 0.5 \end{array}$
High Water 6 2 7 8 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	s of :	Rates at spring Rates at neap t	050 021 016 012 007 000	$\begin{array}{cccc} 0.6 & 0.3 \\ 0.9 & 0.5 \\ 1.4 & 0.7 \\ 1.9 & 1.0 \\ 1.6 & 0.8 \\ 0.6 & 0.3 \end{array}$	000 000 000 000 000 000	0·3 0·2 1·3 0·7 2·0 1·0 1·8 0·9 1·2 0·6 0·5 0·3	112 095 058 007 339 323	$\begin{array}{cccc} 1 \cdot 3 & 0 \cdot 7 \\ 1 \cdot 1 & 0 \cdot 6 \\ 0 \cdot 8 & 0 \cdot 4 \\ 0 \cdot 9 & 0 \cdot 5 \\ 1 \cdot 2 & 0 \cdot 6 \\ 1 \cdot 5 & 0 \cdot 8 \end{array}$	035 047 049 042 032 000	$\begin{array}{cccc} 1 \cdot 0 & 0 \cdot 5 \\ 2 \cdot 1 & 1 \cdot 1 \\ 2 \cdot 6 & 1 \cdot 3 \\ 2 \cdot 2 & 1 \cdot 1 \\ 1 \cdot 5 & 0 \cdot 8 \\ 0 \cdot 6 & 0 \cdot 3 \end{array}$	036 029 029 025 020 015	0.7 0.3 1.4 0.7 1.8 0.9 1.7 0.9 1.2 0.6 0.5 0.3	064 034 031 026 018 015	0·3 0·2 1·4 0·7 2·0 1·0 1·9 1·0 1·4 0·7 0·8 0·4	108 096 077 018 322 306	1.3 0.6 1.2 0.6 0.8 0.4 0.5 0.2 0.8 0.4 1.3 0.6	182 032 035 038 037 031	0.1 0.1 0.8 0.4 1.7 0.9 2.0 1.0 1.5 0.8 0.8 0.4

# 5614\_9 continued

	3°00′ <b>82</b> N 0 17• <b>59</b> E	52°57' <b>22</b> N 0 28· <b>09</b> E											
025 211 208 208 208 208 208	0·4 0·2 0·7 0·3 1·8 0·9 2·4 1·2 2·4 1·2 1·7 0·8	211 206 200 197 195 203	$\begin{array}{cccc} 0.5 & 0.2 \\ 0.8 & 0.4 \\ 1.1 & 0.6 \\ 1.4 & 0.7 \\ 1.6 & 0.8 \\ 0.9 & 0.5 \end{array}$										
213	0.5 0.2	013	0.3 0.2										
027 029 030 030 030 030	$\begin{array}{cccc} 0.7 & 0.4 \\ 1.6 & 0.8 \\ 2.1 & 1.0 \\ 2.2 & 1.1 \\ 1.8 & 0.9 \\ 0.9 & 0.4 \end{array}$	025 022 020 017 007 225	1.4 0.7 1.9 0.9 1.7 0.8 0.9 0.5 0.3 0.2 0.2 0.1										

5614	_1	<b>0</b> (A	)	Tidal Streams referred to HW at IMMINGHAM									
Hours	٥	ieograp Positi		$\bigotimes$	52°53'71 0 24·38		52°57'2N 0 28-1E						
High Water 9 G P C N L J High Water 9 G P C N L J High Water	Directions of streams (degrees)	Rates at spring tides (knots)	Rates at neap tides (knots)	358 203 195 192 192 192 188 021 016 014 010 007 003	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1         206           3         200           6         197           9         195           7         203           3         013           2         025           5         022           7         020           7         017           5         007	$ \begin{array}{ccccc} 0.5 & 0.2 \\ 0.8 & 0.4 \\ 1.1 & 0.6 \\ 1.4 & 0.7 \\ 1.6 & 0.8 \\ 0.9 & 0.5 \\ 0.3 & 0.2 \\ 1.4 & 0.7 \\ 1.9 & 0.9 \\ 1.7 & 0.8 \\ 0.9 & 0.5 \\ 0.3 & 0.2 \\ 0.2 & 0.1 \\ \end{array} $						

# $5614\_11\textcircled{A}$ Tidal Streams referred to HW at IMMINGHAM

Hours	$\diamond$	eographical Position	$\bigotimes$	52°57′2N 0 07 ·6E	♦	52°57′6N 0 08·9E	Ø	52°52′6N 0 15 5E
High Water 9 5 6 6 7 1 8 1 1 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Directions of streams (degrees)	Rates at spring tides (knots) Rates at neap tides (knots)	053 321 235 233 233 233 235 321 053 055 056 055 054	$\begin{array}{c} 0.9 & 0.4 \\ 0.1 & 0.0 \\ 1.0 & 0.5 \\ 1.8 & 0.9 \\ 2.0 & 1.0 \\ 1.7 & 0.9 \\ 0.9 & 0.5 \\ 0.1 & 0.0 \\ 0.9 & 0.5 \\ 1.6 & 0.8 \\ 1.9 & 0.9 \\ 1.7 & 0.8 \\ 1.2 & 0.6 \\ \end{array}$	057 138 215 221 222 237 240 048 048 048 048 048 048 041 048	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	350 347 176 175 175 175 175 175 162 357 356 355 354 352	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

### 5614 12A

# Tidal Streams referred to HW at IMMINGHAM

501	+_ I	20	HW at IMMINGHAM								
Hours	$\diamond$	eographica Position		52°57'2N 0 07'6E	٠	52°57′6N 0 08-9E					
High Water Migh Water 9 G P & D L agin High Water	Directions of streams (degrees)	Rates at spring tides (knots) Rates at neap tides (knots)	053 321 235 233 233 233 235 321 053 055 056 055 054	$\begin{array}{cccc} 0.9 & 0.4 \\ 0.1 & 0.0 \\ 1.0 & 0.5 \\ 1.8 & 0.9 \\ 2.0 & 1.0 \\ 1.7 & 0.9 \\ 0.9 & 0.5 \\ 0.1 & 0.0 \\ 0.9 & 0.5 \\ 1.6 & 0.8 \\ 1.9 & 0.9 \\ 1.7 & 0.8 \\ 1.2 & 0.6 \\ \end{array}$	057 138 215 221 222 237 240 048 048 048 048 048 041 048	$\begin{array}{cccc} 0\cdot 3 & 0\cdot 2 \\ 0\cdot 1 & 0\cdot 0 \\ 0\cdot 3 & 0\cdot 1 \\ 1\cdot 0 & 0\cdot 5 \\ 1\cdot 8 & 0\cdot 9 \\ 1\cdot 2 & 0\cdot 6 \\ 0\cdot 5 & 0\cdot 2 \\ 0\cdot 3 & 0\cdot 1 \\ 0\cdot 8 & 0\cdot 4 \\ 1\cdot 0 & 0\cdot 5 \\ 0\cdot 8 & 0\cdot 4 \\ 0\cdot 5 & 0\cdot 2 \end{array}$					

# 5614\_12B Tidal Streams referred to HW at IMMINGHAM

Hours	¢۹	eogra Posit		$\otimes$	52°57 0 07	
High Water 9 G P & C T I C C P C P C P C P C P C P C P C P C P	Directions of streams (degrees)	Rates at spring tides (knots)	Rates at neap tides (knots)	053 321 235 233 233 233 235 321 053 055 056 055 054	$\begin{array}{c} 0.9\\ 0.1\\ 1.0\\ 1.8\\ 2.0\\ 1.7\\ 0.9\\ 0.1\\ 0.9\\ 1.6\\ 1.9\\ 1.7\\ 1.2\end{array}$	$\begin{array}{c} 0 \cdot 4 \\ 0 \cdot 0 \\ 0 \cdot 5 \\ 0 \cdot 9 \\ 1 \cdot 0 \\ 0 \cdot 9 \\ 0 \cdot 5 \\ 0 \cdot 0 \\ 0 \cdot 5 \\ 0 \cdot 8 \\ 0 \cdot 9 \\ 0 \cdot 8 \\ 0 \cdot 8 \\ 0 \cdot 6 \end{array}$

5614_13 Tidal Streams referred to HW at IMMINGHAM														
Hours	¢٩	eogra Posit			3°19' <b>0</b> : 0 <b>33·8</b>			3°09' <b>72</b> 0 <b>29·89</b>		53°08' <b>4</b> 0 <b>23</b> ∙ <b>3</b>				
High Water	streams (degrees)	spring tides (knots)	neap tides (knots)	358 328 216 191 185 185 177	0.5 0 0.8 0 1.5 0 1.8 0 1.6 0	)-6 )-2 )-4 )-8 )-9 )-8	352 326 205 199 195 188 171	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	180 180 180 180 180 180	0.5 C 1.3 C 1.9 1 2.0 1	)·1 )·2 )·7  ·0  ·0 )·7			
High Water	Directions of str	Rates at sprin	Rates at neap	135 032 013 009 006 001	0.6 0 0.7 0 1.2 0 1.5 0 1.5 0	)-3 )-3 )-6 )-8 )-8	050 021 016 012 007 000	0.6 0.3 0.9 0.5 1.4 0.7 1.9 1.0 1.6 0.8 0.6 0.3	000 000 000 000 000 000	0.3 C 1.3 C 2.0 1 1.8 C 1.2 C	)·2 )·7  ·0 )·9 )·6 )·3			

5614	5614_14 Tidal Streams referred to HW at IMMINGHAM												
Hours	Hours Geographical Position		ohical on			♦	53°37'5N 019·9E	Ø	53°37'0N 026·4 E	$\diamond$	53°33'8N 013.7E	\$	53°30′7N 017·7E
High Water 9 5 P & D 1 1 7 2 8 4 2 9 1 7 2 8 4 2 9	Directions of streams (degrees)	Rates at spring tides (knots)	Rates at neap tides (knots)	320 164 159 161 159 155 110 347 343 339 341 333 325	$\begin{array}{ccccc} 0.4 & 0.2 \\ 1.3 & 0.6 \\ 2.4 & 1.2 \\ 2.5 & 1.2 \\ 2.5 & 1.2 \\ 1.4 & 0.7 \\ 0.1 & 0.1 \\ 1.1 & 0.6 \\ 2.2 & 1.1 \\ 2.6 & 1.3 \\ 2.1 & 1.0 \\ 2.5 & 0.7 \\ 0.7 & 0.3 \end{array}$	340 175 175 176 174 170 153 013 357 355 351 349 342	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	332 227 180 175 171 166 165 310 000 004 357 350 341	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	040 209 209 209 209 209 209 209 209 209 20	$\begin{array}{c} 0.7 & 0.4 \\ 0.6 & 0.2 \\ 2.0 & 0.8 \\ 2.6 & 1.3 \\ 2.3 & 1.4 \\ 1.6 & 1.1 \\ 0.6 & 0.4 \\ 0.6 & 0.4 \\ 1.8 & 1.2 \\ 3.2 & 1.6 \\ 3.4 & 1.6 \\ 2.7 & 1.3 \\ 1.4 & 0.8 \end{array}$	347 207 184 185 189 189 180 013 012 013 009 003 352	$\begin{array}{c} 0.6 & 0.3 \\ 0.3 & 0.1 \\ 1.3 & 0.7 \\ 2.0 & 1.0 \\ 1.8 & 0.9 \\ 1.2 & 0.6 \\ 0.5 & 0.2 \\ 0.4 & 0.2 \\ 1.3 & 0.7 \\ 1.6 & 0.8 \\ 1.7 & 0.9 \\ 1.5 & 0.7 \\ 0.8 & 0.4 \end{array}$

5614	4_1	6		Tida	l Str	eam	s refe	rred	to H	IW at	IMM	ING	АМ	(Nor	mal ı	iver	curre	ent iı	nclud	ed)	
Hours	$\diamond$	Geograp Positi				`-32 N -50 E			·62 N ·10 E			·92 N ·10 E			·82 N ·60 E	<b>E</b> <sup>50</sup>		·72 N ·40 E	<b>(F)</b> <sup>50</sup>		·59 N ·75 E
High Water 9 G P & S T 9 G P + C P +	ns of streams (degrees	Rates at spring tides (knots)	Rates at neap tides (knots)	119 239 283 281 273 284 318 051 076 106 109 109 109 112	1.5 1.4 3.1 3.8 2.9 0.9 1.6 2.7 4.1 4.0 2.8 1.8	$\begin{array}{c} 0.9 \\ 0.6 \\ 1.4 \\ 1.8 \\ 1.6 \\ 1.0 \\ 0.4 \\ 0.9 \\ 1.5 \\ 2.3 \\ 2.2 \\ 1.6 \\ 1.1 \end{array}$	180 261 275 285 289 298 320 069 093 112 116 116 123	$\begin{array}{c} 0.1 \\ 1.5 \\ 2.3 \\ 3.1 \\ 3.1 \\ 2.4 \\ 1.0 \\ 1.2 \\ 2.7 \\ 3.0 \\ 2.2 \\ 1.3 \\ 0.4 \end{array}$	$\begin{array}{c} 0.1 \\ 0.9 \\ 1.3 \\ 1.8 \\ 1.7 \\ 1.4 \\ 0.6 \\ 0.5 \\ 1.3 \\ 1.4 \\ 1.0 \\ 0.6 \\ 0.1 \end{array}$	130 331 323 310 304 271 106 135 122 119 122 125 126	$\begin{array}{c} 1.3\\ 1.8\\ 2.6\\ 3.8\\ 3.4\\ 1.9\\ 0.3\\ 2.3\\ 3.3\\ 4.3\\ 3.7\\ 2.6\\ 1.8\end{array}$	$\begin{array}{c} 0.9\\ 0.7\\ 1.1\\ 1.7\\ 1.5\\ 0.8\\ 0.2\\ 1.4\\ 1.9\\ 2.5\\ 2.1\\ 1.6\\ 1.2\end{array}$	126 327 320 317 310 308 312 120 128 132 133 130 126	$\begin{array}{c} 0.9\\ 0.8\\ 2.1\\ 2.8\\ 2.9\\ 2.3\\ 0.7\\ 1.1\\ 2.4\\ 3.1\\ 2.9\\ 2.1\\ 1.3\end{array}$	$\begin{array}{c} 0.5 \\ 0.3 \\ 1.0 \\ 1.4 \\ 1.4 \\ 1.1 \\ 0.3 \\ 0.7 \\ 1.3 \\ 1.7 \\ 1.6 \\ 1.2 \\ 0.8 \end{array}$	168 296 306 301 302 301 295 087 100 113 107 123 157	$\begin{array}{c} 0.2 \\ 0.6 \\ 1.8 \\ 2.2 \\ 2.3 \\ 1.8 \\ 0.7 \\ 1.0 \\ 2.5 \\ 2.5 \\ 1.7 \\ 1.3 \\ 0.6 \end{array}$	$\begin{array}{c} 0.1 \\ 0.3 \\ 0.9 \\ 1.1 \\ 1.1 \\ 0.9 \\ 0.3 \\ 0.5 \\ 1.2 \\ 1.2 \\ 0.8 \\ 0.6 \\ 0.2 \end{array}$	100 288 296 294 306 317 345 090 116 116 113 117 100	$\begin{array}{c} 0.9 \\ 1.1 \\ 2.7 \\ 3.1 \\ 3.0 \\ 2.4 \\ 0.8 \\ 0.9 \\ 2.2 \\ 2.8 \\ 3.0 \\ 2.3 \\ 1.3 \end{array}$	$\begin{array}{c} 0.0\\ 0.4\\ 1.1\\ 1.5\\ 1.8\\ 1.4\\ 0.5\\ 0.0\\ 0.8\\ 1.6\\ 1.7\\ 1.7\\ 1.1\end{array}$

Tidal Streams referred to HW at IMMINGHAM (Normal river current included)

ļ	5614	<b>⊦_1</b>	7(A		to HW at IMMINGHAM (Normal river current included)									
	Hours	$\diamond^{c}$	Geograp Positi		ICA Y		·52 N ·80 W	<b>B</b> <sup>50</sup>		∙00 N ∙27 W	(1)		·12 N ·70 W	
	High Water	streams (degrees)	ng tides (knots)	p tides (knots)	149 221 270 280 287 290 276	0.8 0.5 1.2 1.7 1.7 1.2 0.4	0.6 0.3 0.5 0.7 0.7 0.4 0.1	105 281 277 278 278 278 282 282	1.4 1.2 2.8 3.5 3.4 2.4 1.1	0.0 0.6 0.8 1.1 1.2 0.2 0.2	104 090 290 303 297 294 300	2·1 0·1 2·9 2·9 2·9 2·6 1·5	1.3 0.2 0.9 1.3 1.3 1.2 0.6	
	High Water 9 2 6 2 7	Directions of st	Rates at spring	Rates at neap	117 117 116 120 126 137	0.7 1.9 2.6 2.5 1.9 1.1	0.5 1.1 1.5 1.6 1.2 0.8	081 097 102 099 094 106	0.8 2.5 3.0 3.1 2.5 1.6	0.6 1.5 1.6 2.0 1.8 1.2	107 117 122 114 105 105	0.6 2.5 3.4 3.4 3.0 2.4	0.5 1.5 1.9 1.9 1.7 1.7	

Tidal Streams referred to HW at IMMINGHAM (Normal river current included)

Hours	$\Diamond^{\circ}$	Geogra Posit				•22 N •65 W		°41′∙ °13′∙	
After After Before High Water Bater 9 5 6 8 7 1 a 19 High Water 1 8 8 9 9 9	degree	Rates at spring tides (knots)	Rates at neap tides (knots)	132 239 303 305 314 315 319 122 133 129 132 126 132	$\begin{array}{c} 2 \cdot 6 \\ 0 \cdot 2 \\ 2 \cdot 2 \\ 3 \cdot 3 \\ 3 \cdot 2 \\ 3 \cdot 0 \\ 1 \cdot 3 \\ 3 \cdot 3 \\ 4 \cdot 0 \\ 4 \cdot 4 \\ 3 \cdot 5 \\ 2 \cdot 9 \end{array}$	$\begin{array}{c} 0.8 \\ 0.2 \\ 1.1 \\ 1.7 \\ 1.7 \\ 1.1 \\ 0.3 \\ 0.7 \\ 1.4 \\ 2.4 \\ 2.8 \\ 2.6 \\ 1.6 \end{array}$	163 175 355 340 334 337 324 129 160 158 157 155 164	$\begin{array}{c} 3.3\\ 1.1\\ 2.3\\ 3.0\\ 3.1\\ 3.3\\ 1.4\\ 1.1\\ 2.5\\ 3.1\\ 3.9\\ 4.3\\ 3.8\end{array}$	1.0 0.2 1.5 1.8 1.3 0.5 0.6 1.5 2.1 2.4 2.5 1.9

#### Tidal Streams referred to HW at IMMINGHAM (Normal river current included)

		$\sim$	v	1011	nuin	ver v	June		uuu,
Hours	$\diamond^{c}$	Geographic Position	al	ζΔ Y	3°44′ 0°17′	·25 N ·20 W		3°43′ )°20′	
High Water & Before Before Migh Water 9 5 + 5 8 7 1 1 2 8 5 9 9	ections of streams (degree	Rates at spring tides (knots) Rates at neap tides (knots)		108 097 283 286 291 286 266 112 098 101 103 106 108	3.8 2.6 2.2 4.1 2.6 2.4 1.0 2.7 3.2 3.9 4.4 4.4	$\begin{array}{c} 2 \cdot 3 \\ 0 \cdot 6 \\ 1 \cdot 7 \\ 3 \cdot 0 \\ 2 \cdot 8 \\ 1 \cdot 9 \\ 1 \cdot 1 \\ 0 \cdot 4 \\ 1 \cdot 4 \\ 2 \cdot 7 \\ 2 \cdot 8 \\ 3 \cdot 0 \\ 3 \cdot 0 \\ 3 \cdot 0 \end{array}$	063 064 241 243 245 240 239 103 068 067 066 063 063	3.3 2.2 2.8 5.0 4.5 3.7 1.8 0.7 3.1 3.3 3.4 3.1 3.5	$\begin{array}{c} 1.5\\ 0.1\\ 2.0\\ 3.2\\ 3.8\\ 2.7\\ 1.5\\ 0.1\\ 1.2\\ 2.3\\ 2.6\\ 1.9\\ 1.9\end{array}$

	Tidal Streams referred
5614 19C	to HW at IMMINGHAM (Normal river current included)

Hours	$\diamond^{c}$	Geographical Position		8°43′∙ )°20′∙	
After High Water 9 G P & D L out of the content of the content of	Directions of streams (degrees)	Rates at spring tides (knots) Rates at neap tides (knots)	063 064 241 243 245 240 239 103 068 067 066 063 063	$\begin{array}{c} 3.3\\ 2.2\\ 2.8\\ 5.0\\ 4.5\\ 3.7\\ 1.8\\ 0.7\\ 3.1\\ 3.3\\ 3.4\\ 3.1\\ 3.5\end{array}$	$\begin{array}{c} 1.5\\ 0.1\\ 2.0\\ 3.2\\ 3.8\\ 2.7\\ 1.5\\ 0.1\\ 1.2\\ 2.3\\ 2.3\\ 2.6\\ 1.9\end{array}$

# 5614\_21

Tidal Streams	referred to	HW at	IMMINGHAM

Hours	<b>♦</b> <sup>G</sup>	eographical Position	$\otimes$	53°59'9 N 0 17·3 E	₿	53°54'0N 0 12·2 E	Ø	53°50'0 N 0 26·5 E	$\diamond$	53°42'1 N 0 10·3 E	\$	53°37'0N 0 26·4 E	$\diamondsuit$	53°33'8 N 0 13·7 E
High Water 9 5 4 6 0 1 1 7 8 4 5 9 1 7 8 4 5 9 1 7 8 4 5 9	Directions of streams (degrees)	Rates at spring tides (knots) Rates at neap tides (knots)	326 302 170 154 153 151 150 139 005 348 333 333 329	$ \begin{array}{c} 1 \cdot 0 & 0 \cdot 6 \\ 0 \cdot 3 & 0 \cdot 2 \\ 0 \cdot 7 & 0 \cdot 4 \\ 1 \cdot 5 & 0 \cdot 8 \\ 1 \cdot 7 & 1 \cdot 0 \\ 1 \cdot 8 & 1 \cdot 0 \\ 1 \cdot 2 & 0 \cdot 7 \\ 0 \cdot 4 & 0 \cdot 2 \\ 0 \cdot 5 & 0 \cdot 3 \\ 1 \cdot 1 & 0 \cdot 6 \\ 1 \cdot 6 & 0 \cdot 9 \\ 1 \cdot 7 & 1 \cdot 0 \\ 1 \cdot 3 & 0 \cdot 7 \\ \end{array} $	300 209 186 178 170 154 136 056 008 357 352 339 317	$ \begin{array}{c} 0.4 & 0.2 \\ 0.5 & 0.2 \\ 1.0 & 0.5 \\ 1.4 & 0.7 \\ 1.3 & 0.7 \\ 1.1 & 0.6 \\ 0.6 & 0.3 \\ 0.4 & 0.2 \\ 0.9 & 0.5 \\ 1.4 & 0.7 \\ 1.4 & 0.8 \\ 1.1 & 0.5 \\ 0.6 & 0.3 \\ \end{array} $	302 274 188 162 145 139 139 139 113 359 347 343 333 316	$\begin{array}{c} 1 \cdot 1 \ 0 \cdot 5 \\ 0 \cdot 8 \ 0 \cdot 4 \\ 1 \cdot 2 \ 0 \cdot 6 \\ 2 \cdot 2 \ 1 \cdot 1 \\ 2 \cdot 1 \ 1 \cdot 0 \\ 1 \cdot 6 \ 0 \cdot 8 \\ 1 \cdot 1 \ 0 \cdot 5 \\ 0 \cdot 3 \ 0 \cdot 1 \\ 0 \cdot 7 \ 0 \cdot 4 \\ 1 \cdot 7 \ 0 \cdot 8 \\ 2 \cdot 0 \ 1 \cdot 0 \\ 2 \cdot 1 \ 1 \cdot 0 \\ 1 \cdot 1 \ 0 \cdot 8 \end{array}$	320 164 159 161 155 110 347 343 339 341 333 325	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	332 227 180 175 171 166 165 310 000 004 357 350 341	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	040 209 209 209 209 209 209 209 209 209 040 040 040 040 040 040	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

5614	I_2	2A)		Streams		ed to HW RANCE
Hours	$\diamond^{\circ}$	Beographical Position	$\diamond$	54°17'0 N 0 21·1W	\$	54°09'8N 0 00·9 E
High Water 9 G P & C T J Before 1 C C P C D J J High Water 1 C C P C 9	Directions of streams (degrees)	Rates at spring tides (knots) Rates at neap tides (knots)	330 323 303 275 147 147 147 147 151 158 352 340 326 331	$\begin{array}{ccccccc} 1 \cdot 1 & 0 \cdot 5 \\ 0 \cdot 8 & 0 \cdot 4 \\ 0 \cdot 4 & 0 \cdot 2 \\ 0 \cdot 1 & 0 \cdot 0 \\ 0 \cdot 8 & 0 \cdot 4 \\ 1 \cdot 1 & 0 \cdot 5 \\ 1 \cdot 3 & 0 \cdot 6 \\ 1 \cdot 1 & 0 \cdot 5 \\ 0 \cdot 6 & 0 \cdot 3 \\ 0 \cdot 3 & 0 \cdot 2 \\ 0 \cdot 9 & 0 \cdot 4 \\ 1 \cdot 3 & 0 \cdot 7 \\ 1 \cdot 3 & 0 \cdot 6 \end{array}$	326 329 323 317 154 140 148 148 143 147 327 331 326	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

561	4	24

### Tidal Streams referred to HW

2014	+_2	.4			at RI	/ER T	EE ENTR	ANC	E
Hours	¢۹	eograp Positi	ohical on	$\otimes$	54°29'5 N 0 22·1W	\$	54°27'0N 0 06·1W	Ø	54°17'0N 0 21·1W
High High	streams (degrees)	g tides (knots)	tides (knots)	307 308 310 313 128 132 131	$\begin{array}{c} 1 \cdot 4 & 0 \cdot 8 \\ 1 \cdot 1 & 0 \cdot 6 \\ 0 \cdot 8 & 0 \cdot 5 \\ 0 \cdot 2 & 0 \cdot 1 \\ 0 \cdot 6 & 0 \cdot 3 \\ 1 \cdot 2 & 0 \cdot 7 \\ 1 \cdot 4 & 0 \cdot 8 \end{array}$	318 318 314 255 150 141 137	1.4 0.8 1.2 0.7 0.7 0.4 0.2 0.1 0.7 0.4 1.2 0.7 1.4 0.8	330 323 303 275 147 147 149	$\begin{array}{cccc} 1 \cdot 1 & 0 \cdot 5 \\ 0 \cdot 8 & 0 \cdot 4 \\ 0 \cdot 4 & 0 \cdot 2 \\ 0 \cdot 1 & 0 \cdot 0 \\ 0 \cdot 8 & 0 \cdot 4 \\ 1 \cdot 1 & 0 \cdot 5 \\ 1 \cdot 3 & 0 \cdot 6 \end{array}$
High Water	Directions of stru	Rates at spring	Rates at neap	129 123 122 314 312 310	1.3 0.7 0.9 0.5 0.3 0.2 0.3 0.2 0.9 0.5 1.3 0.7	134 132 103 326 321 319	1.2 0.7 0.8 0.4 0.2 0.1 0.5 0.3 1.0 0.6 1.4 0.8	149 151 158 352 340 326 331	1.1 0.5 0.6 0.3 0.3 0.2 0.9 0.4 1.3 0.7 1.3 0.6

5614	5614_25     Tidal Streams referred to HW at DOVER																			
Hours	$\diamond^{\circ}$	Geographical Position	$\otimes$	54°09'0N 4 51.0E		54°09'0 N 6 11 0 E	Ø	54°02'1 N 2 53·8 E	$\diamond$	54°00'3 N 1 06-0 E		53°45'0N 5 58·0E		53°24'0 N 4 09·4 E	\$	53°20'0 N 2 44 0 E		53°19'0N 1 25·4 E	$\diamondsuit$	52°33'9 N 4 09·3 E
After High Water 9 5 4 5 7 1 2 6 4 9 9	Directions of streams (degrees)	Rates at spring tides (knots) Rates at neap tides (knots)	063 076 082 086 096 154 238 259 261 262 268 318 055	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	189 088 085 085 083 074 019 295 278 273 270 266 251	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	094 096 104 115 110 163 273 285 280 288 298 340 090	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	134 131 125 093 345 324 317 311 303 271 169 145 137	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	268 260 265		040 056 078 104 154 193 216 236 283 351 013 031		078 120 147 161 173 194 233 282 323 347 001 017 059	$ \begin{array}{c} 0.7 & 0.5 \\ 0.9 & 0.4 \\ 1.0 & 0.6 \\ 1.1 & 0.8 \\ 1.0 & 0.8 \\ 0.8 & 0.6 \\ 0.5 & 0.4 \\ 0.6 & 0.4 \\ 0.8 & 0.5 \\ 1.1 & 0.7 \\ 1.0 & 0.8 \\ 0.7 & 0.7 \\ 0.6 & 0.5 \\ \end{array} $	154 142 139 140 138 141 327 330 332 326 318 253 164	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	201 068 030 022 019	$\begin{array}{c} 0.6 & 0.5 \\ 0.3 & 0.2 \\ 0.7 & 0.4 \\ 1.2 & 0.9 \\ 1.4 & 0.8 \\ 0.9 & 0.6 \\ 0.6 & 0.3 \\ 0.5 & 0.5 \\ 1.3 & 0.8 \\ 1.4 & 1.0 \\ 1.2 & 0.9 \\ 0.9 & 0.6 \\ \end{array}$

# 5614\_25 continued

<b>\</b>	52°29'0 N 2 43 0 E	$\diamond$	51°55'0N 2 59·0E
053 180 190 192 195 195	$\begin{array}{cccc} 0.6 & 0.5 \\ 0.3 & 0.3 \\ 1.0 & 0.5 \\ 1.4 & 0.9 \\ 1.5 & 1.1 \\ 1.3 & 0.9 \end{array}$	321 237 215 213 214 208	$\begin{array}{cccc} 0.6 & 0.4 \\ 0.7 & 0.3 \\ 1.3 & 0.5 \\ 1.5 & 1.1 \\ 1.7 & 1.1 \\ 1.4 & 0.8 \end{array}$
191	0.9 0.6	175	0.7 0.5
077 027 018 014 009 005	$\begin{array}{cccc} 0.3 & 0.2 \\ 0.9 & 0.5 \\ 1.4 & 0.9 \\ 1.7 & 1.0 \\ 1.4 & 0.9 \\ 0.9 & 0.6 \end{array}$	086 048 036 030 018 352	0.9 0.6 1.5 0.9 1.8 1.1 1.6 1.0 1.3 0.7 0.7 0.4

# TIME & HEIGHT DIFFERENCES FOR PREDICTING THE TIDE AT SECONDARY PORTS

PLACE	Lat. N	Long. E	High Water Low Water Zone UT (GMT)				HEIGHT DIFFERENCES (IN MET MHWS MHWN MLWN ML				
			0300	0900	0200	0800					
LOWESTOFT	52 28	1 45	and 1500	and <b>2100</b>	and 1400	and 2200	2.4	2.1	1.0	0.5	
Orford Ness	52 05	1 35	+0135	+0135	+0135	+0125	+0.4	+0.6	-0.1	0.0	
Aldeburgh	52 09	1 36	+0130	+0130	+0115	+0120	+0.3	+0.2	-0.1	-0.2	
Minsmere Sluice	52 14	1 38	+0110	+0110	+0110	+0110	0.0	-0.1	-0.2	-0.2	
Southwold	52 19	1 40	+0105	+0105	+0055	+0055	0.0	0.0	-0.1	0.0	
Great Yarmouth							-				
GORLESTON-ON-SEA Britannia Pier	52 34 52 36	1 44 1 45	-0105	-0100	RD PORT -0040	-0055	See +0.1	Table of S +0.1	tandard I 0.0	Ports 0.0	;
Caister-on-Sea	52 39	1 44	-0120	-0120	-0100	-0100	0.0	-0.1	0.0	0.0	,
Winterton-on-Sea	52 43	1 42	-0225	-0215	-0135	-0135	+0.8	+0.5	+0.2	+0.1	
	N	w	0100	0700	0100	0700					
	53 38	0 11	and <b>1300</b>	and <b>1900</b>	and <b>1300</b>	and <b>1900</b>	7.3	5.8	2.6	0.9	
	Ν	Е									
Cromer	52 56	1 18	+0044	+0032	+0108	+0059	-2.3	-1.8	-0.7	0.0	
Blakeney Bar	52 59	0 59	+0035	+0025	+0030	+0040	-1.6	-1.3	o	O	
Blakeney	52 57	1 01	+0115	+0055	0000	· • • • • • • • • • • • • • • • • • • •	-3.9	-3.8	0	0	
Wells Bar Wells	52 59 52 58	0 49 0 51	+0020 +0035	+0020 +0045	+0020 +0340	+0020 +0310	-1.3 -3.8	-1.0 -3.8	∘ ‡	∘ ‡	
Burnham (Overy Staithe)	52 58 52 58	0 45	+0035	+0045	+0 <b>3</b> +0 ©	÷0310	-5.0	-4.9	+ ⊙	+ ⊙	2
The Wash											
Hunstanton	52 56	0 29	+0010	+0020	+0105	+0025	+0.1	-0.2	-0.1	0.0	
West Stones	52 50	0 21	+0025	+0025	+0115	+0040	-0.3	-0.4	-0.3	+0.2	
King's Lynn	52 45	0 24	+0030	+0030	+0305	+0140	-0.5	-0.8	-0.8	+0.11	t
Outer Westmark Knock	52 53	0 13	+0010	+0015	+0040	+0020	-0.2	-0.5	-0.6	-0.4	
Wisbech Cut	52 48	0 13	+0020	+0010	+0120	+0055	-0.3	-0.7	-0.4	o	
Port Sutton Bridge	52 46	0 12	+0030	+0020	+0130	+0105	-0.3	-0.6	-0.6	+0.3	
Wisbech	52 40	0 09	+0055	+0040	§	§	-0.2	-0.6	§	§	
Lawyer's Creek Tabs Head	52 53 52 56	0 05 0 05	+0010 0000	+0020 +0005	。 +0125	。 +0020	-0.3 +0.2	-0.6 -0.2	。 -0.2	∘ -0.2	
			0000	10000	+0125	10020	10.2	0.2	0.2	0.2	
BOSTON	N W 52 58 0 01			STANDARD PORT			See Table of Standard Ports				
	N	Е									
Skegness	53 09	0 21	+0010	+0015	+0030	+0020	-0.4	-0.5	-0.1	0.0	
Inner Dowsing Light	53 19	0 35	0000	0000	+0010	+0010	-0.9	-0.7	-0.1	+0.3	
River Humber	50.05	0.07					0	<b>T</b> 11 ( 0		<b>.</b> .	
SPURN HEAD Bull Sand Fort	53 35 53 34	0 07 0 04	-0020	-0030	RD PORT -0035	-0015	-0.4	Table of S -0.3	+0.1	+0.2	
	Ν	w									
Sunk Dredged Channel	53 37	0 02	-0012	-0015	-0018	-0016	-0.2	-0.2	+0.1	+0.3	
GRIMSBY	53 35	0 04			RD PORT			Table of S			
HUMBER SEA TERMINAL	53 40	0 14			RD PORT			Table of S			
IMMINGHAM HULL (KING GEORGE DOCK)	53 38 53 44	0 11 0 16			rd Port Rd Port			Table of S Table of S			
Hull (Alexandra Dock)	53 44	0 18	+0012	+0012	+0022	+0019	+0.3	+0.2	-0.1	-0.2	
HULL (ALBERT DOCK)	53 44	0 21			RD PORT			Table of S			
Humber Bridge	53 43	0 27	+0027	+0022	+0049	+0039	-0.1	-0.4	-0.7	-0.6	
Brough	53 43	0 34	+0045	+0034	+0141	+0118	-1.2	-1.4	-1.1	-0.7	
River Trent											
Burton Stather	53 39	0 42	+0105	+0050	+0240	+0205	-2.0	-2.7	-2.2	-1.1	>
FLIXBOROUGH WHARF	53 37	0 42	0.000		RD PORT	0005		Table of S			
Keadby Owston Ferry	53 36 53 29	0 44 0 46	+0130 +0155	+0115 +0145	+0320 §	+0235 §	-2.8 -3.5	-3.3 -3.9	-2.3 §	-0.9 §	>
River Ouse	-	-		-	5	5			0	0	
Blacktoft	53 42	0 43	+0100	+0055	+0325	+0255	-1.6	-1.8	-2.2	-1.1	2
GOOLE	53 42	0 52		STANDA	RD PORT		See	Table of S	standard I	Ports	>

RIVER TEES ENTRANCE	N 54 38	W 1 09	0000 and 1200	0600 and 1800	0000 and 1200	<b>0600</b> and <b>1800</b>	5.5	4.3	2.0	0.9
Bridlington	54 05	0 11	+0100	+0050	+0055	+0050	+0.6	+0.4	+0.3	+0.2
Filey Bay	54 13	0 16	+0042	+0042	+0047	+0034	+0.3	+0.6	+0.4	+0.1
Scarborough	54 17	0 23	+0040	+0040	+0030	+0030	+0.2	+0.3	+0.3	0.0
Whitby	54 29	0 37	+0020	+0020	+0018	+0017	+0.1	+0.1	+0.2	+0.1

No Data

† The tide does not normally fall below this level

§ Dries out except for river water‡ The tide does not normally fall below Chart Datum

\* See notes

Table of Standard Ports												
STANDARD PORT MHWS MHWN MLWN MLWS												
GORLESTON-ON-SEA	2.4	2.1	1.0	0.5								
BOSTON	6.8	4.8	1.7	0.4								
SPURN HEAD	6.9	5.5	2.7	1.2								
GRIMSBY	7.0	5.6	2.7	1.3								
HUMBER SEA TERMINAL	7.2	5.7	2.6	1.1								
HULL (KING GEORGE DOCK)	7.6	6.0	2.5	0.7								
HULL (ALBERT DOCK)	7.6	5.9	2.5	0.7								
FLIXBOROUGH WHARF	5.2	3.0	0.4	0.0								
GOOLE	5.7	3.7	0.7	0.3								

#### **\*TIDAL NOTES**

Between Winterton-on-Sea and Great Yarmouth the rise of the tide occurs mainly during the 3½ hours following low water. At Winterton-on-Sea the level is usually within 0.3m of the predicted high water height from 4 hours before high water at Lowestoft until 1 hour before high water at Lowestoft. At Caister-on-Sea, where double high waters sometimes occur, and at Great Yarmouth the level is usually within 0.3m of the predicted high trom 3 hours before high water at Lowestoft.


Low water time differences at Wells are for the end of a low water stand which lasts about 4 hours at springs and about 5 hours at neaps.


At Burton Stather, normal river level is about 0.1m below chart datum.


At Keadby, normal river level is between 0.1m and 0.2m below chart datum. The tide is normally at or just below chart datum for  $\frac{1}{2}$  to  $\frac{1}{2}$  hours; low water time differences are for the beginning of the rise.


At Blacktoft and Goole the amount of fresh water coming down the rivers has little effect on the heights of high water. The levels for low water are given for a low rate of river flow. High rates of river flow can increase the level of low water by as much as 0.3m at Blacktoft and 0.6m at Goole.

### **Tidal Curve Diagrams**









For guidance on the use of Tidal Curve Diagrams see ADMIRALTY Tides Tables NP201A and NP201B