


5609 Updated to February 2024 Version 1.0

North West Wales

Coverage Diagram



5609	Chart Title	Natural Scale 1:
1	Saint George's Channel and Irish Sea, Southern Part	500,000
2A	Aberystwyth to Barmouth	75,000
2B	Aberystwyth	18,000
3	Saint Tudwal's Roads and Mochras Lagoon	
ЗA	Saint Tudwal's Roads	18,000
3B	Mochras Lagoon	10,000
4	Barmouth to Abersoch	75,000
5A	Caernarfon Bay	75,000
5B	Porth Dinllaen	18,000
6	Lleyn Peninsula, Western Part	50,000
7	Plans in the Northern Part of Cardigan Bay	
7A	Approaches to Porthmadog	25,000
7B	Porthmadog Harbour	7,500
7C	Barmouth	25,000
7D	Aberdovey	25,000

5609	Chart Title	Natural Scale 1:
8	Menai Strait - Western Part	
8A	Western Entrance to Menai Strait	25,000
8B	Caernarfon to Carreg Ginnog	25,000
9	Menai Strait - Eastern Part	
9A	Carreg Ginnog to Bangor	25,000
9B	Eastern Entrance to Menai Strait	25,000
9C	The Swellies	10,000
10	Holy Island to Red Wharf Bay	75,000
11	Approaches to Holyhead	25,000
12	Holyhead Harbour	6,250
13	Red Wharf Bay to Colwyn Bay	75,000
14	Approaches to Conwy	25,000
15	Conwy, Pwllheli and The Skerries	
15A	Conwy	10,000
15B	Pwllheli	12,500
15C	The Skerries	25,000

Positions are referred to the WGS84 compatible datum, European Terrestrial Reference System 1989 Datum.

Depths are in metres and are reduced to Chart Datum, which is approximately the level of Lowest Astronomical Tide.

Heights are in metres. Underlined figures are drying heights above Chart Datum. Overhead clearance heights are above Highest Astronomical Tide. All other heights are above Mean High Water Springs. Navigational marks: IALA Maritime Buoyage System-Region A (Red to port)

DATUM

All charts are referred to the WGS84 compatible Datum ETRS89. Any positions taken from GPS (referred to WGS84) or from ADMIRALTY Notices to Mariners (referred to ETRS89) can be plotted directly on all charts.

OIL AND GAS FIELDS

Production platforms and associated structures, including tanker moorings, storage tankers and platforms on pipelines, generally exhibit Mo(U) lights, aircraft obstruction lights, and audible fog signals. Unauthorised navigation is prohibited within 500 metres of all such structures.

OMISSION OF DETAIL

Within the limit marked **and the coastline**, this chart should only be used for planning purposes as features such as depths, platforms, wrecks, pipelines, minor aids to navigation and cables have been omitted. Larger scale ADMIRALTY charts are available for mariners intending to navigate in this area.

HISTORIC WRECK (53°25′·28N 4°36′·73W)

The site of the historic wreck is protected from unauthorised interference. For details see Annual Notice to Mariners No 16 and ADMIRALTY Sailing Directions.

WETREP

Tankers of more than 600 dwt carrying heavy crude oil, heavy fuel oil or bitumen and tar and their emulsions are required to participate in the Western European Tanker Reporting System (WETREP). See ADMIRALTY List of Radio Signals for further details.

SUBMARINE CABLES AND PIPELINES

Mariners should not anchor, trawl or engage in seabed operations in the vicinity of submarine cables and pipelines. Submarine cables support national infrastructure; damage to them may affect critical services and can result in serious consequences, as well as creating a potential hazard to mariners. Wilful or neglectful damage to a cable may result in legal action. Pipelines are not always buried and their presence may significantly reduce the charted depth. They may also span seabed undulations and cause fishing gear to become irrecoverably snagged, putting a vessel in severe danger.

HIGH SPEED CRAFT

High speed craft operate in the area of these charts. Mariners are advised to maintain a good lookout. Some high speed craft generate large waves, which can have a serious impact on small craft and their moorings close to the shoreline and on shallow off-lying banks.

VESSEL REPORTING

For details of vessel reporting systems, see ADMIRALTY List of Radio Signals.

FIRING PRACTICE AREAS

No restrictions are placed on the right to transit the firing practice areas at any time. The firing practice areas are operated using a clear range procedure: exercises and firing only take place when the areas are considered to be clear of all shipping.

HISTORIC AND MILITARY WRECKS

The sites of historic and military wrecks are protected from unauthorised interference.

SHELLFISH BEDS

Obstructions arising from the cultivation of oysters, mussels and clams may be encountered throughout these areas, the limits of which are marked by perches. Vessels should avoid anchoring or grounding in these areas

MORLAIS TIDAL ENERGY DEMONSTRATION ZONE

Scientific instruments exist in this area in preparation for the installation and testing of tidal energy devices. Mariners should exercise caution whilst navigating in this vicinity. For details see www.morlaisenergy.com

HM Coastguard Services and Safety Information

VHF MARITIME RADIO

Coastguard Maritime Rescue Co-ordination Centres are on constant watch on Channel 16 - the distress, safety and calling channel. Initial calls should normally be on Ch 16.

HM COASTGUARD BELFAST (MRCC) Tel. +44 (0) 2891 463933 MMSI: 002320021 e-mail: zone34@hmcg.gov.uk (FAO Belfast Coastguard)

HOLYHEAD (MRCC) Tel. +44 (0) 1407 762051 MMSI: 002320018 e-mail: zone31@hmcg.gov.uk (FAO Holyhead Coastguard)

MILFORD HAVEN (MRCC)

Tel. +44 (0) 1646 690909 MMSI: 002320017

e-mail: zone28@hmcg.gov.uk (FAO Milford Haven Coastguard)

Distress and Safety Communication

Distress - Urgency

A Distress or Urgency message has absolute priority. Make a call on VHF Channel 16 and give the following essential information: Distress Call MAYDAY MAYDAY MAYDAY

- Name and Call Sign and MMSI number Position
- Nature of Distress
- Type of assistance required
- Type of boat number of crew intentions

Urgency (eg. if you break down in bad weather or a crewman requires medical attention) Call PANPAN PANPAN and give:

- Name and Call Sign and MMSI number Position
- Nature of Distress
- Type of assistance required
- Type of boat number of crew intentions

Other Distress Signals

Other recognised signals are

- Red flares (parachute, multi stars or hand held) Orange smoke signal
- The flag signal NC
- The morse signal SOS ... --- ... by light
- An article of clothing on an oar
- Slowly and repeatedly raising and lowering outstretched arms
- A square flag with anything resembling a ball above or below it
- Continuous sounding of a siren or whistle will also be recognised, or smoke and flames from the vessel
- The carriage of an Emergency Position Indicating Radio Beacon (406 EPIRB) will improve your chances of being located if conventional means fail. 406 EPIRBs are detected by satellite, in addition to aircraft, and transmitted to a Coastguard Maritime Rescue Co-ordination Centre.

THE USE OF MOBILE TELEPHONES IN DISTRESS AND SAFETY COMMUNICATIONS

The use of mobile telephones in the marine environent offshore is now well established, with users in all areas of the commercial, fishing and leisure communities.

Incidents have occured where vessels requiring assistance from rescue services have used the inland emergency service, or alternatively telephoned direct to request assistance. (e.g. Lifeboat services). This procedure through a mobile telephone is strongly discouraged.

Use of mobile telephones by-passes the existing dedicated well-established international marine distress communications systems.

Mobile telephone coverage offshore is limited and does not afford the same extensive safety coverage as VHF Channel 16. Consequently a greater risk exists of communications difficulties or even a complete breakdown if an accident should occur at the edge of a cell coverage area.

Subsequent on-scene communications would be restricted and delayed if mobile telephone communications were exclusively maintained throughout. There is always a risk that elements of vital information could be lost or misinterpreted by the introduction of further relay links in the communication chain. Mobile telephones are also highly susceptible to failure due to water ingress.

It is not possible to communicate direct to another vessel able to render assistance unless that vessel is also fitted with a mobile telephone and the telephone number is known. Requests for assistance cannot be monitored by other vessels in a position to render assistance. Valuable time would be lost whilst the relevent Coastguard Rescue Coordination Centre receives and then re-broadcasts the information to all ships on the appropriate distress channel(s).

In the interests of Safety Of Life At Sea (SOLAS), owners of vessels are urged to carry MARINE communications equipment onboard and to use this medium as the primary means of Distress and Safety communications.

Product Specifications

PRODUCT USAGE CAUTION

This product is specifically designed, in conjunction with other charts and publications, as an aid to the navigation of leisure craft and locally regulated workboats and fishing vessels and therefore should be used by competent (preferably qualified) maritime navigators. Although this product contains the best information available at the time of publication, the user should navigate with caution, particularly in areas of shallow or confined waters where the depth of water is likely to change due to local conditions. The information provided in this product comes from the latest source information held and is updated by Notice to Mariners upon receipt of new information critical to safe navigation. To help maintain this product for all users, users are asked to notify the United Kingdom Hydrographic Office of any differences found between what is depicted and actual conditions encountered.

KEEPING THIS CHART UPDATED

Updates for the charts are published using the Notices to Mariners Service on the ADMIRALTY Notices to Mariners page found on our website at admiralty.co.uk/msi. All updates for the latest edition of the chart are listed and can be quickly and easily downloaded. All the charts are derived from standard ADMIRALTY charts. No updates are applied to the charts by the United Kingdom Hydrographic Office or its agents after printing. For those who do not have internet access, please contact Tel. 01823 484444 for assistance.

PROVIDE UPDATED INFORMATION

To help maintain this product users are asked to notify the United Kingdom Hydrographic Office of any differences found between what is depicted and actual conditions encountered. Users can do this by submitting a Hydrographic Note form, found on our website admiralty.co.uk/msi or by downloading our H-Note App. The H-Note App is freely available to download on Android and iOS devices. For more information please see here:



IMPROVEMENTS TO THIS PRODUCT

ADMIRALTY Small Craft Charts are designed for use on leisure craft and locally regulated workboats and fishing vessels, where the smaller format charts fit more conveniently into the limited space available. Users with specific suggestions for the improvement of this product or ideas for the expansion of the series are requested to forward their comments to:

Customer Services, The UK Hydrographic Office, Admiralty Way, Taunton. +44(0)1823 484444

E-mail customerservices@ukho.gov.uk

To view all ADMIRALTY Products and services, visit admiralty.co.uk

Tidal Stream Information

560	9_	1										Tidal	Str	eam	s ref	erre	d to	HW	at D	OVE	R								
Hours	\diamond	Geographical Position	€ (♦)	2°32′ 5 39	6N 5W		3°26 5 33	' ON ∙ OW		52°44 5 20	44 8N 2W		3°04 5 20	48N ∙0W		3°40' 5 09	· 2N · 3W	() ⁵	2°24 5 00	45N ∙5W	6 5	3°28 4 45		∲5	3°05 4 44		♦ ⁵	4°06′ 4 08·	• 5N • 5W
High Water 1 2 2 4 9 9	streams (degrees)	ring tides (knots) aap tides (knots)	356 014 018 023 027 027 189	2·2 3·0 2·9 2·1	0·3 1·1 1·5 1·5 1·0 0·4 0·3	211 345 351 350 349 353 011	0·2 1·0 1·9 2·3 1·9 1·3 0·3	0·1 0·4 0·8 1·0 0·9 0·6 0·1	127 019 017 015 013 010 028		0·1 0·7 1·5 1·8 1·6 1·0	006 005 002 359 357 344	0.0 0.9 2.0 2.6 2.7 1.7 0.3	0.0 0.5 1.1 1.4 1.5 0.9 0.1	231 275 350 025 033 039 043	0.6 1.3 1.9 1.7	0.5 0.3 0.3 0.7 1.0 0.9 0.6	017 016 017 017 019 025 182		0.5 1.0 1.3 1.2 1.0 0.5 0.2	205 055 050 046 049 053 125	0·3 1·5 3·2 3·8 3·0 1·6 0·1	0·8 1·6 1·9 1·5	002 002 002 002 002 002 182	0·1 1·2 2·0 2·3 1·7 0·9 0·1	0·1 0·7 1·2 1·3 1·0 0·5 0·1	214 087 074 067 056 049 353	0·5 1·3 1·8 1·6	0·2 0·3 0·7 1·0 0·9 0·6 0·2
After High Water 9 2 7 2 2 9 2 8	Directions of s	Rates at sprin Rates at nea	190 195 201 206 213 292	2·9 3·1 2·6 1·5	0·9 1·5 1·6 1·3 0·7 0·1	160 169 170 170 174 183	2·2 2·3 1·6	0·3 0·7 1·0 1·0 0·7 0·2	185 195 197 196 195 185	0·9 1·3 3·3 3·1 2·0 0·7		195 185 180 175 176 180	2·0 2·8 2·4	0·5 1·1 1·5 1·3 0·8 0·2	130 207 213 215 218 223	0·6 1·2 1·5 1·7	0·1 0·3 0·6 0·8 0·9 0·7	194 200 201 202 198 025	2·1 2·3 1·9	1·2 1·4 1·1 0·6	226 231 231 230 228 223	1.5 2.9 3.7 2.9 1.9 0.8	0·8 1·5 1·8 1·5 0·9 0·4	182 182 182 182 182 182 182	1.1 1.9 2.1 1.9 1.1 0.2	0·6 1·1 1·2 1·1 0·6 0·1	264 250 241 238 234 228	1·2 1·4 1·2	0·4 0·5 0·7 0·8 0·7 0·4

5609 1 continued

(K)	3°42′ 4 01·		53°54' ON 3 44 · 5W									
248 083 084 083 087 090	0·4 0·7 1·9 2·6 2·0 1·2	0·2 0·4 1·1 1·5 1·1 0·7	022 068 078 082 085 096	0·3 0·7 1·1 1·4 1·3 0·9	0·2 0·4 0·6 0·7 0·7 0·5							
147	0.3	0·2	155	0.4	0.2							
258 266 270 272 267 255	0.9 1.6 2.1 1.8 1.2 0.9	0·5 0·9 1·2 1·0 0·7 0·5	234 250 262 275 292 335	0·9 1·4 1·5 1·2 0·8 0·4	0·5 0·7 0·8 0·6 0·4 0·2							

5609_2A Tidal Streams referred to HW at MILFORD HAVEN

III Wali		ND HA				
Hours	\diamond°	Geograp Positi		\bigotimes	52°43'3 4 27·8	
After After Before bh Water Pabil High Water at After	Directions of streams (degrees)	Rates at spring tides (knots)	Rates at neap tides (knots)	250 250 070 070 070 070 070 250 250 250 250 250 250	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0 1 3 4 5 3 0 2 4 4 3

5609_5A	Tidal Streams referred to HW at HOLYHEAD
---------	--

Hours	¢۵	eograj Positi		\diamond	53°05′5N 4 44.6W	₿	52°59'4N 4 40.8W	Ø	53°07′3N 4 25·3W
High Water 5 7 9 6 9 9	streams (degrees)	tides (knots)	tides (knots)	182 002 002 002 002 002 002	$\begin{array}{cccc} 0.5 & 0.3 \\ 0.4 & 0.2 \\ 1.5 & 0.9 \\ 2.2 & 1.3 \\ 2.2 & 1.3 \\ 1.5 & 0.9 \end{array}$	212 212 032 032 032 032 032	$\begin{array}{cccc} 1 \cdot 1 & 0 \cdot 6 \\ 0 \cdot 2 & 0 \cdot 1 \\ 0 \cdot 8 & 0 \cdot 4 \\ 1 \cdot 5 & 0 \cdot 8 \\ 1 \cdot 8 & 0 \cdot 9 \\ 1 \cdot 7 & 0 \cdot 9 \end{array}$	110 040 010 001 357 353	$\begin{array}{cccc} 0.2 & 0.1 \\ 0.5 & 0.3 \\ 0.9 & 0.4 \\ 0.9 & 0.5 \\ 0.9 & 0.5 \\ 0.7 & 0.3 \end{array}$
High Mater High Water 2 2 4 2 2 4 2 2 6	Directions of stre	Rates at spring 1	Rates at neap ti	002 182 182 182 182 182 182 182	$\begin{array}{cccc} 0.6 & 0.4 \\ 0.4 & 0.2 \\ 1.2 & 0.7 \\ 2.0 & 1.2 \\ 2.1 & 1.2 \\ 1.7 & 1.0 \\ 1.0 & 0.6 \end{array}$	032 032 212 212 212 212 212 212	1.2 0.6 0.4 0.2 0.5 0.3 1.4 0.7 1.8 0.9 1.8 0.9 1.4 0.7	307 196 190 189 185 182 140	0.2 0.1 0.5 0.3 0.8 0.4 0.9 0.5 0.8 0.4 0.7 0.4 0.3 0.1

5609_8

Tidal Streams referred to HW at HOLYHEAD (see also ADMIRALTY Sailing Directions NP37)

Hours	Ge	ographical Position	\otimes	53°07′3N 4 25.3W	₿	53°07′5N 4 19·8W	\diamond	53°08′7N 4 16.7W	\diamond	53°09′9N 4 15.6W	
High Water C C F G 9	streams (degrees)	tides (knots) tides (knots)	110 040 010 001 357 353	$\begin{array}{ccccccc} 0.2 & 0.1 \\ 0.5 & 0.3 \\ 0.9 & 0.4 \\ 0.9 & 0.5 \\ 0.9 & 0.5 \\ 0.7 & 0.3 \end{array}$	068 083 079 082 090 095	$\begin{array}{cccc} 0.4 & 0.2 \\ 1.6 & 0.8 \\ 4.2 & 2.1 \\ 5.1 & 2.5 \\ 4.6 & 2.3 \\ 2.0 & 1.0 \end{array}$	030 044 046 052 050 051	0.3 0.1 1.7 0.8 2.7 1.3 3.6 1.8 2.5 1.2 1.1 0.5	040 030 028 031 032 033	$\begin{array}{cccc} 0.2 & 0.1 \\ 1.5 & 0.7 \\ 2.4 & 1.2 \\ 2.5 & 1.2 \\ 2.2 & 1.1 \\ 1.0 & 0.5 \end{array}$	-6 -5 -4 -3 -2 -1
High Water High Water 2 3 4 2 4 2 6 6	Directions of stre	Rates at spring t Rates at neap ti	307 196 190 189 185 182 140	0.2 0.1 0.5 0.3 0.8 0.4 0.9 0.5 0.8 0.4 0.7 0.4 0.3 0.1	267 267 262 259 262 280	$\begin{array}{cccc} 3\cdot 5 & 1\cdot 7 \\ 4\cdot 3 & 2\cdot 1 \\ 3\cdot 9 & 1\cdot 9 \\ 3\cdot 2 & 1\cdot 6 \\ 2\cdot 3 & 1\cdot 1 \\ 1\cdot 0 & 0\cdot 5 \\ 0\cdot 0 & 0\cdot 0 \end{array}$	223 235 236 224 225 226	$\begin{array}{cccc} 1 \cdot 1 & 0 \cdot 5 \\ 2 \cdot 0 & 1 \cdot 0 \\ 2 \cdot 9 & 1 \cdot 4 \\ 2 \cdot 7 & 1 \cdot 3 \\ 1 \cdot 8 & 0 \cdot 9 \\ 1 \cdot 2 & 0 \cdot 6 \\ 0 \cdot 0 & 0 \cdot 0 \end{array}$	218 218 212 206 206 204	$\begin{array}{cccc} 1 \cdot 4 & 0 \cdot 7 \\ 2 \cdot 1 & 1 \cdot 0 \\ 2 \cdot 3 & 1 \cdot 1 \\ 1 \cdot 8 & 0 \cdot 9 \\ 1 \cdot 3 & 0 \cdot 7 \\ 0 \cdot 7 & 0 \cdot 4 \\ 0 \cdot 0 & 0 \cdot 0 \end{array}$	0 +1 +2 +3 +4 +5 +6

5609_4 Tidal Streams referred to HW at MILFORD HAVEN

Hours	\diamond	eogra Posit		۵ 🔇	52°43'3 N 4 27∙8W		52°51'5N 421·4W
After High Water Before 9 2 8 2 1 1 2 8 9 2 9 1 2 8 9 2 9	Directions of streams (degrees)	Rates at spring tides (knots)	Rates at neap tides (knots)	250 250 070 070 070 070 250 250 250 250 250	$\begin{array}{ccccccc} 0.3 & 0.2 \\ 0.1 & 0.0 \\ 0.2 & 0.1 \\ 0.5 & 0.3 \\ 0.8 & 0.4 \\ 0.9 & 0.5 \\ 0.6 & 0.3 \\ 0.1 & 0.0 \\ 0.4 & 0.2 \\ 0.7 & 0.4 \\ 0.8 & 0.4 \\ 0.6 & 0.3 \\ 0.4 & 0.2 \\ \end{array}$	123 097 064 045 035 049 035 230 227 228	$\begin{array}{ccccc} 0.1 & 0.0 \\ 0.1 & 0.0 \\ 0.1 & 0.0 \\ 0.2 & 0.1 \\ 0.4 & 0.2 \\ 0.5 & 0.2 \\ 0.3 & 0.1 \\ 0.1 & 0.0 \\ 0.2 & 0.1 \\ 0.4 & 0.2 \\ 0.4 & 0.2 \\ 0.3 & 0.1 \\ 0.1 & 0.1 \\ \end{array}$

5609_6 Tidal Streams referred to HW at MILFORD HAVEN

Hours	\diamond°	Beograp Positi		$\bigotimes^{\mathbb{S}}$	52°42'8 4 54:3		₿ ⁵	2°53 4 49		\diamond	52°59 4 40	
High Water High Water 9 2 8 2 1 1 2 8 9 2 9 4 2 9	irections of streams (degree	Rates at spring tides (knots)	Rates at neap tides (knots)	172 172 172 172 172 352 352 352 352 352 352 352 172	1.9 2.4 2.3 1.6 (0.4 (0.9 (1.9 2.3 2.2 1.6 (1.0 1.2 1.1 2.8 2.4	200 200 200 200 020 020 020 020 020 020	3.1 2.4 1.3 0.2 1.8 3.0 3.3 2.7 1.5	1.1 1.5 1.6 0.7 0.1 0.9 1.5 1.7 1.4 0.8 0.0 0.8	212 212 212 212 212 032 032 032 032 032 032 032 212		0.8 0.9 0.9 0.6 0.2 0.4 0.7 0.9 0.9 0.7 0.3

5609_9B

Tidal Streams referred to HW at HOLYHEAD (see also ADMIRALTY Sailing Directions NP37) * NOTE:- A current of about 0•5kn NE may be

expected at these positions

Hours	Ge	ographical Position		3°15′6N 4 05∙4W*		3°18′3N 4 02·3W *
High Water High Water 1 2 2 9 9	streams (degrees)	tides (knots) tides (knots)	061 060 022 248 244 240	$\begin{array}{cccc} 1 \cdot 3 & 0 \cdot 7 \\ 1 \cdot 3 & 0 \cdot 7 \\ 0 \cdot 1 & 0 \cdot 0 \\ 0 \cdot 6 & 0 \cdot 3 \\ 1 \cdot 1 & 0 \cdot 6 \\ 1 \cdot 2 & 0 \cdot 7 \end{array}$	001 234 188 196 203 204	$\begin{array}{cccc} 1 \cdot 0 & 0 \cdot 5 \\ 0 \cdot 1 & 0 \cdot 1 \\ 1 \cdot 7 & 0 \cdot 9 \\ 2 \cdot 0 & 1 \cdot 1 \\ 1 \cdot 8 & 1 \cdot 0 \\ 1 \cdot 1 & 0 \cdot 6 \end{array}$
After Mater 7 2 4 2 6 2 6 2 9 2 4 2 9 2 9 2 9 2 9 2 9 2 9 2 9 2 9 2 9 2 9	Directions of str	Rates at spring tides Rates at neap tides	240 237 246 062 065 063 063	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	283 014 025 025 026 017 005	$\begin{array}{cccc} 0.1 & 0.1 \\ 0.5 & 0.3 \\ 0.9 & 0.5 \\ 1.2 & 0.7 \\ 1.4 & 0.8 \\ 1.2 & 0.6 \\ 1.1 & 0.6 \end{array}$

5609_10 Tidal Streams referred to HW at LIVERPOOL (GLADSTONE DOCK)

Hours	\diamond	ieogra Posit		\diamond	53°28'5 N 4 45·2W		53°19'5 N 4 41.9W	\diamond	53°25'1 N 4 34·9W	\diamond	53°26′7N 4 20·4W	¢	53°22'0N 4 10·1W
Before High Water	ams (degrees)	tides (knots)	es (knots)	203 075 051 047 049	$\begin{array}{cccc} 0.4 & 0.2 \\ 1.4 & 0.7 \\ 3.0 & 1.5 \\ 3.6 & 1.9 \\ 3.0 & 1.6 \\ .0 & 1.6 \end{array}$	044 046 039 021 280	$\begin{array}{cccc} 3.0 & 1.5 \\ 4.0 & 2.0 \\ 4.0 & 2.0 \\ 2.0 & 1.0 \\ 1.4 & 0.7 \\ \end{array}$	044 039 036 032 029	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	126 099 100 101 101	$\begin{array}{cccc} 0.4 & 0.2 \\ 1.3 & 0.6 \\ 2.2 & 1.1 \\ 3.2 & 1.6 \\ 3.1 & 1.6 \\ 3.1 & 0.6 \end{array}$	096 120 125 129 138	$\begin{array}{cccc} 0.2 & 0.1 \\ 0.6 & 0.4 \\ 1.1 & 0.6 \\ 1.3 & 0.7 \\ 0.8 & 0.4 \end{array}$
High Water	of strear	spring tic	: neap tides	053 158 219	1.7 0.8 0.4 0.2 1.4 0.7	251 231 225	$3 \cdot 3 \ 1 \cdot 6$ $4 \cdot 4 \ 2 \cdot 1$ $4 \cdot 4 \ 2 \cdot 2$	034 256 235	$0.7 \ 0.3$ $2.4 \ 1.2$ $4.3 \ 2.2$	089 303 276	$0.7 \ 0.4$ $1.2 \ 0.6$ $2.2 \ 1.1$	163 266 304	0·4 0·2 0·3 0·2 0·6 0·4
High Water	Directions	Rates at	Rates at	230 231 230 228 221	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	222 217 211 117 051	4·1 2·1 2·8 1·4 1·5 0·7 0·3 0·2 2·1 1·0	234 233 236 262 027	4·3 2·1 3·7 1·8 2·3 1·2 1·1 0·5 1·8 0·9	276 277 277 276 186	2.7 1.5 2.5 1.2 2.2 1.1 1.5 0.8 0.3 0.1	314 319 317 315 056	1.0 0.6 1.2 0.6 0.8 0.4 0.4 0.2 0.1 0.1

5609_11 Tidal Streams referred to HW at HOLYHEAD

Hours	Geographical Position			\otimes	53°19 4 41)′5N ∙9W	₿	53°20′2N 4 36.9W		
High Water 9 2 b 8 7 1 2 8 4 2 9 1 8 8 6 fore 1 2 8 4 2 9 1 7 8 4 2 9 9 1 8 1 1 2 8 4 2 9 9 1 8 1 1 2 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1	Directions of streams (degrees)	Rates at spring tides (knots)	Rates at neap tides (knots)	047 044 046 038 024 266 249 228 225 223 217 211 180	$\begin{array}{c} 0.8\\ 3.2\\ 4.1\\ 4.1\\ 1.9\\ 1.2\\ 3.3\\ 4.5\\ 4.4\\ 4.3\\ 2.6\\ 1.4\\ 0.2 \end{array}$	$\begin{array}{c} 0 \cdot 4 \\ 1 \cdot 6 \\ 2 \cdot 0 \\ 2 \cdot 0 \\ 1 \cdot 0 \\ 0 \cdot 6 \\ 1 \cdot 7 \\ 2 \cdot 2 \\ 2 \cdot 2 \\ 2 \cdot 1 \\ 1 \cdot 3 \\ 0 \cdot 7 \\ 0 \cdot 1 \end{array}$	090 081 089 102 121 244 243 258 262 277 350 052 081	$\begin{array}{c} 0.7 \\ 1.4 \\ 0.7 \\ 0.3 \\ 0.6 \\ 1.1 \\ 1.2 \\ 1.0 \\ 0.5 \\ 0.1 \\ 0.2 \\ 0.5 \end{array}$	$\begin{array}{c} 0.3 \\ 0.7 \\ 0.7 \\ 0.3 \\ 0.1 \\ 0.3 \\ 0.5 \\ 0.6 \\ 0.5 \\ 0.3 \\ 0.1 \\ 0.1 \\ 0.2 \\ \end{array}$	

5609_12 Tidal Streams referred to HW at HOLYHEAD

Hours	ک و	Beogra Positi		53°20'22N 4 36·87W					
After High Water 9 G P & C T 1 C C C P C 9 9 G P C C T 1 C C C C 0 9 G P C C 1 1 C C C C 0 9 G P C C 1 1 C C C C 0 9 G P C C C C C C C C C C C C C C C C C C	Directions of streams (degrees)	Rates at spring tides (knots)	Rates at neap tides (knots)	090 081 089 102 121 244 243 258 262 277 350 052 081	$\begin{array}{cccc} 0.7 & 0.3 \\ 1.4 & 0.7 \\ 1.4 & 0.7 \\ 0.7 & 0.3 \\ 0.3 & 0.1 \\ 0.6 & 0.3 \\ 1.1 & 0.5 \\ 1.2 & 0.6 \\ 1.0 & 0.5 \\ 0.5 & 0.3 \\ 0.1 & 0.1 \\ 0.2 & 0.1 \\ 0.5 & 0.2 \\ \end{array}$				

5609_14

Tidal Streams referred to HW at LIVERPOOL (GLADSTONE DOCK)

Hours	\diamond	Geographical Position		3°19' 3 58	
After High Water 9 2 P & C L app Migh Water 0 2 P & C L app Migh Water	Directions of streams (degrees)	Rates at spring tides (knots) Rates at neap tides (knots)	063 116 125 133 144 161 229 288 309 316 318 334 318	0.3 0.7 1.1 1.2 0.9 0.6 0.3 0.6 1.0 1.2 1.0 0.6 0.2	$\begin{array}{c} 0.1 \\ 0.4 \\ 0.6 \\ 0.5 \\ 0.3 \\ 0.2 \\ 0.4 \\ 0.6 \\ 0.5 \\ 0.3 \\ 0.0 \\ 0.5 \\ 0.3 \\ 0.0 \end{array}$

5609_13

Tidal Streams referred to HW at LIVERPOOL (GLADSTONE DOCK)

i luai c	nea	ins relen	euit				(GL	ADSTON		
Hours	\diamond°	eographical Position	\bigotimes	53°22'0N 4 10·1W		53°18'3 N 4 02·3W	Ø	53°21'2N 4 00-2W		53°19'0 N 3 58·5W
After High Water Before 9 2 8 2 1 1 2 2 4 9 9 1 1 2 2 4 9 9	irections of streams (degreed	Rates at spring tides (knots) Rates at neap tides (knots)	096 120 125 129 138 163 266 304 314 319 317 315 056	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	278 195 202 204 271 000 023 025 026 018 007 357	$\begin{array}{ccccccc} 0 \cdot 2 & 0 \cdot 2 \\ 1 \cdot 5 & 0 \cdot 8 \\ 2 \cdot 0 & 1 \cdot 1 \\ 1 \cdot 8 & 1 \cdot 0 \\ 1 \cdot 2 & 0 \cdot 7 \\ 0 \cdot 3 & 0 \cdot 2 \\ 0 \cdot 4 & 0 \cdot 3 \\ 0 \cdot 8 & 0 \cdot 5 \\ 1 \cdot 2 & 0 \cdot 7 \\ 1 \cdot 4 & 0 \cdot 8 \\ 1 \cdot 2 & 0 \cdot 6 \\ 1 \cdot 1 & 0 \cdot 6 \\ 0 \cdot 6 & 0 \cdot 3 \end{array}$	115 101 109 119 127 244 284 290 295 298 295 087	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	063 116 125 133 144 161 229 288 309 316 318 334 318	$ \begin{array}{cccccc} 0.3 & 0.1 \\ 0.7 & 0.4 \\ 1.1 & 0.6 \\ 1.2 & 0.6 \\ 0.9 & 0.5 \\ 0.6 & 0.3 \\ 0.3 & 0.2 \\ 0.6 & 0.4 \\ 1.0 & 0.6 \\ 1.2 & 0.6 \\ 1.0 & 0.5 \\ 0.6 & 0.3 \\ 0.2 & 0.0 \\ \end{array} $

5609_15 Tidal Streams referred to HW at HOLYHEAD


Hours	\diamond	ieogra Positi	$\langle \! \rangle$	53°25 4 34		
After High Water 9 G F & C 1 9 G F & C 1 1 C & C F G 9	Directions of streams (degrees)	Rates at spring tides (knots)	Rates at neap tides (knots)	308 043 038 036 032 026 050 230 236 234 233 236 258	$\begin{array}{c} 0.6 \\ 3.5 \\ 5.6 \\ 6.2 \\ 4.9 \\ 2.9 \\ 0.6 \\ 2.5 \\ 4.5 \\ 4.3 \\ 3.7 \\ 2.3 \\ 1.0 \end{array}$	$\begin{array}{c} 0.3 \\ 1.7 \\ 2.8 \\ 3.1 \\ 2.4 \\ 1.5 \\ 0.3 \\ 1.3 \\ 2.3 \\ 2.2 \\ 1.9 \\ 1.1 \\ 0.5 \end{array}$


TIME & HEIGHT DIFFERENCES FOR PREDICTING THE TIDE AT SECONDARY PORTS


			т	IME DIFF	FRENCES	3	HEIGHT I		ICES (IN I	ES (IN METRES)	
PLACE	Lat.	Long.	High Water Low Water Zone UT(GMT)				MHWS	MHWN	MLWN	MLWS	
	N	W		Zone U	I(GMI)						
LIVERPOOL (GLADSTONE DOCK)	53 27	3 01	0000 and 1200	0600 and 1800	0200 and 1400	0700 and 1900	9.4	7.5	3.2	1.1	
River Mersey Seacombe (Alfred Dock)	53 24	3 01	+0007	+0007	+0000	+0000	-0.1	-0.1	-0.3	-0.2	
Wales											
Colwyn Bay	53 18	3 43	-0015	-0015	o	0	-1.6	-1.4	o	o	
Llandudno	53 20	3 50	-0019	-0021	-0031	-0038	-1.7	-1.6	-0.9	-0.6	
HOLYHEAD	53 19	4 37	0000 and 1200	0600 and 1800	0500 and 1700	1100 and 2300	5.6	4.4	2.0	0.7	
Conwy	53 17	3 50	+0025	+0035	+0120	-0105	+2.3	+1.8	+0.6	+0.4	
Menai Strait											
Beaumaris	53 16	4 05	+0025	+0010	+0055	+0035	+2.0	+1.6	+0.5	+0.1	
Menai Bridge	53 13	4 10	+0030	+0010	+0100	+0035	+1.7	+1.4	+0.3	0.0	
Port Dinorwic	53 11	4 13	- 0015	- 0025	+0030	0000	0.0	0.0	0.0	+0.1	
Caernarfon	53 09	4 16	- 0030	- 0030	+0015	- 0005	- 0.4	- 0.4	- 0.1	- 0.1	
Fort Belan	53 07	4 20	- 0040	- 0015	- 0025	- 0005	- 1.0	- 0.9	- 0.2	- 0.1	
Trwyn Dinmor	53 19	4 03	+0025	+0015	+0050	+0035	+1.9	+1.5	+0.5	+0.2	
Moelfre	53 20	4 14	+0025	+0020	+0050	+0035	+1.9	+1.4	+0.5	+0.2	
Amlwch	53 25	4 20	+0020	+0010	+0035	+0025	+1.6	+1.3	+0.5	+0.2	
Cemaes Bay	53 25	4 27	+0020	+0025	+0040	+0035	+1.0	+0.7	+0.3	+0.1	
Trearddur Bay	53 16	4 37	- 0045	- 0025	- 0015	- 0015	- 0.4	- 0.4	0.0	+0.1	
Porth Trecastell	53 12	4 30	- 0045	- 0025	- 0005	- 0015	- 0.6	- 0.6	0.0	0.0	
Llanddwyn Island	53 08	4 25	- 0115	- 0055	- 0030	- 0020	- 0.7	- 0.5	- 0.1	0.0	
Trefor	53 00	4 25	- 0115	- 0100	- 0030	- 0020	- 0.8	- 0.9	- 0.2	- 0.1	
Porth Dinlläen	52 57	4 34	- 0120	- 0105	- 0035	- 0025	- 1.0	- 1.0	- 0.2	- 0.2	
Porth Ysgaden Bardsey Island	52 54 52 46	4 39 4 47	- 0125 - 0220	- 0110 - 0240	- 0040 - 0145	- 0035 - 0140	- 1.1 - 1.2	- 1.0 - 1.2	- 0.1 - 0.5	- 0.1 - 0.1	
MILFORD HAVEN	51 42	5 03	0100 and 1300	0800 and 2000	0100 and 1300	0700 and 1900	7.0	5.2	2.5	0.7	
Cardigan Bay			1300	2000	1300	1900					
Aberdaron	52 48	4 43	+0210	+0200	+0240	+0310	- 2.4	- 1.9	- 0.6	- 0.2	
St. Tudwal's Roads	52 49	4 29	+0155	+0145	+0240	+0310	- 2.2	- 1.9	- 0.7	- 0.2	
Pwllheli	52 53	4 24	+0210	+0150	+0245	+0320	- 1.9	- 1.6	- 0.6	- 0.1	
Criccieth	52 55	4 14	+0210	+0155	+0255	+0320	- 2.0	- 1.8	- 0.7	- 0.3	
Porthmadog	52 55	4 08	+0235	+0210	o	o	- 1.9	- 1.8	o	o	
Barmouth	52 43	4 03	+0207	+0200	+0300	+0233	- 2.0	- 1.5	- 0.6	0.0	
Aberdovey	52 33	4 03	+0215	+0200	+0230	+0305	- 2.0	- 1.7	- 0.5	0.0	
Aberystwyth	52 24	4 05	+0145	+0130	+0210	+0245	- 2.0	- 1.7	- 0.7	0.0	

No data

Tidal Curve Diagrams







For guidance on the use of Standard Curve Diagrams, see ADMIRALTY Tides Tables NP201(A).

TIDAL STREAMS

Full details of tidal streams in the area covered by these charts are given in ADMIRALTY Tidal Stream Atlas NP256.