




# Northern Ireland - Carlingford Lough to Lough Foyle

## Coverage Diagram



5612	Chart Title	Natural Scale 1:
1	Southern Approaches to North Channel	200,000
2	Western Approaches to North Channel	200,000
3A	Carlingford Lough to Ardglass	100,000
3B	Ardglass and Killough Harbours	15,000
4	Ardglass to Donaghadee	100,000
5	Strangford Lough Entrance	37,500
6	Strangford Narrows - Southern Part	12,500
7A	Strangford Narrows - Northern Part	12,500
7B	Strangford	5,000

5612	Chart Title	Natural Scale 1:
8	Strangford Lough	37,500
9A	Portavogie to Ballywalter	37,500
9B	Portavogie	5,000
10A	Approaches to Donaghadee Sound	37,500
10B	Donaghadee Sound	15,000
11A	Mull of Galloway to Craig Laggan	75,000
11B	Portpatrick	4,000
12A	Belfast Lough Entrance	37,500
12B	Bangor Bay	17,500
12C	Carrickfergus Marina	15,000
13A	Approaches to Belfast	37,500
13B	Belfast	12,500
14A	Larne Lough to Cushendun Bay	75,000
15	Larne Lough Northern Part	10,000
16	Larne Lough Southern Part	10,000
17	North Channel Northern Entrance	75,000
18	Ballycastle to Portstewart including Rathlin Island	75,000
19A	River Bann to Coleraine	20,000
19B	Rathlin Harbour	2,500
19C	Ballycastle	2,500
20	Portrush to Culdaff including Entrance to Lough Foyle	75,000
21A	Rathlin Sound	37,500
21B	Approaches to Portrush	20,000
21C	Portrush	2,500
22A	Lough Foyle Entrance	25,000
22B	Continuation to Moville	25,000
23A	Lough Foyle	50,000
23B	Culmore Point to Ballynagard	15,000
23C	Ballynagard to Londonderry	15,000
24	North Channel and Irish Sea (Western Part)	500,000

## Notes

**Positions** are referred to the WGS84 compatible datum, European Terrestrial Reference System 1989 Datum.

**Depths** are in metres and are reduced to Chart Datum, which is approximately the level of Lowest Astronomical Tide.

**Heights** are in metres. Underlined figures are drying heights above Chart Datum. Overhead clearance heights are above Highest Astronomical Tide. All other heights are above Mean High Water Springs.

**Navigational marks:** IALA Maritime Buoyage System-Region A (Red to port)

### DATUM

All the charts are referred to the WGS84 compatible Datum ETRS89. Any positions taken from GPS (referred to WGS84) or from ADMIRALTY Notices to Mariners (referred to ETRS89) can be plotted directly on all charts.

### CHART ACCURACY

Owing to the age and quality of the source information, some detail on these charts may not be positioned accurately. Particular caution is advised when navigating in the vicinity of dangers, even when using an electronic positioning system such as GPS.

### OVERHEAD CABLES

Overhead cables may conduct high voltages; contact with or proximity to these poses extreme danger. Sufficient clearance must be allowed.

### MARINE FARMS


Marine farms exist within the area of these charts. They may not all be shown individually and their positions may change frequently. Marine farms may be marked by lit or unlit buoys or beacons. Mariners are advised to avoid these structures and their associated moorings.

### LADEN TANKERS

1. **North Channel** (55°20'N 6°00'W). Laden tankers of over 10 000 GT should avoid the area between the North Channel Traffic Separation Scheme and the adjacent coasts of Rathlin Island and the Mull of Kintyre. No laden tankers should use the narrow passage through Rathlin Sound.

2. **The Skerries** (53°25'N 4°37'W). Laden tankers should avoid the area between the Skerries Traffic Separation Scheme and the adjacent coast.

### OMISSION OF DETAIL

Within the limit marked  and the coastline, this chart should only be used for planning purposes as features such as depths, platforms, wrecks, pipelines, minor aids to navigation and cables have been omitted. Larger scale ADMIRALTY charts are available for mariners intending to navigate in this area.

### SUBMARINE CABLES AND PIPELINES

Mariners should not anchor, trawl or engage in seabed operations in the vicinity of submarine cables and pipelines. Submarine cables support national infrastructure; damage to them may affect critical services and can result in serious consequences, as well as creating a potential hazard to mariners. Wilful or neglectful damage to a cable may result in legal action. Pipelines are not always buried and their presence may significantly reduce the charted depth. They may also span seabed undulations and cause fishing gear to become irrecoverably snagged, putting a vessel in severe danger.

### DREDGED DEPTHS

Dredged depths shown within Belfast Harbour are subject to siltation and liable to change. For the latest information, consult the Belfast Harbour Master - [www.belfast-harbour.co.uk](http://www.belfast-harbour.co.uk)

### HISTORIC WRECKS

The sites of historic wrecks are protected from unauthorised interference.

### WETREP

Tankers of more than 600 dwt carrying heavy crude oil, heavy fuel oil or bitumen and tar and their emulsions are required to participate in the Western European Tanker Reporting System (WETREP). See ADMIRALTY List of Radio Signals for further details.

### OIL AND GAS FIELDS

Production platforms and associated structures, including tanker moorings, storage tankers and platforms on pipelines, generally exhibit Mo(U) lights, aircraft obstruction lights, and audible fog signals. Unauthorised navigation is prohibited within 500 metres of all such structures.

### UNEXPLODED ORDNANCE

Potentially hazardous unexploded ordnance is reported to exist on the seabed, both along the route of the gas pipeline (54°51'3N 5°44'9W to 54°58'9N 5°10'8W) and also in the areas indicated adjacent to the limits of the Beaufort's Dyke Explosives Dumping Ground (54°43'0N 5°12'6W). It is recommended that any activity which is likely to disturb the seabed should not be carried out in these areas.

### HIGH SPEED CRAFT

High speed craft operate in the area of these charts. Mariners are advised to maintain a good lookout. Some high speed craft generate large waves, which can have a serious impact on small craft and their moorings close to the shoreline and on shallow off-lying banks.

### FIRING PRACTICE AREAS

No restrictions are placed on the right to transit the firing practice areas at any time. The firing practice areas are operated using a clear range procedure: exercises and firing only take place when the areas are considered to be clear of all shipping.

### SHELLFISH BEDS

Vessels should avoid grounding in areas of shellfish beds.

### VESSEL REPORTING

For details of the following vessel traffic services, see ADMIRALTY List of Radio Signals:

- Belfast VTS
- Larne VTS.

### MARINE NATURE RESERVE

To avoid the risk of pollution and damage to the environment, Strangford Lough and its approaches has been designated a Marine Nature Reserve. Further details can be found on the Northern Ireland Environment Agency website at [www.ni-environment.gov.uk](http://www.ni-environment.gov.uk).

## HM Coastguard Services and Safety Information

### VHF MARITIME RADIO

Coastguard Maritime Rescue Co-ordination Centres are on constant watch on Channel 16 - the distress, safety and calling channel. Initial calls should normally be on Ch 16.

### HM COASTGUARD

#### BELFAST COASTGUARD (MRCC)

Tel. +44 (0) 2891 463933

MMSI: 002320021

e-mail: zone34@hmcg.gov.uk (FAO Belfast Coastguard)

## Distress and Safety Communication

### Distress - Urgency

A Distress or Urgency message has absolute priority.

Make a call on VHF Channel 16 and give the following essential information:

**Distress Call MAYDAY MAYDAY MAYDAY**

- Name and Call Sign and MMSI number Position
- Nature of Distress
- Type of assistance required
- Type of boat - number of crew - intentions

**Urgency** (eg. if you break down in bad weather or a crewman requires medical attention)

Call **PANPAN PANPAN PANPAN** and give:

- Name and Call Sign and MMSI number Position
- Nature of Distress
- Type of assistance required
- Type of boat - number of crew - intentions

### Other Distress Signals

Other recognised signals are:

- Red flares (parachute, multi stars or hand held) Orange smoke signal
- The flag signal NC
- The morse signal SOS ... --- ... by light
- An article of clothing on an oar
- Slowly and repeatedly raising and lowering outstretched arms
- A square flag with anything resembling a ball above or below it
- Continuous sounding of a siren or whistle will also be recognised, or smoke and flames from the vessel
- The carriage of an Emergency Position Indicating Radio Beacon (406 EPIRB) will improve your chances of being located if conventional means fail. 406 EPIRBs are detected by satellite, in addition to aircraft, and transmitted to a Coastguard Maritime Rescue Co-ordination Centre.

### THE USE OF MOBILE TELEPHONES IN DISTRESS AND SAFETY COMMUNICATIONS

The use of mobile telephones in the marine environment offshore is now well established, with users in all areas of the commercial, fishing and leisure communities.

Incidents have occurred where vessels requiring assistance from rescue services have used the inland emergency service, or alternatively telephoned direct to request assistance. (e.g. Lifeboat services). This procedure through a mobile telephone is strongly discouraged.

Use of mobile telephones by-passes the existing dedicated well-established international marine distress communications systems.

Mobile telephone coverage offshore is limited and does not afford the same extensive safety coverage as VHF Channel 16. Consequently a greater risk exists of communications difficulties or even a complete breakdown if an accident should occur at the edge of a cell coverage area.

Subsequent on-scene communications would be restricted and delayed if mobile telephone communications were exclusively maintained throughout. There is always a risk that elements of vital information could be lost or misinterpreted by the introduction of further relay links in the communication chain. Mobile telephones are also highly susceptible to failure due to water ingress.

It is not possible to communicate direct to another vessel able to render assistance unless that vessel is also fitted with a mobile telephone and the telephone number is known. Requests for assistance cannot be monitored by other vessels in a position to render assistance. Valuable time would be lost whilst the relevant Coastguard Rescue Coordination Centre receives and then re-broadcasts the information to all ships on the appropriate distress channel(s).

**In the interests of Safety Of Life At Sea (SOLAS), owners of vessels are urged to carry MARINE communications equipment onboard and to use this medium as the primary means of Distress and Safety communications.**

## Product Specifications

### PRODUCT USAGE CAUTION

This product is specifically designed, in conjunction with other charts and publications, as an aid to the navigation of leisure craft and locally regulated workboats and fishing vessels and therefore should be used by competent (preferably qualified) maritime navigators. Although this product contains the best information available at the time of publication, the user should navigate with caution, particularly in areas of shallow or confined waters where the depth of water is likely to change due to local conditions. The information provided in this product comes from the latest source information held and is updated by Notice to Mariners upon receipt of new information critical to safe navigation. To help maintain this product for all users, users are asked to notify the United Kingdom Hydrographic Office of any differences found between what is depicted and actual conditions encountered.

### KEEPING THIS CHART UPDATED

Updates for the charts are published using the Notices to Mariners Service on the ADMIRALTY Notices to Mariners page found on our website at [admiralty.co.uk/msi](http://admiralty.co.uk/msi). All updates for the latest edition of the chart are listed and can be quickly and easily downloaded. All the charts are derived from standard ADMIRALTY charts. No updates are applied to the charts by the United Kingdom Hydrographic Office or its agents after printing. For those who do not have internet access, please contact Tel. 01823 484444 for assistance.

### TIDAL STREAMS

Full details of the tidal streams in the area covered by this folio are given in the following ADMIRALTY Tidal Stream Atlases: NP218 North Coast of Ireland and West Coast of Scotland, NP 222 Firth of Clyde and Approaches and NP 256 Irish Sea and Bristol Channel.

### PROVIDE UPDATED INFORMATION

To help maintain this product users are asked to notify the United Kingdom Hydrographic Office of any differences found between what is depicted and actual conditions encountered. Users can do this by submitting a Hydrographic Note form, found on our website [admiralty.co.uk/msi](http://admiralty.co.uk/msi) or by downloading our H-Note App. The H-Note App is freely available to download on Android and iOS devices. For more information please see here:



### IMPROVEMENTS TO THIS PRODUCT

ADMIRALTY Small Craft Charts are designed for use on leisure craft and locally regulated workboats and fishing vessels, where the smaller format charts fit more conveniently into the limited space available. Users with specific suggestions for the improvement of this product or ideas for the expansion of the series are requested to forward their comments to:

Customer Services, The UK Hydrographic Office,  
Admiralty Way, Taunton. +44(0)1823 484444  
E-mail [customerservices@ukho.gov.uk](mailto:customerservices@ukho.gov.uk)

To view all ADMIRALTY Products and services, visit [admiralty.co.uk](http://admiralty.co.uk)

## Tidal Stream Information

### 5612\_1

#### Tidal Streams referred to HW at LIVERPOOL

Hours	Geographical Position	A 54°49'·1 N 5 38·0 W	B 54°48'·0 N 5 17·0 W	C 54°41'·7 N 5 28·1 W	D 54°35'·6 N 4 50·1 W	E 54°32'·1 N 5 25·4 W	F 54°24'·4 N 5 21·3 W	G 54°18'·5 N 5 27·3 W									
Before High Water	Directions of streams (degrees)	-6	238	0.2 0.1	060	0.4 0.3	126	2.8 1.9	226	0.7 0.4	160	0.8 0.5	173	0.4 0.2	225	0.4 0.3	-6
		-5	162	0.8 0.4	130	1.1 0.6	136	3.4 2.3	108	1.4 0.8	160	1.9 1.0	174	0.9 0.5	206	0.8 0.5	-5
		-4	153	1.4 0.8	144	1.8 1.0	133	3.3 2.2	085	3.5 1.9	160	2.4 1.3	176	1.3 0.7	209	0.8 0.5	-4
		-3	151	1.8 0.9	141	2.0 1.2	125	3.0 2.0	085	4.4 2.4	160	2.1 1.1	180	1.3 0.7	221	0.5 0.3	-3
		-2	148	1.5 0.7	140	1.7 1.0	116	2.3 1.6	087	4.2 2.3	160	1.4 0.8	182	0.9 0.4	250	0.3 0.2	-2
		-1	149	1.0 0.5	149	1.2 0.7	064	1.2 0.8	090	2.9 1.6	160	0.3 0.2	187	0.4 0.2	306	0.2 0.1	-1
After High Water	Directions of streams (degrees)	0	078	0.2 0.2	215	0.6 0.4	008	1.9 1.2	111	1.3 0.7	313	0.8 0.4	331	0.5 0.3	356	0.3 0.2	0
		+1	351	0.7 0.4	291	1.1 0.6	343	2.4 1.6	217	1.4 0.8	340	1.7 0.9	357	0.9 0.5	028	0.5 0.3	+1
		+2	335	1.4 0.7	311	1.9 1.1	345	2.7 1.8	245	2.9 1.7	340	2.3 1.3	358	1.3 0.7	045	0.7 0.4	+2
		+3	335	1.8 0.9	320	2.1 1.2	351	2.4 1.5	247	3.6 2.1	340	2.1 1.1	359	1.3 0.7	065	0.8 0.5	+3
		+4	333	1.6 0.8	330	1.7 1.0	359	1.5 1.0	244	3.2 1.8	340	1.6 0.8	000	1.0 0.5	050	0.7 0.4	+4
		+5	334	1.2 0.6	341	1.2 0.7	072	0.7 0.5	248	2.7 1.5	340	0.6 0.3	003	0.5 0.2	337	0.4 0.2	+5
+6	318	0.3 0.2	025	0.4 0.3	119	2.0 1.3	241	1.2 0.7	187	0.5 0.3	145	0.2 0.1	249	0.3 0.2	+6		

### 5612\_2

#### Tidal Streams referred to HW at OBAN

Hours	Geographical Position	A 55°27'·8 N 7 09·6 W	B 55°14'·0 N 6 54·0 W	C 55°29'·7 N 6 51·4 W			
Before High Water	Directions of streams (degrees)	256	0.9 0.5	013	1.9 0.9	306	0.8 0.5
		283	1.6 0.8	344	1.4 0.7	310	1.9 1.2
		294	2.1 1.1	325	1.4 0.7	298	2.6 1.6
		303	2.2 1.1	317	1.3 0.6	297	2.4 1.4
		308	2.0 1.0	302	0.7 0.3	322	1.7 1.0
		314	1.2 0.6	225	0.5 0.2	355	1.0 0.6
After High Water	Directions of streams (degrees)	005	0.3 0.1	173	0.8 0.4	081	1.0 0.6
		100	1.3 0.7	155	1.3 0.7	112	1.9 1.1
		104	2.5 1.3	137	1.4 0.7	128	2.4 1.4
		111	2.8 1.5	101	1.4 0.7	138	2.2 1.3
		127	2.2 1.2	061	1.3 0.7	142	1.9 1.1
		143	1.3 0.7	040	1.7 0.8	150	1.1 0.6
220	0.6 0.2	026	2.0 1.0	275	0.3 0.2		

### 5612\_2

#### Tidal Streams referred to HW at GREENOCK

Hours	Geographical Position	D 55°24'·4 N 6 28·3 W	E 55°27'·2 N 6 04·8 W	F 55°22'·9 N 6 06·0 W	G 55°15'·1 N 5 37·3 W	H 54°49'·1 N 5 38·1 W					
Before High Water	Directions of streams (degrees)	139	1.2 0.7	164	0.8 0.5	128	1.6 0.8	095	2.5 1.5	155	1.1 0.6
		122	2.0 1.2	158	1.5 0.9	128	2.5 1.3	093	3.2 2.0	152	1.6 0.8
		114	2.6 1.5	147	1.8 1.1	121	2.5 1.3	091	3.3 2.0	150	1.8 0.9
		101	2.1 1.2	135	1.6 1.0	114	2.1 1.1	088	2.5 1.6	148	1.3 0.7
		091	1.3 0.8	125	1.0 0.6	105	1.3 0.7	076	0.5 0.3	146	0.7 0.3
		030	0.5 0.3	080	0.4 0.2	010	0.2 0.1	282	1.0 0.6	005	0.2 0.1
After High Water	Directions of streams (degrees)	326	1.3 0.7	344	0.7 0.4	301	1.5 0.8	276	2.1 1.3	336	1.0 0.5
		304	1.8 1.0	320	1.3 0.8	298	2.5 1.3	273	3.0 1.9	335	1.5 0.8
		295	2.2 1.3	313	1.8 1.1	300	2.7 1.4	270	3.3 2.0	333	1.8 0.9
		287	2.5 1.5	323	1.7 1.0	303	2.4 1.2	268	2.4 1.5	333	1.4 0.7
		270	1.7 1.0	335	1.2 0.7	302	1.5 0.7	262	1.3 0.8	332	0.9 0.4
		226	0.9 0.5	320	0.5 0.3	290	0.5 0.3	118	0.5 0.3	255	0.1 0.1
157	0.9 0.5	172	0.4 0.2	130	0.7 0.4	097	1.8 1.1	157	0.8 0.4		

### 5612\_4

Tidal Streams referred to HW at BELFAST

Hours	Geographical Position	A 54°32'21 N 5 25.47W	B 54°24'41 N 5 21.37W	C 54°18'51 N 5 27.37W
Before High Water	Directions of streams (degrees)	160	172	238
		160	174	201
		160	174	206
		160	178	214
		160	182	232
		160	183	278
High Water	Rates at spring tides (knots)	340	352	353
		340	356	024
		340	357	039
		340	358	055
		340	359	070
		340	002	023
After High Water	Rates at neap tides (knots)	160	020	265
		160	020	265
		160	020	265
		160	020	265
		160	020	265
		160	020	265

### 5612\_5

Tidal Streams referred to HW at BELFAST

Hours	Geographical Position	A 54°18'5N 5 27.3W	B 54°19'8N 5 31.3W	C 54°21'7N 5 32.6W
Before High Water	Directions of streams (degrees)	238	201	206
		201	206	214
		206	214	232
		214	232	278
		232	278	353
		278	353	024
High Water	Rates at spring tides (knots)	024	039	055
		039	055	070
		055	070	023
		070	023	070
		023	070	023
		070	023	023
After High Water	Rates at neap tides (knots)	023	023	023
		023	023	023
		023	023	023
		023	023	023
		023	023	023
		023	023	023

### 5612\_6

Tidal Streams referred to HW at BELFAST

Hours	Geographical Position	A 54°19'8N 5 31.3W
Before High Water	Directions of streams (degrees)	172
		174
		174
		178
		182
		183
High Water	Rates at spring tides (knots)	352
		356
		357
		358
		359
		002
After High Water	Rates at neap tides (knots)	020
		020
		020
		020
		020
		020

### 5612\_7A

Tidal Streams referred to HW at BELFAST

Hours	Geographical Position	A 54°21'7N 5 32.6W
Before High Water	Directions of streams (degrees)	172
		174
		174
		178
		182
		183
High Water	Rates at spring tides (knots)	352
		356
		357
		358
		359
		002
After High Water	Rates at neap tides (knots)	020
		020
		020
		020
		020
		020

### 5612\_9A

Tidal Streams referred to HW at BELFAST

Hours	Geographical Position	A 54°24'4N 5 21.4W	B 54°32'2N 5 25.5W
Before High Water	Directions of streams (degrees)	172	160
		174	160
		174	160
		178	160
		182	160
		183	160
High Water	Rates at spring tides (knots)	352	340
		356	340
		357	340
		358	340
		359	340
		002	340
After High Water	Rates at neap tides (knots)	020	160
		020	160
		020	160
		020	160
		020	160
		020	160

### 5612\_10A

Tidal Streams referred to HW at BELFAST \*Current included

Hours	Geographical Position	A 54°42'80N 5 37.36W	B *54°42'00N 5 35.46W	C *54°41'40N 5 33.96W	D 54°39'90N 5 32.76W	E 54°41'30N 5 31.76W	F *54°38'90N 5 31.16W
Before High Water	Directions of streams (degrees)	125	060	116	123	114	152
		133	072	115	125	116	175
		139	084	115	124	119	286
		144	095	114	122	122	334
		138	098	110	115	126	348
		156	083	071	082	296	355
High Water	Rates at spring tides (knots)	289	350	022	316	295	002
		317	326	025	299	293	357
		321	313	026	296	293	340
		322	311	027	298	295	337
		320	349	025	302	301	354
		342	030	024	312	097	028
After High Water	Rates at neap tides (knots)	115	053	118	123	109	141
		115	053	118	123	109	141
		115	053	118	123	109	141
		115	053	118	123	109	141
		115	053	118	123	109	141
		115	053	118	123	109	141

### 5612\_10B

Tidal Streams referred to HW at BELFAST

Hours	Geographical Position	D 54°39'90N 5 32.76W
Before High Water	Directions of streams (degrees)	123
		125
		124
		122
		115
		082
High Water	Rates at spring tides (knots)	316
		299
		296
		298
		302
		312
After High Water	Rates at neap tides (knots)	123
		123
		123
		123
		123
		123

### 5612\_11A

Tidal Streams referred to HW at BELFAST

Hours	Geographical Position	A 54°48'0N 5 17.1W
Before High Water	Directions of streams (degrees)	021
		134
		146
		141
		139
		141
High Water	Rates at spring tides (knots)	162
		298
		309
		317
		326
		338
After High Water	Rates at neap tides (knots)	345
		345
		345
		345
		345
		345

### 5612\_12A

Tidal Streams referred to HW at BELFAST

Hours	Geographical Position	A 54°44'10N 5 42.26W	B 54°42'50N 5 41.76W	C 54°42'80N 5 37.36W
Before High Water	Directions of streams (degrees)	202	152	125
		212	170	133
		214	178	139
		221	180	144
		226	218	138
		000	272	156
High Water	Rates at spring tides (knots)	031	308	289
		032	332	317
		033	353	321
		035	000	322
		046	020	320
		107	058	342
After High Water	Rates at neap tides (knots)	193	128	115
		193	128	115
		193	128	115
		193	128	115
		193	128	115
		193	128	115



**5612\_14 Tidal Streams referred to HW at BELFAST**

Hours	Geographical Position	A 55°08'8 N 6 00-6W	B 54°52'1 N 5 47-4W	C 54°49'1 N 5 38-1W			
Before High Water	Directions of streams (degrees)	175	0.9 0.6	100	0.2 0.1	255	0.1 0.1
		171	3.1 2.1	126	0.8 0.6	157	0.8 0.4
		167	3.1 2.2	131	1.3 0.9	152	1.4 0.7
		170	1.2 0.9	135	1.1 0.8	152	1.8 0.9
		004	1.1 0.8	132	0.8 0.6	148	1.6 0.8
		356	2.3 1.6	124	0.3 0.2	149	1.1 0.6
High Water	Rates at spring tides (knots)	356	2.8 2.0	304	0.3 0.2	120	0.2 0.1
		358	3.4 2.4	304	0.7 0.5	340	0.7 0.4
		359	3.7 2.6	302	1.3 0.9	335	1.4 0.7
		359	4.0 2.8	306	0.9 0.7	336	1.8 0.9
		352	3.3 2.3	312	0.7 0.5	333	1.6 0.8
		359	1.8 1.3	332	0.4 0.3	334	1.2 0.6
After High Water	Rates at neap tides (knots)	132	0.2 0.1	000	0.2 0.2	325	0.4 0.2

**5612\_15 Tidal Streams referred to HW at BELFAST**

Hours	Geographical Position	A 54°51'35 N 5 47-53W	B 54°50'77 N 5 47-61W	C 54°50'55 N 5 47-73W	D 54°50'55 N 5 47-54W	E 54°50'47 N 5 47-27W						
Before High Water	Directions of streams (degrees)	200	0.0 0.0	166	0.2 0.1	162	0.0 0.0	288	0.1 0.1	318	0.1 0.0	-6
		202	0.4 0.3	172	0.8 0.6	162	0.4 0.3	147	0.3 0.2	127	0.7 0.5	-5
		203	0.7 0.5	174	1.2 0.9	164	0.7 0.5	145	0.7 0.5	120	0.7 0.5	-4
		198	0.7 0.5	173	1.3 0.9	167	0.8 0.6	149	1.0 0.8	115	0.6 0.4	-3
		206	0.4 0.3	171	1.5 1.1	169	0.7 0.5	148	0.9 0.6	357	0.1 0.1	-2
		246	0.1 0.1	186	1.0 0.7	169	0.4 0.3	156	0.4 0.3	359	0.1 0.1	-1
High Water	Rates at spring tides (knots)	350	0.2 0.1	196	0.1 0.1	160	0.1 0.1	169	0.1 0.1	339	0.2 0.1	0
		006	0.7 0.5	001	0.4 0.3	012	0.2 0.1	009	0.1 0.1	331	0.6 0.4	+1
		013	1.4 1.0	009	1.0 0.7	004	0.6 0.4	001	0.4 0.3	329	0.8 0.6	+2
		008	1.8 1.3	011	1.2 0.9	357	0.7 0.5	000	0.6 0.4	327	0.8 0.6	+3
		012	1.7 1.2	001	1.4 1.0	000	0.7 0.5	346	0.6 0.5	318	1.1 0.8	+4
		008	0.7 0.5	353	1.0 0.8	336	0.5 0.3	343	0.6 0.4	297	1.2 0.9	+5
After High Water	Rates at neap tides (knots)	008	0.7 0.5	0.0 0.0	333	0.2 0.2	314	0.1 0.1	313	0.4 0.3	+6	

**5612\_17 Tidal Streams referred to HW at BELFAST**

Hours	Geographical Position	A 55°12'3 N 6 02-3W	B 55°08'8 N 6 00-6W	C 55°15'1 N 5 37-3W			
Before High Water	Directions of streams (degrees)	148	1.2 0.8	175	0.9 0.6	243	0.5 0.3
		150	3.6 2.5	171	3.1 2.1	100	1.5 0.9
		148	4.4 3.1	167	3.1 2.2	095	2.9 1.8
		148	4.3 3.0	170	1.2 0.9	092	3.4 2.1
		148	3.4 2.3	004	1.1 0.8	090	3.1 1.9
		151	1.6 1.1	356	2.3 1.6	087	1.6 1.0
High Water	Rates at spring tides (knots)	323	0.7 0.5	356	2.8 2.0	065	0.3 0.2
		327	2.8 1.9	358	3.4 2.4	283	1.0 0.6
		328	4.2 2.9	359	3.7 2.6	277	2.1 1.3
		329	4.6 3.1	359	4.0 2.8	274	2.9 1.8
		331	4.0 2.7	352	3.3 2.3	270	3.1 1.9
		328	2.5 1.7	359	1.8 1.3	268	2.3 1.4
After High Water	Rates at neap tides (knots)	0.0 0.0	132	0.2 0.1	262	1.1 0.7	

**5612\_18 Tidal Streams referred to HW at OBAN**

Hours	Geographical Position	A 55°24'4 N 6 28-3W	
Before High Water	Directions of streams (degrees)	341	1.0 0.5
		312	1.6 0.9
		296	2.0 1.2
		294	2.4 1.5
		277	2.0 1.2
		255	1.1 0.6
High Water	Rates at spring tides (knots)	183	0.8 0.4
		134	1.3 0.7
		121	2.1 1.2
		111	2.6 1.5
		099	2.0 1.2
		088	1.1 0.6
After High Water	Rates at neap tides (knots)	010	0.6 0.4

**5612\_20 Tidal Streams referred to HW at OBAN**

Hours	Geographical Position	A 55°11'9 N 6 58-6W	B 55°14'0 N 6 54-0W		
Before High Water	Directions of streams (degrees)	057	2.6 1.3	013	1.9 0.9
		053	1.7 0.8	344	1.4 0.7
		045	0.2 0.1	325	1.4 0.7
		240	1.4 0.6	317	1.3 0.6
		247	2.6 1.3	302	0.7 0.3
		249	3.2 1.6	225	0.5 0.2
High Water	Rates at spring tides (knots)	244	3.5 1.7	173	0.8 0.4
		240	2.4 1.2	155	1.3 0.7
		180	0.2 0.1	137	1.4 0.7
		070	2.0 0.9	101	1.4 0.7
		068	3.0 1.5	061	1.3 0.7
		067	3.3 1.6	040	1.7 0.8
After High Water	Rates at neap tides (knots)	062	2.8 1.4	026	2.0 1.0

**5612\_22A Tidal Streams referred to HW at RIVER FOYLE (LISAHALLY)**

Hours	Geographical Position	A 55°14'00 N 6 53-95W	B 55°11'90 N 6 58-65W		
Before High Water	Directions of streams (degrees)	325	1.4 0.7	253	0.1 0.0
		317	1.3 0.6	242	1.7 0.8
		298	0.7 0.4	247	2.9 1.4
		238	0.5 0.2	249	3.2 1.6
		177	0.8 0.4	245	3.4 1.7
		154	1.2 0.6	240	2.3 1.2
High Water	Rates at spring tides (knots)	135	1.4 0.7	155	1.3 0.7
		100	1.4 0.7	072	1.9 0.9
		061	1.4 0.6	069	2.9 1.4
		040	1.7 0.8	067	3.2 1.6
		024	1.9 1.0	061	2.8 1.4
		355	1.6 0.8	055	2.1 1.1
After High Water	Rates at neap tides (knots)	332	1.3 0.6	153	0.8 0.4

**5612\_22B Tidal Streams referred to HW at RIVER FOYLE (LISAHALLY)**

Hours	Geographical Position	55°10'70N 7 02'45W	55°10'10N 7 03'15W
Before High Water	Directions of streams (degrees)	0	055
		1	145
		2	235
		3	235
		4	233
High Water	Rates at spring tides (knots)	0	0.8 0.4
		1	0.9 0.4
		2	1.0 0.8
		3	1.5 0.7
		4	1.7 0.9
After High Water	Rates at neap tides (knots)	0	1.1 0.5
		1	0.8 0.4
		2	0.9 0.5
		3	1.7 0.8
		4	1.8 0.9
5	2.0 1.0		
6	2.0 1.0		

**5612\_23A Tidal Streams referred to HW at RIVER FOYLE (LISAHALLY)**

Hours	Geographical Position	55°11'90N 6 58'65W	55°10'70N 7 02'45W	55°10'10N 7 03'15W	55°09'20N 7 06'25W
Before High Water	Directions of streams (degrees)	0	253	247	055
		1	242	246	145
		2	247	244	235
		3	249	244	235
		4	245	246	233
High Water	Rates at spring tides (knots)	0	0.1 0.0	0.0 0.0	0.8 0.4
		1	1.7 0.8	0.9 0.4	0.4 0.2
		2	2.9 1.4	1.7 0.8	0.8 0.4
		3	3.2 1.6	2.1 1.0	1.5 0.7
		4	3.4 1.7	2.3 1.1	1.7 0.9
After High Water	Rates at neap tides (knots)	0	2.3 1.2	1.7 0.9	1.6 0.8
		1	1.3 0.7	0.8 0.4	1.1 0.5
		2	1.9 0.9	0.8 0.4	0.6 0.3
		3	2.9 1.4	1.5 0.7	0.9 0.5
		4	3.2 1.6	2.0 1.0	1.7 0.8
5	2.8 1.4	2.3 1.1	1.8 0.9		
6	2.1 1.1	2.0 1.0	1.5 0.8		

**5612\_23B Tidal Streams referred to HW at RIVER FOYLE (LISAHALLY)**

Hours	Geographical Position	55°02'70N 7 15'25W	55°02'60N 7 15'75W
Before High Water	Directions of streams (degrees)	0	089
		1	180
		2	240
		3	239
		4	231
High Water	Rates at spring tides (knots)	0	0.9 0.4
		1	0.6 0.3
		2	1.1 0.5
		3	1.6 0.7
		4	1.7 0.8
After High Water	Rates at neap tides (knots)	0	1.3 0.6
		1	0.7 0.3
		2	0.8 0.4
		3	1.3 0.6
		4	1.7 0.8
5	1.7 0.8		
6	1.4 0.7		

**5612\_23C Tidal Streams referred to HW at RIVER FOYLE (LISAHALLY)**

Hours	Geographical Position	55°00'80N 7 17'55W	55°00'70N 7 17'95W
Before High Water	Directions of streams (degrees)	0	042
		1	134
		2	216
		3	208
		4	210
High Water	Rates at spring tides (knots)	0	1.1 0.6
		1	0.6 0.3
		2	0.7 0.3
		3	1.3 0.6
		4	1.4 0.7
After High Water	Rates at neap tides (knots)	0	1.4 0.7
		1	1.1 0.6
		2	0.7 0.3
		3	0.9 0.4
		4	1.4 0.7
5	1.3 0.6		
6	1.2 0.6		

**5612\_24**

**Tidal Streams referred to HW at DOVER**

Hours	Geographical Position	55°34'2N 7 07'2W	55°24'4N 6 28'2W	55°22'9N 6 05'9W	55°15'1N 5 37'2W	54°49'1N 5 38'0W	54°48'0N 5 17'0W	54°31'6N 4 36'8W	54°24'4N 5 21'3W	53°40'2N 5 09'3W
Before High Water	Directions of streams (degrees)	0	018	218	284	201	214	077	197	174
		1	112	153	128	096	157	138	100	175
		2	133	124	129	093	152	146	093	176
		3	141	119	124	091	152	140	091	180
		4	155	104	117	089	148	140	091	182
High Water	Rates at spring tides (knots)	0	0.5 0.3	0.8 0.4	0.2 0.1	0.3 0.2	0.1 0.1	0.2 0.1	0.4 0.2	0.4 0.2
		1	0.9 0.5	1.0 0.5	1.2 0.6	2.0 1.2	0.9 0.5	1.0 0.6	1.3 0.8	0.9 0.5
		2	1.8 1.1	1.7 1.0	2.4 1.2	3.3 2.0	1.5 0.8	1.9 1.1	2.8 1.6	1.3 0.7
		3	2.6 1.6	2.5 1.5	2.7 1.3	3.4 2.1	1.8 0.9	2.2 1.2	3.4 1.9	1.4 0.8
		4	2.2 1.4	2.4 1.4	2.4 1.4	3.0 1.8	1.5 0.8	1.8 1.0	2.9 1.7	1.1 0.6
After High Water	Rates at neap tides (knots)	0	1.6 1.0	1.7 1.0	1.6 0.8	1.3 0.8	1.0 0.5	1.4 0.8	1.6 0.9	0.4 0.2
		1	0.8 0.5	0.6 0.4	0.4 0.2	0.2 0.1	0.1 0.1	0.4 0.2	0.4 0.2	0.3 0.2
		2	0.9 0.5	1.1 0.5	1.1 0.6	1.4 0.8	0.8 0.4	1.0 0.6	1.7 1.0	0.9 0.5
		3	1.8 1.1	1.6 0.9	2.4 1.2	2.4 1.5	1.4 0.7	2.0 1.1	3.0 1.7	1.3 0.7
		4	2.3 1.4	2.1 1.3	2.8 1.4	2.7 1.3	1.8 0.9	2.3 1.3	3.4 1.9	1.4 0.8
5	2.2 1.3	2.4 1.5	3.0 1.9	3.1 1.9	1.6 0.8	1.8 1.0	2.5 1.7	1.1 0.6		
6	1.5 0.9	2.7 6	3.0 3	2.2 1.3	1.2 0.6	1.3 0.7	2.0 1.1	0.6 0.3		

**5612\_24 continued**

53°28'5N 4 45'1W	53°26'0N 5 33'0W	
205	211	-6
055	345	-5
050	351	-4
046	350	-3
049	349	-2
053	353	-1
125	011	0
226	160	+1
231	169	+2
231	170	+3
230	170	+4
228	174	+5
223	183	+6



**TIME & HEIGHT DIFFERENCES FOR PREDICTING THE TIDE AT SECONDARY PORTS**




PLACE	Lat. N	Long. W	TIME DIFFERENCES				HEIGHT DIFFERENCES (IN METRES)				
			High Water Zone UT(GMT)	Low Water	MHWS	MHWN	MLWN	MLWS			
<b>BELFAST</b> .....	<b>54 36</b>	<b>5 55</b>	<b>0100</b> and <b>1300</b>	<b>0700</b> and <b>1900</b>	<b>0000</b> and <b>1200</b>	<b>0600</b> and <b>1800</b>	<b>3.5</b>	<b>3.0</b>	<b>1.1</b>	<b>0.4</b>	
<b>NORTHERN IRELAND</b>											
Kilkeel .....	54 03	5 59	+0040	+0030	+0010	+0010	+1.2	+1.1	+0.4	+0.4	
Newcastle .....	54 12	5 53	+0025	+0035	+0020	+0040	+1.6	+1.1	+0.4	+0.1	
Killough Harbour .....	54 15	5 38	0000	+0020	o	o	+1.8	+1.6	o	o	
Ardglass .....	54 16	5 36	+0010	+0015	+0005	+0010	+1.7	+1.2	+0.6	+0.3	
<i>Strangford Lough</i>											
Killard Point .....	54 19	5 31	+0011	+0021	+0005	+0025	+1.0	+0.8	+0.1	+0.1	
Strangford .....	54 22	5 33	+0147	+0157	+0148	+0208	+0.1	+0.1	-0.2	0.0	
Quoile Barrier .....	54 22	5 41	+0150	+0200	+0150	+0300	+0.2	+0.2	-0.3	-0.1	
Killyleagh .....	54 24	5 39	+0157	+0207	+0211	+0231	+0.3	+0.3	o	o	
South Rock .....	54 24	5 25	+0023	+0023	+0025	+0025	+1.0	+0.8	+0.1	+0.1	
Portavogie .....	54 27	5 26	+0010	+0020	+0010	+0020	+1.2	+0.9	+0.3	+0.2	
Donaghadee .....	54 39	5 32	+0020	+0020	+0023	+0023	+0.5	+0.4	0.0	+0.1	
Bangor .....	54 40	5 40	+0001	+0001	-0001	+0001	0.0	-0.1	0.0	+0.1	
BELFAST .....	54 36	5 55	STANDARD PORT								
Carrickfergus .....	54 43	5 48	+0005	+0005	+0005	+0005	-0.3	-0.3	-0.2	-0.1	
LARNE .....	54 51	5 48	STANDARD PORT				See Table of NON-REFERENCE STANDARD PORTS				
Red Bay .....	55 04	6 03	+0022	-0010	+0007	-0017	-1.9	-1.5	-0.8	-0.2	
Cushendun .....	55 08	6 02	+0010	-0030	0000	-0025	-1.7	-1.5	-0.6	-0.2	
<b>RIVER FOYLE (LISAHALLY)</b> .....	<b>55 03</b>	<b>7 16</b>	<b>0100</b> and <b>1300</b>	<b>0800</b> and <b>2000</b>	<b>0200</b> and <b>1400</b>	<b>0700</b> and <b>1900</b>	<b>2.6</b>	<b>1.9</b>	<b>0.9</b>	<b>0.4</b>	
Ballycastle Bay .....	55 12	6 14	+0126	-0112	-0053	+0128	-1.3	-0.9	-0.2	0.0	
Portrush .....	55 12	6 40	-0046	-0052	-0117	-0057	-0.5	-0.3	+0.1	+0.1	
Coleraine .....	55 08	6 40	-0004	-0106	-0109	-0005	-0.4	-0.1	0.0	0.0	
<b>IRELAND</b>											
<i>Lough Foyle</i>											
Warren Lighthouse.....	55 13	6 57	-0055	-0115	-0155	-0117	-0.3	0.0	o	o	
Moville .....	55 11	7 03	-0042	-0057	-0127	-0058	-0.3	0.0	+0.1	0.0	
Quigley's Point .....	55 08	7 11	-0020	-0027	-0040	-0027	-0.3	-0.1	0.0	-0.1	
<b>NORTHERN IRELAND</b>											
Culmore Point .....	55 03	7 15	-0002	-0003	-0003	-0002	-0.1	-0.1	+0.1	0.0	
<i>River Foyle</i>											
RIVER FOYLE (LISAHALLY) .....	55 03	7 16	STANDARD PORT								
Londonderry .....	55 00	7 19	+0033	+0035	+0032	+0032	+0.1	+0.2	+0.3	+0.2	
<b>IRELAND</b>											
Culdaff Bay .....	55 18	7 09	-0103	-0121	-0134	-0114	+0.2	+0.4	o	o	
<b>GALWAY</b> .....	<b>53 16</b>	<b>9 03</b>	<b>0200</b> and <b>1400</b>	<b>0900</b> and <b>2100</b>	<b>0200</b> and <b>1400</b>	<b>0800</b> and <b>2000</b>	<b>5.1</b>	<b>3.9</b>	<b>2.0</b>	<b>0.8</b>	
Inishtrahull .....	55 26	7 14	+0100	+0100	+0115	+0200	-1.8	-1.4	-0.4	-0.4	
<b>SCOTLAND</b>											
<b>LIVERPOOL (GLADSTONE DOCK)</b> .....	<b>53 27</b>	<b>3 01</b>	<b>0000</b> and <b>1200</b>	<b>0600</b> and <b>1800</b>	<b>0200</b> and <b>1400</b>	<b>0800</b> and <b>2000</b>	<b>9.4</b>	<b>7.5</b>	<b>3.2</b>	<b>1.1</b>	
Portpatrick .....	54 51	5 07	+0038	+0032	+0009	-0008	-5.5	-4.4	-2.0	-0.6	
<b>GREENOCK</b> .....	<b>55 57</b>	<b>4 46</b>	<b>0000</b> and <b>1200</b>	<b>0600</b> and <b>1800</b>	<b>0000</b> and <b>1200</b>	<b>0600</b> and <b>1800</b>	<b>3.4</b>	<b>2.8</b>	<b>1.0</b>	<b>0.3</b>	
<i>Firth of Clyde</i>											
Southend, Kintyre .....	55 19	5 38	-0030	-0010	+0005	+0035	-1.3	-1.2	-0.5	-0.2	

o No Data

Non-Reference Standard Ports				
STANDARD PORT	MHWS	MHWN	MLWN	MLWS
LARNE	2.8	2.5	0.8	0.4

# Tidal Curve Diagrams





190